APR 8 2013

| REQUEST FOR AGE | NDA PLACEMENT FORM | |
|---------------------------------------------|----------------------------------------|--|
| Submission Deadline - Tues | sday, 12:00 PM before Court Dates | |
| SUBMITTED BY: Don Beeson | | |
| TODAY'S DATE: 04/02/2013 | | |
| | | |
| <u>DEPARTMENT</u> : Road and Bridge | Precinct #4 | |
| SIGNATURE OF DEPARTMENT | HEAD: Don Beeson | |
| REQUESTED AGENDA DATE: 04 | | |
| SPECIFIC AGENDA WORDING: 1 Mower. | Purchase one Rhino DB 156501 Rotary | |
| PERSON(S) TO PRESENT ITEM: | Don Beeson | |
| SUPPORT MATERIAL: (Must enc | lose supporting documentation) | |
| TIME: | ACTION ITEM:X WORKSHOP | |
| (Anticipated number of minutes needed to di | iscuss item) CONSENT: | |
| _ | EXECUTIVE: | |
| STAFF NOTICE: | | |
| COUNTY ATTORNEY: | IT DEPARTMENT: | |
| AUDITOR: | PURCHASING DEPARTMENT:X | |
| PERSONNEL: | PUBLIC WORKS: | |
| BUDGET COORDINATOR: OTH | IER: | |
| **********This Section to be Compl | leted by County Judge's Office******** | |
| ASSIGNED AGENDA DATE: | | |
| REQUEST RECEIVED BY COUNTY JUDGE'S OFFICE | | |
| OURTMEMBER APPROVAT | Date | |
| | | |

Approved by CC:

APR 8 2013

Purchase Requisition

Zimmerer Kubota & Equipment 2825 N. Nolan River Road Cleburne, TX 76033 817-517-7808

1 ea. Rhino DB 156501 Hydraulic DitchBank Rotary Cutter with chain guards and one rear tail and one side tail wheel. Installed on Precinct #4 tractor.

But Board price: \$11,829.36

ZK Since 1979

ZIMMERER KUBOTA & EQUIPMENT

www.zimmererkubota.com
Celebrating Our 30th Anniversary

Approved by CC:

APR 8 2013

5600 N.E. LOOP 820 FORT WORTH, TX 76117 (817) 281-6143 FAX (817) 498-4021 2825 N. NOLAN RIVER RD. CLEBURNE, TX 76033 (817) 645-9106 FAX (817) 517-7808

1421 N, LOOP 288 DENTON, TX 76209 (940) 382-1564 FAX (972) 434-3839 3472 SOUTH US HWY 287 DECATUR, TN 76234 (940) 627-4744 FAN (940) 626-4437

PROPOSAL

| Dealer# | Contact Person | E-mail address | |
|-----------------|--------------------------------|----------------------------------------------------------------------|--------------|
| Customer JOHNIG | | E-mail address Dwawe Mu | <u>ෆ</u> ුනට |
| City 817-55 | 8-9400 | State Zip | - |
| | DESCRIPTION | | AMOUNT |
| | | | |
| D B 1565 | 5) CHAMO GO | 14.25 | 12942 |
| REAL TAU. | તામ દહ્ | | 473 |
| Sine TAIL | w f cc · | | 377 |
| | | 4117 | 137920 |
| | | | 11447.3€ |
| | | FREILHT | 162, c. |
| | | 767 700 | 220 4 |
| | | | 1/8293 |
| | | | |
| | Trade-In Description Amount | SUB TOTAL EXTENDED WARRANTY TRADE-IN VALUE TRADE DIFFERENCE | |
| Months APR Payr | Agricultur Osc | SALES TAX TRADE-IN PAY OFF NET TRADE DIFFERENCE H.E.T. | |
| 36 | Commercial Use | UCC/DOC FEE_ PHYS. DAMAGE INS DOWN PAYMENT_ AMOUNT FINANCED | |



DB150 HYDRAULIC DITCHBANK **ROTARY CUTTER**

STD EQUIPMENT & SPECIFICATIONS

Cutting Width: Transport Width: Overall Width (Head): 85-1/4" Overall Length (Head): 71-3/8"

Cutting Height (Min.):

Hitch:

Blade Carrier:

Blades:

Blade Rotation: Horsepower Required:

Tractor PTO Speed: Oil Reservoir Capacity:

Max System Pressure: Blade Tip Speed:

Horizontal Reach (Max.):

Extension Cylinder Stroke: Cutting Capacity (Max.): Driveline Size:

Overload Protection: Deck Thickness:

Side Skirt: Range of Head Movement (Degrees):

Hydraulic Capacity: Skid Shoes:

Safety Deflectors: Weight (Approx.):

85 Up / 90 Dn 18.32 GPM

Relief Valve

10 Ga x 9-1/4"

Replaceable **Rubber Belting** 2140 lbs with Oil

CAT II-III Q.H

Clockwise

60 HP with Adequate Front WL

540 RPM

3000 PSI

30

Cat 4

10 Ga

16,870 FPM

158" From Center of Tractor

55 Gallons Factory Filled

1/2" x 4" Updraft

Pan

*DB150 Units are built to order. Contact Customer Service for Delivery Information.

The above units are assembled with safety guards for agricultural applications. If the intended use is for highway, right of way, parks or greenbelt mowing where human dwellings, vehicles, or livestock could be within 300 feet of the mower, double chain guards should be ordered and used.

| | DESCRIPTION | | APPROX | LIST |
|---------------------|------------------|------------------|--------------------|-----------------|
| CATALOG NUMBER | BLADE CARRIER | SAFETY GUARDS | SHIPPING WEIGHT | PRICE (\$US) |
| BASE UNIT - 540 RPM | | | | |
| DB156101* | Pan | Deflectors | 2050 | \$12,563 |
| DB156501* | Pan | Chain Guards | 2140 | \$12,942 |

| 0.17.11.00 | | APPROX | LIST |
|------------|-------------------------------------------------|--------------------|-----------------|
| NUMBER | DESCRIPTION | SHIPPING WEIGHT | PRICE (\$US) |
| 02964957 | Closed Center Three-Spool Valve | 40 | \$738 |
| 02281000 | Open Center Three Spool Valve | 40 | \$646 |
| 00775779 | Front & Rear Double Chain Guards | 88 | \$457 |
| 00777523 | Rear Mount Tailwheel | 85 | 4 |
| 00775786 | Side Mount Gauge Wheel | | \$473 |
| | . A memoria is more a second of a source of the | 40 | \$377 |
| 00776352 | Lower Hitch Position Quick-Hitch Adapter Kit | 12 | \$162 |