

Approved by CC:


JUN 09 2014

STATE OF TEXAS §


COUNTY OF JOHNSON §

---

BEFORE ME, Frances Box the undersigned  
authority, on this day personally appeared Rick Bailey  
known to me to be the person whose name is subscribed hereto, and having been duly  
sworn by me on oath declared and stated that the attached copy of a Road Report, for  
Precinct # 1 dated June 1, 2014 is true and correct.

  
\_\_\_\_\_  
Commissioner, Precinct No. 1

SUBSCRIBED AND SWORN TO BEFORE ME this 28th day  
of May, 2014, to certify which witness my hand and official seal.



Frances Box  
\_\_\_\_\_  
Notary for the State of Texas



**RICK BAILEY  
JOHNSON COUNTY COMMISSIONER  
PRECINCT 1**

**June 1, 2014**

**251.005 COMMISSIONER'S ANNUAL ROAD REPORT.**

1. For the condition of each road or part of a road and of each culvert and bridge in the precinct, see "Attachment A".
2. The amount of money reasonably necessary for maintenance of the roads in the precinct during the next county fiscal year is \$895,370.
3. Approximately 300 defaced or torn down traffic control devices are replaced in the precinct.
4. There are no new roads that should be opened in the precinct.
5. For bridges, culverts, or other improvements necessary to place the precinct roads in good condition see "Attachment A". Probable cost of improvements is \$174,200.

**251.007 CLASSIFICATION OF COUNTY ROADS.**

- A. All public roadways in Precinct One will be classified as third class roadways having less than 40 feet of roadway and some having less than 20 feet of roadway.

**251.009 CATTLE GUARDS ON COUNTY ROADS.**

- A. There are currently 17 cattle guards in Precinct One which the Precinct is required to maintain.

**Attachment A**  
**6/01/2014**

TXDOT ROAD ID#	ADDT'L TXDOT ID#	ROAD #	MILEAGE	CONDITION (1-5) 1=POOR, 5=EXCELLENT	CULVERTS	CULVERT CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	COST OF IMPROVEMENTS
AA2155		305A	0.350	4	0					
					SH 171-1205: (1) 18" X 25' CULVERT (2) 4' X 23' CULVERT (1) 24" X 30' CULVERT (1) 36" X 40' CULVERT	3 3 3 3				
AA0310		310	1.600	4						
					1205-SH 171: (1) 18" X 34' CULVERT (1) 24" X 36' CULVERT (1) 18" X 21' CULVERT (1) 24" X 30' CULVERT (1) 15" X 24' CULVERT	3 3 3 3 3				
AA1628		310A	2.200	3						
AA0902		902	1.970	3	1018-1010: (1) 18"X24' CULVERT (04)	4	AA0156-001	MARTIN BRANCH	7/6	
AA0903		903	1.286	3-						
AA0904		904	2.500	2	1010-1022: (2) 36"X35'- Ext/bands (08) (2) 42"X35' CULVERTS (08)	4 4				
AATOADD		904Z	0.535	5	AT 904: 34"X48' CONCRETE (13)					
AA0905	(2) AA905	905	1.669	2	0					
AA0906		906	0.671	3	1009-1006: (3) 48" X 20' CULVERTS (1) 24" X 30' CULVERT	3 3				
AA0907		907	1.431	3	1003A-1006: (3) 24" X 20' CULVERTS (1) 24" X 24' CULVERT (1) 18" X 24' CULVERT (2) 36" X 24' CULVERTS (3) 48" X 36' ARCH CULVERTS, (2) 36"X20' CULVERTS W/BAND/CONCRETE-REPLACE DIP (12)	4 4 4 4 4				
AA0913		913	5.000	1006-1005 = 4 1005-1008 = 3	1008-1006: (1) 5"x30' CULVERT (1) 36"x30' CULVERT FM2331-1002: (1) 42"x36' CULVERT 1002-1001: (2) 36"x40' CULVERT (1) 18"x30' CULVERT (1) 24"x30' CULVERT	3 3 3 2 3 3				
AA1001	(2) AA1001	1001	1.819	RR-171 = 2 171-913 = 4	0					
AA1675		1003A	0.676	3						
AA1006		1006	3.798	3	SH 171-FM917: (1) 24" X 24' CULVERT (1) 24" X 24' CULVERT, EXT (08) FM917-913: (2) 24"X30' CULVERT (1) 18"X30' CULVERT (1) 18"X30' CULVERT	3 3 3 3 3				
AA1008		1008	1.728	4	FM917-912: (3) 30"X40"X36' ARCH (2) 24"X36' CULVERT (1) 24"X24' CULVERT At 912: (1) 30"X30' CULVERT	3 3 3 3 3				
AA1009	AA1806	1009	2.710	3	1010-SH 171: (1) 24" X 30' CULVERT (1) 18" X 30' CULVERT, (2) EXT (08)	3 4	AA1009-001	TRIB TO NOLAN RIVER	7/6	
AA1010	AA9062	1010	3.434	3	904-SH 171: (1) 36" X 24' CULVERT	3	AA0157-001	MARTIN BRANCH	7	
AA1533		1010A	1.093	1	(1) 18" X 24' CULVERT (1) 18" X 30' CULVERT	2 2				
AA1011		1011	0.746	3	0					
AA1013	AA1017 AA1535	1017	3.176	904-902 = 2 917-902 = 3	(1) 18" X 24' BOX CULVERT (1) 30" X 30' BOX CULVERT	3 3				
AA1018		1018	0.528	2	(1) 48"x40' CULVERT (07)	3				
AA1539	(2) AA1539	1022	1.845	3+	(1) 36"X32' CULVERT (08) (2) 15X20' CULVERTS (11)	4 4				
AATOADD		1024Z	0.783	5	FROM DON LEE: (3)38"X42' CONCRETE (13) (2) 16"X25' CONCRETE (13)					

Attachment A  
6/01/2014

TXDOT ROAD ID#	ADD'L TXDOT ID#	ROAD #	MILEAGE	CONDITION (1-5) 1=POOR, 5=EXCELLENT	CULVERTS	CULVERT CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	COST OF IMPROVEMENTS
AA1100		1100	1.451	4	SH 171-1200: (2) 36" X 22' CULVERT (1) 15" X 20' CONCRETE CULVERT (1) 7" X 43' CULVERT (1) 24" X 33' CULVERT (1) 18" X 26' CONCRETE CULVERT (1) 18" X 26' CULVERT	4 4 4 4 4 4				
AA1616		1100A	1.257	3	HILL CO-1203: (1) 36" X 30' CULVERT 1203-1204: (1) 18" X 21' CONCRETE CULVERT (1) 24" X 24' CONCRETE CULVERT	3 3 3				
AA1258		1101	0.249	2	(1) 18" X 20' CONCRETE CULVERT (1) 36X35' ARCH CULVERT (11)	4 4				
AA1613	AA1614	1102	5.788	1206-1205=3+ 1205-1204=4 1204-1200=3+ 1200-171=3+	FM 2900-1200: (3) 8" X 12' X 32' BOX CULVERTS (1) 18" X 46' CULVERT 1206-1205 (1) 36" X 23' CULVERT (1) 12" X 33' CULVERT (3) 36" X 20' CULVERTS (1) 8" X 18" X 22' BOX CULVERT (2) 18" X 32' CONCRETE CULVERTS 1205-1204: (2) 36" X 29' CONCRETE CULVERTS (1) 24" X 42' CONCRETE CULVERTS (2) 36" X 20' CULVERTS (1) 24" X 30' CULVERT (2) CULVERTS 36"X30' (13) 1203-1202: (1) 24" X 24' CULVERT (1) 36" X 30' CULVERT (1) 4' X 26' CULVERT (1) 36" X 27' CULVERT (1) 36" X 27' CULVERT 1200-KENNARD AVE. (1) 36" X 29' CONCRETE CULVERT (1) 5' X 24' CULVERT	3 3 4 4 4 4 3 4 4 4 4 5 3 3 3 3 3 3 4 4	*AA0482-001 **AA482-002 ***AA482-003	8/6 8/6 8/7		
AA1103		1103	0.781	4	SH 171-END: (1) 15" X 26' CULVERT (2) 18" X 24' CONCRETE	3 4				
AA2154		1103A	0.383	3	FM 916-END: (1) 24" X 18' CULVERT	3				
AA2153		1103B	0.370	3	1102-1103: (1) 18" X 26' CULVERT (1) 24" X 28' CULVERT	3 3				
AA1256		1104	0.730	4	1204-1205: (1) 18" X 46' CULVERT (2) 36" X 36' CULVERT (10)	3 3				
AA2144		1104A	0.236	3						
AA1617		1104B	0.347	3-	(1) 18" X 32' CULVERT	3				
AA1257		1104C	0.472	2+	1202- (3) 36" X 28' CULVERTS, (1) 24" X 30' CULVERT	3 3				
AA1105		1105	2.293	4	SH 174-1206: (2) 24" X 29' CONCRETE CULVERTS (3) 24" X 42' CULVERTS (1) 18" X 37' CULVERT	4 4 4				
AA1106		1106	4.673	1224A-1223=2 1223-1222-1221=3 1221-1208=4 1208-174=3	1224A-1223: (1) 5' X 21' CULVERT (1) 36" X 25' CULVERT 1223-1222: (1) 18" X 30' CULVERT (14) (1) 18" X 24' CONCRETE (1) 18" X 24' CONCRETE (2) 4' X 21' CULVERTS (2) 36" X 26' CULVERTS (2) 24" X 34' CULVERTS 1222-1221: (1) 4' X 26' CULVERT 1221-1208: 18" X 50' CULVERT 1208-SH 174: (1) 36" X 36' CULVERT (5) 36" X 26' CULVERTS (5) 18" X 25' CONCRETE	3 3 5 4 4 3 3 3 5 5 4 4 4 4	AA11-06-001 (BUILT 2012)	NOLAN RIVER 9/8		
AA1624		1107	1.313	3+	(4) 36"X8' CULVERT - EXT (08) (2) 24"x24' CULVERT, Band (09)	4 4				

**Attachment A**  
**6/01/2014**

TXDOT ROAD ID#	ADDTL TXDOT ID#	ROAD #	MILEAGE	CONDITION (1-5) 1=POOR, 5=EXCELLENT	CULVERTS	CULVERT CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	COST OF IMPROVEMENTS
AA1620		1107A	2.737	3	1209-1107A: (1) 24" X 27' CONCRETE (2) 36" X 18' CULVERT (1) 24" X 36' CULVERT (2) 36" X 24' CULVERT (1) 15" X 21' CONCRETE (1) 24" X 30' CULVERT 1107B-1202: (1) 18" X 24' CULVERT (14) (1) 15" X 36' CONCRETE 1202-SH 171: (1) 24" X 25' CULVERT (08) (1) 5' X 24' CULVERT (1) 18" X 32' CONCRETE	1 3 3 3 3 3 5 3 5 3 3				
AA1621		1107B	1.281	3+	1205-1107A: (1) 24" X 24' CULVERT (1) 18" X 30' CULVERT (1) 5' X 24' CULVERT (1) 36" X 19' CULVERT (1) 24" X 21' CONCRETE (2) 36" X 28' CULVERT	3 3 3 3 3 3				
AA1618		1107C	0.122	3	0					
AA1108		1108	4.567	3	FM 1434-1242: (1) 24" X 30' CULVERT (1) 24" X 32' CULVERT (1) 36" X 32' CULVERT (1) 24" X 30' CULVERT (1) 36" X 30' CULVERT (1) 24" X 30' CULVERT (1) 36" X 42' CULVERT 1242-1117: (1) 24" X 32' CULVERT 1117-FM 916: (1) 18" X 24' CULVERT (1) 18" X 24' CULVERT (1) 18" X 32' CULVERT (1) 18" X 32' CULVERT (1) 24" X 32' CONCRETE (2) 24" X 45' CONCRETE (1) 12' X 30' TANKER	3 3 3 3 3 3 3 3 4 4 4 3 3 3 3 3				
AA1109		1109	1.883	1209-DE = 3 1209-1220 = 1 GRAVEL	1220-1109: (1) 24" X 24' CULVERT (1) 18X24' CULVERT (1) 36X24' CULVERT @ 1109 (11)	2 2 5				
AA1594		1109A	2.641	3	SH 174-1209: (1) 36" X 44' CULVERT (1) 18" X 32' CULVERT (1) 24" X 44' CULVERT (2) 24" X 36' CULVERTS (1) 4' X 10' BOX CULVERTS (1) 60' X 45' TANKER CULV (14)	3 3 3 3 5 5	AA11-09-001 (2011)	NOLAN RIVER	8/7	
AA1595		1109B	1.739	3	FM 916-1109A: (1) 18" X 26' CULVERT (1) 5' X 30' CULVERT (1) 18" X 26' CULVERT	3 3 3				
AA2141		1109C	0.178	4	(1) 18" X 24' CONCRETE	4				
AA2140		1109D	0.125	4	(1) 18" X 28' CONCRETE	4				
AA2142		1109E	0.173	4	(1) 18" X 36' CULVERT (1) 12" X 25' CONCRETE	4 4				
AA1110		1110	2.731	3-	1224-1224A: (1) 18" X 26' CULVERT (1) 24" X 26' CULVERT (1) 30" X 26' CULVERT (2) 5' X 24' CULVERTS (1) 30" X 30' CULVERT (1) 36" X 26' CULVERT (1) 18" X 26' CULVERT (1) 18" X 42' CULVERT	3 3 3 4 3 3 3 3				
AA1625		1110A	0.719	3+	(1) 24" X 32' CULVERT	4				
AA1112		1112	1.822	4	FM 1434-1219: (1) 18" X 24' CULVERT 1219-1218: (2) 4' X 24' CULVERTS (2) 48X30 CULVERTS (13)	5 4 5				
AA2145		1112 (OLD FOAMY)	1.226	3	SH 174-1111: (3) 36" X 30' CULVERTS (1) 4' X 30' CULVERT (2) 4' X 21' CULVERTS (1) 36" X 32' CULVERT (2) 36" X 18' CULVERTS	3 3 3 3 3				

**Attachment A**  
**6/01/2014**

TXDOT ROAD ID#	ADDTL TXDOT ID#	ROAD #	MILEAGE	CONDITION (1-5) 1=POOR, 5=EXCELLENT	CULVERTS	CULVERT CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	COST OF IMPROVEMENTS
AA1115		1115	1.003	3	1225-1224: (1) 18" X 32' CULVERT (1) 18" X 26' CULVERT (1) 18" X 32' CULVERT (1) 18" X 21' CULVERT (1) 18" X 24' CULVERT	3 3 3 3 3				
AA1116	AA2139 ("y" - 1116)	1116	1.375	3	0		BUILD- REPLACE LWC @ROBINSON CRK, US67			\$83,000.00
AA1117	(2) AA1117	1117	6.722	4	1117 & 1108-1241: (1) 18" X 32' CULVERT (1) 18" X 26' CULVERT (1) 24" X 28' CULVERT (1) 18" X 24' CULVERT (1) 24" X 30' CULVERT (1) 18" X 20' CONCRETE 1241-1240: (1) 18" X 24' CULVERT (1) 24" X 24' CULVERT 18" X 24' CULVERT (1) 18" X 24' CULVERT (1) 18" X 21' CONCRETE (1) 32" X 28' CULVERT (1) 24" X 24' CULVERT 1240-1117A: (1) 24" X 30' CULVERT (1) 24" X 24' CULVERT 1117 & 1117B-1242: (1) 24" X 24' CULVERT (1) 18" X 21' CONCRETE 1117 & 1242-1240: (1) 18" X 24' CULVERT (1) 18" X 21' CONCRETE 1117 & 1240-1243: (1) 24" X 30' CULVERT (1) 18" X 30' CULVERT (1) 18" X 25' CONCRETE 1117 & 1243-FM 1434: (1) 24" X 28' CULVERT (1) 18" X 32' CULVERT	4 4 4 4 4 3 4 4 4 4 3 4 4 4 3 4 4 4 4 5 4 4 4 4 3 4 4 4 5 4				
AA1561		1117A	0.454	4	1242 & 1117A-1117: (1) 24" X 28' CULVERT (1) 18" X 28' CULVERT (1) 36" X 38' CULVERT	4 4 4				
AA1560		1117B	0.315	3	1117 & 1117B-1240: (1) 36" X 28' CULVERT (1) 24" X 36' CULVERT	3 3				
AA1118		1118	0.959	3	FM 200-BRAZOS POINT BRIDGE: (1) 6' X 35' CULVERT (2) 6' X 35' CULVERTS (04)	3 4	AA0334-001	BRAZOS RIVER	8/7	
AA1119		1119	1.478	4	US 67-1234: (1) 36" X 32' CULVERT 1234-407/SMRV C.L.: (1) 24" X 32' CULVERT (1) 18" X 26' CULVERT (1) 7' X 60' CONCRETE BOX (1) 18" X 40' CULVERT	4 4 4 4 4				
AA1120		1120 (GCR)	3.601	4	US 67-1120A: (1) 42" X 30' CULVERT (1) 4' X 30' CULVERT (2) 36" X 32' CULVERTS (2) 36" X 32' CULVERTS (2) 36" X 32' CULVERTS (2) 24" X 32' CULVERTS (1) 24" X 32' CULVERT (1) 18" X 32' CULVERT (1) 18" X 32' CULVERT (3) 5' X 28' CULVERTS	4 4 4 4 4 4 4 4 4 4				
AA1579		1120A (GCR)	1.568	3	HOOD C.L.-1120: (1) 18" X 32' CULVERT 1120-END: (2) 36" X 26' CULVERTS (1) 4' X 26' CULVERT (1) 18" X 30' CULVERT (1) 18" X 30' CULVERT (1) 24" X 36' CULVERT	3 3 3 3 3 3				

**Attachment A**  
**6/01/2014**

TXDOT ROAD ID#	ADD'L TXDOT ID#	ROAD #	MILEAGE	CONDITION (1-5) 1=POOR, 5=EXCELLENT	CULVERTS	CULVERT CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	COST OF IMPROVEMENTS
AA1121		1121	5.237	3	FM 2331-1123: (1) 4' X 8' X 26' BOX CULVERT (1) 4' X 4' X 26' BOX (1) 5' X 5' X 26' BOX (1) 4' X 2' X 26' BOX CULVERT (1) 8' X 7' X 26' BOX 1123-US 67 LOOP: (3) 4' X 8' X 26' BOX (1) 4' X 2' X 26' BOX W/(3) 12' X 26' CULVERTS ON TOP (2) 6' X 8' X 26' BOX	3 3 3 3 3 3 3 3	AA329-001  AA329-002  AA329-003	TOWN BRANCH  TRIB OF LAKE PAT CLEBURNE  NOLAN RIVER	  6  6  7	
AA1122		1122	1.215	3	1121-1126: (1) 18" X 17' CULVERT (1) 15" X 24' CULVERT (1) 36" X 24' CULVERT (1) 18" X 24' CULVERT	3 3 3 3				
AA1123		1123	5.126	3	FM 2331-WOODARD: (1) 36" X 27' CONCRETE (2) 36" X 25'-(1) CONCRETE, (1) STEEL (1) 18" X 28' CULVERT (1) 15" X 25' CONCRETE (1) DOUBLE CULVERT WITH (1) 36" X 25' & (1) 42" X 30' CULVERT (1) 24" X 28' CULVERT (1) 36" X 28' CULVERT (1) 15" X 25' CULVERT (1) 18" X 28' CULVERT (1) 30" X 28' CULVERT (1) 12" X 30' CULVERT (1) 18" X 50' CULVERT (13) (1) 15"x30' CULVERT (09)	3 3 3 3 3 3 3 3 3 3 3 5 5	AA1123-001	TOWN CREEK	7	
AA1124		1124	3.305	5	FM2331-FM 4: (1) 36" X 58' CULVERT (1) 24" X 28' CULVERT (1) 24" X 22' CULVERT (1) 18" X 21' CONCRETE (1) 18" X 24' CULVERT	5 5 5 5 5	AA1124-001	WEST FORK OF NOLAN RIVER	7	
AA1125		1125	3.012	3	FM 4-1217: (1) 18" X 20' CULVERT (1) 18" X 20' CULVERT (1) 18" X 30' CULVERT (1) 36" X 24' CULVERT (1) 48" X 30' CULVERT FROM 1217-SH 171: (2) 60" X 36' CULVERTS (1) 18" X 32' CULVERT (09) (1) 36" X 20' CULVERT	3 3 3 3 3 3 5 3				
AA2124	(2) AA2124	1125B	0.451	4	(1) 18" X 24' CULVERT	4				
AA1126		1126	3.223	3	SH 171-1228: (1) 18"x30' CULVERT (12) 3) 36" X 24' CULVERTS (1) 36" X 24' CULVERT 1228-SH 171: (1) 60" X 24' CULVERT (1) 18" X 32' CULVERT & CONCR END (09) (1) 36" X 24' CULVERT	5 3 3 3 3 5 3	AA0319-001	NOLAN RIVER	7	
AA1573		1126A	0.481	3-	1229-1228: (1) 30" X 40' CULVERT (1) 18" X 40' CULVERT	3 3				
AA1574		1126B	1.781	3+	1126-1229: (1) 30" X 25' CULVERT (1) 24" X 24' CULVERT (1) 36" X 24' CULVERT (1) 18" X 30' CULVERT	4 4 4 4				
AA1127	AA1252	1127	2.277	2331-1230 =3- 2331-1232 = 3	1232-FM 2331: (1) 18" X 24' CULVERT (1) 42" X 24' CULVERT FM 2331-1230: (1) 86" X 24' CULVERT (1) 24" X 20' CULVERT (1) 18" X 30' CULVERT	4 4 3 3 3				
AA1131		1131	2.362	3	FM 4-HOOD C.L.: (1) 36" X 30' CULVERT (1) 36" X 30' CULVERT (1) 36" X 30' CULVERT (1) 36" X 30' CULVERT (1) 36" X 30' CULVERT (1) 18" X 30' CULVERT (1) 72" X 30' CULVERT	3 3 3 3 3 3 3				

**Attachment A**  
**6/01/2014**

TXDOT ROAD ID#	ADDTL TXDOT ID#	ROAD #	MILEAGE	CONDITION (1-5) 1=POOR, 5=EXCELLENT	CULVERTS	CULVERT CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	COST OF IMPROVEMENTS
AA1200	AA1619	1200	4.679	3	SH 171-FM 916: (1) 4' X 30' CULVERT (3) 5' X 24' CULVERT (1) 24" X 30' CULVERT (1) 30" X 26' CULVERT (1) 24" X 26' CULVERT (1) 5' X 24' CULVERT 1100A-1100: (1) 18" X 30' CULVERT (1) 18" X 30' CULVERT 1100-1102: (2) 36" X 18' CULVERTS 1102-1104B: (2) 36"X35' CULVERTS (10) (1) 18" X 28' CULVERT (1) 12" X 22' CULVERT (1) 18" X 24' CULVERT (2) 24" X 20' W/BAND @ 1104B (12)	3 3 3 3 3 3 3 3 3 3 3 5 3 3 3 3 3	AA16-19-001	MUSTANG CREEK	7	
AA1202		1202	4.391	171-916=3 1102-916=3	FM 916-1107A: (1) 36" X 21' CULVERT (2) 4' X 20' CULVERTS (1) 36" X 20' CULVERT (1) 36" X 30' CULVERT (1) 18"X25' CULVERT (08) FM 916-1107A: (1) 36" X 24' CULVERT 1107A-SH 171: (1) 24" X 26' CULVERT (1) 36" X 30' CULVERT (03)	3 3 3 3 5 3 3 4	AA0488-001	MUSTANG CREEK	7	
AA1203		1203	0.896	3	1102-1100A: (1) 18" X 24' CULVERT (1) 18" X 30' CULVERT (1) 18" X 40' CULVERT	3 3 3				
AA1204		1204	2.239	3	1100A-1102: (1) 48" X 30' CULVERT (1) 30" X 30' CULVERT (1) 30" X 30' CULVERT 1102-FM 916: (1) 15" X 24' CONCRETE (1) 15" X 28' CONCRETE	3 3 3 3 3				
AA1205		1205	6.860	3	1102-FM 916: (1) 6' X 32' CULVERT (1) 36" X 32' CULVERT FM 916-1107: (3) 36" X 18' CULVERTS (1) 15" X 24' CULVERT (2) 36" X 24' CULVERTS 1107-1107A: (2) 36" X 21' CULVERTS (2) 5' X 24' CULVERTS 310-RR X: (3) 36" X 21' CONCRETE (1) 24" X 66' CULVERT RR X-1110A: (1) 24" X 30' BOX CULVERT 310A-SH 174: (2) 36" X 30' CULVERTS (1) 12" X 20' CONCRETE	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	AA0481-002	BRANCH OF MUSTANG CREEK	8/7	
AA1206		1206	1.463	3-	1105-1102: (1) 5' X 30' CULVERT (2) 36" X 27' CULVERT (1) 24" X 28' CULVERT	3 3 3	AA0483-001	MUSTANG CREEK	6	
AA1208		1208	2.331	1106-C.L.=3 916-1106=4	HILL C.L.-1106: (1) 5' X 20' CULVERT (4) 54" X 40' CULVERTS (12) (2) 4' X 24' CULVERTS (1) 24" X 32' CULVERT (1) 36" X 54' CULVERT (1) 4' X 34' CULVERT 1106-FM 916: (1) 4' X 33' CULVERT (2) 4' X 32' CULVERTS (1) 36" X 36' CULVERT (1) 4' X 32' CULVERT (2) 36" X 32' CULVERTS (1) 36" X 28' CULVERTS (2) 36" X 28' CONCRETE	3 5 3 3 3 3 4 4 4 4 4 4 4 4	AA0363-001-TO BE REPLACED	PILOT BRANCH	6	\$70,200.00



**Attachment A**  
**6/01/2014**

TXDOT ROAD ID#	ADDTL TXDOT ID#	ROAD #	MILEAGE	CONDITION (1-5) 1=POOR, 5=EXCELLENT	CULVERTS	CULVERT CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	COST OF IMPROVEMENTS
AA1209		1209	1.653	3	FM 916-1109: (1) 24" X 43' CULVERT (1) 18" X 40' CULVERT (1) 36" X 40' CULVERT 1109-1109A: (2) 36" X 32' CULVERTS (1) 18" X 50' CULVERT	3 3 3 3 3	AA1209-001	HALEY BRANCH	7	
AA1210		1210	0.778	3	1111-END: (1) 24" X 34' CULVERT (1) 8" X 30' CULVERT	3 3				
AA1216		1216	0.847	3	US 67-1125: (1) 24" X 36' CULVERT & EXT (12)	4				
AA1217		1217	3.942	4	SH 171-1125: (1) 36" X 30' CULVERT (1) 24" X 24' CULVERT (2) 36" X 24' CULVERTS (1) 36" X 24' CULVERT 1125-1125B: (1) 36" X 24' CULVERT (1) 36" X 24' CULVERT	4 4 4 4 4 4				
AA1218		1218	0.787	3	1112-SHOREVIEW DR: (1) 24" X 46' CULVERT (1) 36" X 19' CULVERT (2) 5' X 25' CULVERTS	3 3 3				
AA1306		1218A	0.277	4	(2) 60" X 42' CULVERTS (13)	5				
AA1219		1219	2.743	3	1109A-1110: (2) 24" X 40' CULVERTS ASCOT-S. NOLAN RIVER RD: (1) 24" X 30' CULVERT (1) 18" X 32' CULVERT (1) 18" X 24' CULVERT S. NOLAN RIVER RD-1112: (1) 18" X 32' CULVERT (1) 18" X 32' CULVERT (1) 18" X 24' CULVERT (14) (1) 36" X 26' CULVERT	3 3 3 3 3 3 5 3				
AA1220		1220	0.670	3-GRAVEL	FM 916-1109: (1) 5' X 24' CULVERT 1109-END: (1) 24" X 20' CULVERT (1) 36" X 17' CULVERT (1) 18" X 20' CONCRETE (1) 18" X 20' CONCRETE	3 3 3 3 3				
AA1221		1221	0.610	3	FM 916-1106: (1) 18" X 28' CULVERT (1) 32" X 40' CULVERT	3 3				
AA1222	(2) AA1222	1222	1.110	3	(1) 4' X 32' CULVERT	3	AA0358-001	PILOT BRANCH	7	
AA1223		1223	0.769	3	FM 916-1106: (2) 4' X 30' CULVERTS (1) 36" X 24' CULVERT (2) 36" X 24' CULVERT (2) 24" X 30' CULVERT	3 3 3 3				
AA1224	AA1255	1224	6.375	1434-P21=3 1110-1434=2	US 67-PARK RD 21: (1) 36" X 28' CULVERT (3) 36" X 28' CULVERTS (1) 24" X 28' CULVERTS (2) 24" X 28' CULVERTS PARK RD 21-1115: (2) 36" X 28' CULVERTS (1) 36" X 28' CULVERT 1115-FM 1434: (1) 24" X 30' CULVERT (1) 36" X 30' CULVERT FM 1434-1110: (1) 24" X 20' CULVERT (1) 18" X 20' CULVERT (1) 24" X 26' CULVERT (1) 24" X 20' CULVERT (1) 20" X 32' CULVERT (1) 18" X 26' CULVERT	3 4 3 3 3 3 3 3 3 3 4 3 3 3 3 3 3				
AA1581	(2) AA1581	1224A	5.885	NORTH = 3 SOUTH = 4	1106-FM 916: (1) 6" X 32' CULVERT (1) 18" X 26' CONCRETE (1) 36" X 30' CULVERT (1) 18" X 28' CONCRETE FM 916-1110: (1) 24" X 26' CULVERT	4 4 4 4 3 3				

Attachment A  
6/01/2014

TXDOT ROAD ID#	ADD'L TXDOT ID#	ROAD #	MILEAGE	CONDITION (1-5) 1=POOR, 5=EXCELLENT	CULVERTS	CULVERT CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	COST OF IMPROVEMENTS
AA1225		1225	2.015	3	FM 1434-1115: (1) 2' X 6' X 26' CONCRETE BOX (1) 18" X 32' CULVERT (1) 18" X 30' CULVERT (1) 24" X 30' CULVERT (1) 30" X 28' CULVERT 1115-1116: (1) 24" X 26' CULVERT	3 3 3 3 3 REPLACE DIP 3				\$13,500.00
AA1226		1226	5.587	67-2331=3 67-P21=3	PARK RD 21-US 67: 1) 24" X 30' CULVERT (1) 24" X 30' CULVERT (1) 24" X 30' CULVERT (1) 24" X 30' CULVERT (4) 5' X 28' CULVERTS (3) 4' X 28' CULVERTS US 67-FM 2331: (4) W/(2) 4'X26' & (2) 36"X26' CULVERTS (1) 36" X 28' CULVERT (2) 36" X 27' CULVERTS (3) 4' X 28' CULVERTS (1) 18" X 29' CONCRETE (2) 4' X 44' CULVERTS (3) 7' X 28' CULVERTS (1) 36" X 30' CULVERT (1) 18" X 59' CULVERT	3 3 3 3 3 3 3 3 3 3 3 3 3 3				
AA1580		1226A	0.506	2	(1) 18"X36' CULVERT 4/1/2008 Cost \$332.64	3				
AA1227		1227	3.092	3+	FM 4-1121: (1) 4' X 40' CULVERT (1) 4' X 36' CULVERT (3) 4' X 30' CULVERTS (1) 5' X 30' CULVERT (1) 4' X 30' CULVERT (1) 36" X 30' CULVERT (1) 24" X 30' CULVERT (1) 24" X 30' CULVERT (00)	4 4 4 4 4 4 4 4	WEST FORK OF NOLAN RIVER	7/5 (5-REPAIRED 12/12)		
AA1228		1228	3.395	3	1120-1120A: (1) 60" X 30' CULVERT (1) 24" X 24' CULVERT 1126A-FM 4: (1) 18" X 20' CULVERT (1) 18" X 24' CULVERT (1) 18" X 24' CULVERT (1) 24" X 24' CULVERT (1) 30" X 25' CULVERT (1) 24" X 24' CULVERT (1) 24" X 40' CULVERT	4 3 3 3 3 3 3 3 3				
AA1229		1229	4.556	3	FM 2331-1126B: (2) 36" X 24' CULVERTS (1) 24" X 24' CULVERT (1) 30" X 25' CULVERT 1126B-1126A: (1) 36" X 30' CULVERT (1) 24" X 24' CULVERT (2) 42" X 20' CULVERTS (1) 24" X 24' CULVERT (1) 54" X 36' ARCH (14) 1126A-FM 4: (2) 30" X 30' CULVERTS (1) 24" X 30' CULVERT (1) 36" X 40' CULVERT (2) 30" X 24' CULVERTS	3 3 3 3 3 3 3 3 5 3 3 3 3				\$6,100.00
AA1575		1229A	0.171	3	0					
AA1230	(2) AA1230	1230	3.756	1/2=4 1/2=2	FM 2331-1127: (1) 60" X 24' CULVERT (1) 24" X 24' CULVERT (1) 24" X 24' CULVERT (1) 24" X 24' CULVERT 1127-FM 4: (1) 24" X 24' CULVERT (1) 18" X 24' CULVERT (1) 48" X 24' CULVERT (1) 24" X 24' CULVERT (1) 24" X 20' CULVERT	3 3 3 3 4 4 4 4 4				
AA1231	AA1251	1231	1.055	2	(1) 36" X 24' CULVERT	3				
AATOADD	WAS AA1571 ON '08	1231A	0.245	2	0					

**Attachment A**  
**6/01/2014**

TXDOT ROAD ID#	ADDTL TXDOT ID#	ROAD #	MILEAGE	CONDITION (1-5) 1=POOR, 5=EXCELLENT	CULVERTS	CULVERT CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	COST OF IMPROVEMENTS
AA1232	(2) AA1232	1232	3.148	3	1128-1127: (1) 18" X 30' CULVERT (2) 48" X 26' CULVERTS (1) 24" X 24' CULVERT (1) 48" X 24' CULVERT (1) 72" X 28' CULVERT 1127-FM 4: (1) 24" X 30' CULVERT	3 3 3 3 3 3				
AA1570		1233A	1.741	4	1233-FM 4: (1) 24" X 30' CULVERT (1) 18" X 30' CULVERT (1) 36" X 30' CULVERT	4 4 4				
AA1234	(2) AA1234	1234	3.477	3	1234 & 406SOMERVL C.L.-1119: (1) 24" X 32' CULVERT (1) 24" X 30' CULVERT (2) 36" X 40' CULVERTS (1) 18" X 26' CULVERT (2) 36" X 32' CULVERTS (1) 24" X 36' CULVERT (1) 24" X 30' CULVERT	3 3 3 3 3 3 3				
AATOADD		1234A	0.300	GRAVEL**	0					
AA1235		1235	1.027	2	FM 200-1236: (1) 24" X 42' CULVERT (1) 24" X 30' CULVERT (1) 18" X 48' CULVERT (00)	3 3 3				
AA1585		1235A	0.376	3	1236-FM 1434: (1) 18" X 26' CULVERT (00) (1) 18" X 67' CULVERT (00)	3 3				
AA1589		1235B	0.232	3	(1) 18" X 26' CULVERT	3				
AA1236		1236	2.319	3-	FM 200-1235A: (1) 18" X 30' CULVERT (2) 18" X 36' CULVERTS (1) 18" X 24' CULVERT 1235A & 1236-1235: (2) 36" X 30' CULVERTS 1235 & 1236-FM 1434: (1) 18" X 36'	3 3 3 3 3 3				
AA1237		1237	2.654	1434-1118=3	FM 1434-1118: (3) 5' X 30' CULVERT (1) 36" X 38' CULVERT (2) 10' X 30' CULVERT (1) 24" X 36' CULVERT (1) 5' X 34' CULVERT (1) 6' X 32' CULVERT	3 3 3 3 3 3				
AA1586	(2) AA1586	1237	0.657	200-C.L.=3	(1) 18" X 15' CULVERT	3				
AA1238		1238	1.600	2	(4) 4' X 25' CULVERTS	3				
AA1239		1239	0.884	4	FM 1434-: (1) 15" X 30' CULVERT (1) 15" X 30' CULVERT (1) 15" X 30' CULVERT (1) 15" X 26' CULVERT (1) 18" X 30' CULVERT (1) 12" X 24' CULVERT	4 4 4 4 4 4				
AA1240	(2) AA1240	1240	1.858	4	1117 & 1240-1240A: (1) 24" X 24' CULVERT (1) 24" X 28' CULVERT (1) 36" X 28' CULVERT 1117B & 1240- 1117: (1) 36" X 29' CULVERT (1) 24" X 30' CULVERT (1) 24" X 32' CULVERT	4 4 4 4 4 4 4				
AA1591		1240A	0.333	3	1240A & 1240: (1) 24" X 40' CONCRETE (1) 18" X 24' CONCRETE	3 3				
AA1241		1241	0.584	3	(1) 18" X 30' CULVERT	3				
AA1242		1242	1.061	4	1242 & 1108-1117A: (1) 24" X 36' CULVERT 1117A & 1242-1117: (1) 24" X 28' CULVERT (1) 24" X 36' CULVERT	4 4 4				
AA1243		1243	0.586	4	1243 & 1117-FM 1434: (2) 24" X 30' CULVERTS (1) 24" X 30' CULVERT	4 4				
AA1250		1250	0.800	1	FM 1434-END: (2) 24" X 22' CULVERTS (1) 24" X 30' CULVERT (1) 18" X 22' CULVERT (1) 18" X 22' CULVERT	2 2 2 3				

Attachment A  
6/01/2014

TXDOT ROAD ID#	ADDTL TXDOT ID#	ROAD #	MILEAGE	CONDITION (1-5) 1=POOR, 5=EXCELLENT	CULVERTS	CULVERT CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	COST OF IMPROVEMENTS
AA6058		ALSTON CT	0.207	4	0					
AA2130		AMOS NORTH	0.326	3	0					
AA2131		ANDY NORTH	0.429	3	0					
AA1608		APACHE TRL	0.171	3	0					
AA2158		APPLE CT	0.403	3-	0					
AA6063		ARCHIE CT	0.108	4	0					
AA1583		ASCOT DR	0.754	3	1219-NOLAN RV RD: (1) 18" X 34' CULVERT (1) 24" X 55' CULVERT (1) 18" X 48' & (1) 24" X 48' DOUBLE CULVERT (1) 18" X 60' & (1) 24" X 60' DOUBLE CULVERT	3 3 3 3				
AA5950		BAKER ST	0.251	2+	1101-OLCA: (1) 18" X 28' CONCRETE (1) 18" X 28' CONCRETE (1) 18" X 22' CONCRETE (1) 18" X 20' CULVERT	3 3 3 3				
AA1321		BENJAMIN BLVD	0.268	3	0					
AA6060		BIRD SONG CT	0.248	4	0					
AA56056		BLACK FOREST TRL	0.516	3	0		1 REPAIR LWC			\$700.00
AA2129		BLACKBURN DR	0.276	3	0					
AA1577	(2) AA1577	BONO RD	0.494	2	(1) 18" X 30' CULVERT (14)	5				
AA1722		BRUSHY NOB DR	0.252	3	0					
AA1541		BRYANT PLACE	0.140	3	0					
AA1259		CHEROKEE CT	0.056		0					
AA1610		CHEROKEE TRL	0.425	3	(1) 24" X 25' CULVERT	3				
AA1301		CHERRY CT E	0.126	3	0					
AA2160		CHERRY CT W	0.096	3	0					
AA6062		CHERRY RIDGE CT	0.230	4	0					
AA6057		CHERRY RIDGE LN	0.499	4	0					
AA1604		CIMMARON TRL	0.157	3	0					
AA1576		COKE RD	0.133	3	BONO RD-WOODARD: (1) 18" X 24' CULVERT (1) 18" X 28' CULVERT	3 3				
AA1534		COMANCHE DR	0.883	4	1008-1008: (1) 16"X40' (1) 18"X26' (1) 24"X42"X30' ARCH (1) 32"X52"X30' (1) 18"X40'	3 3 3 3 3				
AA1677		CORRAL RD	0.245	4	0					
AA2235		DAVIS CT	0.818	3+	1206-END: (3) 15" X 32' CULVERTS (1) 18" X 35' CULVERT (1) 30" X 36' CULVERT	3 3 3				
AA1024		DON LEE RD	0.484	5	1022-1024Z: (3) 24"X44' CONCRETE (13)					
AA1314	(2) AA1314	DUSTY TRL	0.425	3	SHINING STAR TRL-END: (1) 12"x12' (1) 12"x20' CULVERTS W/BAND (11)	3 5				
AA1312		EAGLES NEST CT	0.061	3	0					
AA2234		FOX CT	0.334	3	0					
AA10ADD		FOX ST	0.020	4	0					
AA2233		FOX RUN RD	0.934	3	0					
AA2150		GOLD CUP DR	0.370	2	NOLAN RV RD S.-ST. LEGER: (1) 18" X 48' CULVERT (3) 36" X 40' CULVERTS (2) 36" X 40' CULVERTS	3 3 3				
AA2152		HIGHLAND RD	0.564	3-	0					
AA2143		HILL CT	0.497	3	0					

**Attachment A**  
**6/01/2014**

TXDOT ROAD ID#	ADD'L TXDOT ID#	ROAD #	MILEAGE	CONDITION (1-5) 1=POOR, 5=EXCELLENT	CULVERTS	CULVERT CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	COST OF IMPROVEMENTS
					PARK RD 21-LAKEVIEW DR: (1) 16" X 26' CULVERT (1) 18" X 30' CULVERT (1) 16" X 30' CULVERT (1) 36" X 40' CULVERT LAKEVIEW & HILLTOP-END: (1) 18" X 54' CULVERT (1) 18" X 30' CULVERT (1) 18" X 34' CULVERT (1) 36" X 40' CULVERT (1) 24" X 30' CULVERT (1) 5' X 40' CULVERT (1) 18" X 30' CULVERT (1) 18" X 26' CULVERT (1) 18" X 26' CULVERT (1) 18" X 26' CULVERT (1) 18" X 26' CULVERT (1) 18" X 26' CULVERT (1) 66" X 10' CULVERT (12)	4 5				
AA1587		HILLTOP DR - HOH	3.005	4						
AA1605		HILL TOP ST	0.102	3	VILLAGE DR-VALLEY VIEW DR: (2) 15"x20' WBAND (12)	5				
AA1678		HORSE SHOE RD	0.238	4	LARIAT LN-END: (1) 18" X 30' CULVERT (1) 18" X 24' CULVERT	4 4				
AA1603		INDIAN TRL	0.501	3	0					
AA1538		JORDAN CT	0.293	3	0					
AA1592		KYLE-BULLARD CEM RD	0.964	1.5-GRAVEL	FM 916-END: (1) 24" X 16' RED TILE CULVERT (2) 24" X 17' CONCRETE (1) 36" X 16' CULVERT (1) 9' X 20' BOX	2 2 2 2				
AA1588		LAKE VIEW CT - HOH	1.037	4	FROM LAKEVIEW & HILLTOP-LAKEVIEW/END: (1) 24" X 30' CULVERT (1) 18" X 40' CULVERT (1) 18" X 30' CULVERT (1) 15" X 30' CULVERT (1) 15" X 30' CULVERT (1) 15" X 30' CULVERT (1) 15" X 30' CULVERT (1) 18" X 30' CULVERT (1) 15" X 30' CULVERT	4 4 4 4 4 4 4 4 4 4				
AA1601		LAKESIDE DR	0.042	3	(1) 36" X 30' CULVERT	3				
AA2136		LAKEVIEW DR	0.181	3	RIVERSIDE-RIVERVIEW DR: (1) 18" X 52' CONCRETE (1) 15" X 44' CONCRETE	3 3				
AA1680		LARIAT LN	0.086	4	0					
AA1253		LESIKAR LN	0.171	4	0					
AA1606		LIVE OAK DR	0.160	3	0					
AA2126		MARTIN CREEK DR	0.338	4	902-END: (1) 18" X 30' CULVERT (1) 24" X 30' CULVERT (1) 24" X 40' CULVERT	4 4 4				
AA6059		MCKINNEY LN	0.325	4	0	1 REPAIR LWC				\$700.00
AA2133		MESA DR	0.041	3-GRAVEL						
AA1311		MOUNTAIN VIEW - P PRK	0.176	3	(1) 18" X 32' CULVERT					
AA1609		MOUNTAIN VIEW - FISH P	0.202	3						
AA6061		MOYER CT	0.205	4	0					
AA1111		NOLAN RIVER RD S (1111)	2.410	3	1219-C.L.: (1) 18" X 32' CULVERT (1) 36" X 28' CULVERT (1) 18" X 32' CULVERT (1) 36" X 26' CULVERT (1) 24" X 34' CULVERT (1) 24" X 42' CULVERT	3 3 3 3 3 3	(1) 25' X 100' BRIDGE-1966 (LEVEL III)	AA0377-001	6	
AA5952		OLA AVE	0.149	2+	0					
AA1600		OLD WAGON TRL	0.416	4	(1) 36"X35' CULVERT (14)	5				
AA1578		OVERHILL DR	0.458	3	1121-RIVERVIEW DR: (1) 18" X 36' CONCRETE (1) 4' X 30' CONCRETE (1) 15" X 36' CONCRETE (1) 15" X 48' CONCRETE	3 3 3 3				
AA2157		PEACH LN	0.187	3	0					
AA2156		PEAR CT	0.188	3	0					
AA2138		PENNINGTON CROSSING	0.520	2-GRAVEL	0					
AA1300		PLUM COURT E	0.126	3	0					
AA2159		PLUM COURT W	0.095	3	0					

**Attachment A**  
**6/01/2014**

TXDOT ROAD ID#	ADD'L TXDOT ID#	ROAD #	MILEAGE	CONDITION (1-5) 1=POOR, 5=EXCELLENT	CULVERTS	CULVERT CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	COST OF IMPROVEMENTS
AA2151		PREAKNESS CT	0.421	3	(1) 24" X 42' CULVERT	3				
AA1719		RESERVOIR RD	0.266	3	0					
AA2134		RIVERVIEW DR	1.041	3	OVERHILL-: (1) 15" X 42' CONCRETE OVERHILL-VALLEYVIEW: (1) 15" X 36' CONCRETE LAKEVIEW-LAKEVIEW: (1) 24" X 38' CULVERT (1) 24" X 25' CONCRETE	3 3 3 3				
AA1310	AA1320	RUSTIC TRL	0.154	3	0					
AA1315		SCENIC VIEW CT	0.088	3	0					
AA1611		SHINING STAR TRL	0.193	3	MOUNTAIN VIEW-END: (1) 15" X 30' CULVERT (1) 24" X 26' CULVERT (1) 18" X 30' CULVERT (1) 12" X 30' CULVERT (1) 18" X 30' CULVERT	3 3 3 3 3				
AA1593		SHOREVIEW DR	0.495	3-	1218-END: (1) 18" X 30' CULVERT (1) 18" X 21' CONCRETE (1) 18"X24' CULVERT (14)	3 3 5				
AA1679		SPUR CT	0.084	4	0					
AA2149		ST LEGER DR	1.419	3	ASCOT-GOLD CUP: (2) 36" X 40' CULVERTS (2) 36" X 40' CULVERTS (1) 36" X 40' CULVERT	3 3 3				
AA5951		THOMPSON AVE	0.139	2+	0					
AA1720		THOUSAND OAKS DR	0.578	3	0					
AA1721		TIMBER TOP TRL	0.483	3	0					
AA1607	(2) AA1607	VALLEY VIEW - FISH P	0.455	3	0					
AA2135		VALLEY VIEW LN	0.189	2	0					
AATOADD	(E) AA2135	VALLEY VIEW LN CUL-D-SAC E	0.037	2	0					
AATOADD	(W) AA2135	VALLEY VIEW LN CUL-D-SAC W	0.041	2	0					
AA1602		VILLAGE DR	0.320	3	0					
AA2137		WEST LAKE RD	0.542	3	US 67-END: (1) 24" X 40' CULVERT (2) 24" X 40' CULVERTS (1) 24" X 40' CULVERT (2) 24" X 40' CULVERTS	3 3 3 3				
AA1309		WILD OAKS AVE	0.152	3	0					
			259.013							\$174,200.00