

Approved by CC:

JUN 09 2014

**REQUEST FOR AGENDA PLACEMENT FORM**

**Submission Deadline - Tuesday, 12:00 PM before Court Dates**

**SUBMITTED BY: David Disheroon**

**TODAY'S DATE: 6/2/2014**

**DEPARTMENT:**

**X Public Works**

**SIGNATURE OF DEPARTMENT HEAD:**

**X**

**REQUESTED AGENDA DATE:**

**X June 9, 2014**

**SPECIFIC AGENDA WORDING: Consideration to approve roof repairs for Ron Harmon Sub Courthouse. Two estimates received \$9,568. Repairs needed due to excessive leaks during spring rains.**

**PERSON(S) TO PRESENT ITEM: David Disheroon**

**SUPPORT MATERIAL: (Must enclose supporting documentation)**

**TIME: Ten Minutes**

**ACTION ITEM: X**

**WORKSHOP: \_\_\_\_\_**

(Anticipated number of minutes needed to discuss item) **CONSENT: \_\_\_\_\_**

**EXECUTIVE: \_\_\_\_\_**

**STAFF NOTICE:**

**COUNTY ATTORNEY: \_\_\_\_\_**

**ISS DEPARTMENT: \_\_\_\_\_**

**AUDITOR: \_\_\_\_\_**

**PURCHASING DEPARTMENT: \_\_\_\_\_**

**PERSONNEL: \_\_\_\_\_**

**PUBLIC WORKS: \_\_\_\_\_**

**BUDGET COORDINATOR: \_\_\_\_\_**

**OTHER: \_\_\_\_\_**

**\*\*\*\*\*This Section to be Completed by County Judge's Office\*\*\*\*\***

ASSIGNED AGENDA DATE: \_\_\_\_\_

REQUEST RECEIVED BY COUNTY JUDGE'S OFFICE \_\_\_\_\_

COURT MEMBER APPROVAL \_\_\_\_\_ Date \_\_\_\_\_

Apex Roofing, Inc  
 3900 County Road 805  
 Cleburne, TX 76031  
 817-239-8744  
 817-202-0384 Fax Number  
 sergio@apextx.com



www.apextx.com

# Estimate

Date	Estimate #
5/30/2014	12226

Name / Address
Randy Wheeler Cleburne, TX 817-556-6380

P.O. No.	Project
	Burleson Subcourtho...

Description	Total
Burleson Subcourthouse Main Roof - Reflash approximately 100' X 3' section on north side of building using modified torch down - Install 10 gravel guards for drains on main roof to prevent gravel from entering drains Carport - Tear off existing build up roof on carport to decking - Build crickets to allow for proper water drainage - Install 1/2" fiberboard over decking to prevent nails on decking from puncturing membrane - Install Firestone UltraPly TPO, 60 mil, white using glue down method - Install metal coping shop-fabricated from 24 gauge metal on the perimeter - color to be selected by Johnson County	9,568.00
<p>Thank you for the opportunity to bid on this job.</p> <p>This estimate is good for 30 days, prices are subject to change without notice.</p> <p>Please sign and return when you are ready to go ahead with the job.            Call 817-239-8744 if you have any questions.</p>	
<b>Total</b>	<b>\$9,568.00</b>

Customer Signature \_\_\_\_\_