

# Variance Request for Septic System

Johnson County Subdivision Rules and Regulations state only one septic system per one (1) acre, Section VII A. To request a variance for the purpose of:
installing a septic system on a lot or tract of less than an acre
two residences on one (1) septic system or
installing a second septic system on a lot less than 2 acres
Please provide the following information. This request will be presented to the Commissioner's Court for their decision.
Owner NI COLETTE May Sar Date (4 30 15
Contact Information: Phone no. 817-729-41687
Cell no Email address Nicmay Sar Qyahon. Com
Property Information for Variance Request:
Property 911 address 9350 Apa the TCI Rio Vista TX 76093
Subdivision name Fishermans Paradise Block Lot 108,69
Lot size: 163 acres Size of existing residence:
Does this lot currently have a septic system? () Yes (
ETJ: () Yes - City () No
Is a part of the property located in a FEMA designated Floodplain? () Yes — () No
Reason for request New Construction Single family
Provide the following with this request:
Copy of your plat if property has been platted
Copy of property deed
Survey or drawing showing existing home, buildings, existing & proposed septic system locations

F:/Platting/Variances/Septic System Variance Request App



# Variance Request for Septic System

Johnson County Subdivision Rules and Re VII A. To request a variance for the purpo	gulations state only one septic system peose of:	r one (1) acre, Section
installing a septic system	on a lot or tract of less than an acre	or
two residences on one (	1) septic system	or
installing a second septi	ic system on a lot less than 2 acres	
Please provide the following information for their decision.	. This request will be presented to the Co	ommissioner's Court
owner NI colette Maysa	Date <u>U</u> 30	15
Contact Information:	Phone no. 817-729-4	1887
Cell no	Email address Nicmausar	Ayahoo.com
Property Information for Variance Reque	est:	_
Property 911 address 9350 Apa 1	cheTrl Rio Vista TX	76093
Subdivision name <u>FISNEMANS</u>	s foradise Block	Lot 108,69
Lot size: <u>, 63</u> acres Size of e	existing residence:	
Does this lot currently have a septic systematic systematic systematics.	em? () Yes ()No System typ	<b>ж</b>
ETJ: () Yes - City	No	
Is a part of the property located in a FEN	MA designated Floodplain? () Yes ರ	∑) No
	struction single	_
Provide the following with this request:		
Copy of your plat if property has	been platted	
Copy of property deed		
Survey or drawing showing exist	ing home, buildings, existing & proposed	septic system locations

F:/Platting/Variances/Septic System Variance Request App

PROVIDENCE TITLE GF NO. 105000492

### WARRANTY DEED WITH VENDOR'S LIEN

NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

Date:

JUNE 11, 2015

Grantor:

J DOUGLAS CAIN AND MECHAEL FAITH CAIN, HUSBAND AND WIFE

Grantor's Address (including County):

Grantee:

NICOLETTE Y. MAVSAR, A SINGLE WOMAN

Grantee's Address (including County):

1128 REMINGTON CIRCLE BURLESON, TEXAS 76028 JOHNSON COUNTY

Consideration: TEN AND NO/100------(\$10.00)-------DOLLARS:

and other good and valuable considerations in hand paid by the GRANTEE herein named, the receipt of which is hereby acknowledged:

AND, THE FURTHER CONSIDERATION of the execution and delivery by GRANTEE of that one certain promissory note in the original principal sum of ONE HUNDRED THIRTY-TWO THOUSAND ONE HUNDRED THIRTY AND NO/100 DOLLARS (\$132,130.00), bearing interest as therein specified and being due and payable as therein provided to the order of UNITED STATES OF AMERICA, ACTING THROUGH THE RURAL HOUSING SERVICE, and providing for the acceleration of maturity in event of default and for attorney's fees; and secured by the Vendor's Lien and Superior Title retained herein; and being additionally secured by a Deed of Trust of even date therewith to FRANCISCO VALENTIN, JR., STATE DIRECTOR, as Trustee; on the condition that this Vendor's Lien is cumulative of and without prejudice of or to said Deed of Trust;

#### Property (including any improvements):

LOTS 68 AND 69, BLOCK B, OF FISHERMAN'S PARADISE, A SUBDIVISION IN JOHNSON COUNTY, TEXAS, ACCORDING TO THE PLAT RECORDED IN VOLUME 3, PAGE 13, PLAT RECORDS, JOHNSON COUNTY, TEXAS.

#### Reservations from Conveyance:

None.

#### **Exceptions to Conveyance and Warranty:**

Liens described as part of the Consideration and any other liens described in this deed as being either assumed or subject to which title is taken; validly existing easements, rights-of-way, and prescriptive rights, whether of record or not; all presently recorded and validly existing instruments, other than conveyances of the surface fee estate, that affect the Property; and taxes for current year, which Grantee assumes and agrees to pay.

Grantor, for the Consideration and subject to the Reservations from Conveyance and the Exceptions to Conveyance and Warranty, grants, sells, and conveys to Grantee the Property, together with all and singular the rights and appurtenances thereto in any way belonging, to have and to hold it to Grantee and Grantee's heirs, successors, and assigns forever. Grantor binds Grantor and Grantor's heirs and successors to warrant and forever defend all and singular the Property to Grantee and Grantee's heirs, successors, and assigns against every person whomsoever lawfully claiming or to claim the same or any part thereof, except as to the Reservations from Conveyance and the Exceptions to Conveyance and Warranty.

UNITED STATES OF AMERICA, ACTING THROUGH THE RURAL HOUSING SERVICE, at Grantee's request, has paid cash to Grantor that portion of the purchase price of the Property that is evidenced by the note. The first and superior vendor's lien against and superior title to the Property are retained for the benefit of UNITED STATES OF AMERICA, ACTING THROUGH THE RURAL HOUSING SERVICE and are transferred to UNITED STATES OF AMERICA, ACTING THROUGH THE RURAL HOUSING SERVICE without recourse against Grantor.

The vendor's lien against and superior title to the property herein conveyed are retained until each note described herein is fully paid according to its terms, at which time this Deed shall become absolute.

When the context requires, singular nouns and pronouns include the plural.

### MADE EFFECTIVE THE DATE FIRST HEREINABOVE SPECIFIED.


J BOUGLAS CAIN

MECHAEL FAITH CAIN

### **ACKNOWLEDGMENT**

COUNTY OF JANGER

The foregoing instrument was acknowledged before me on this the \_\_\_\_\_\_ day of JUNE, 2015, by J DOUGLAS CAIN AND MECHAEL FAITH CAIN, HUSBAND AND WIFE.



NOTARY PUBLIC, STATE OF TEXAS

AFTER RECORDING RETURN TO:

PREPARED IN THE LAW OFFICE OF:

NICOLETTE Y. MAVSAR, A SINGLE WOMAN 1128 REMINGTON CIRCLE BURLESON, TEXAS 76028 RAMSEY & FOSTER, P.C. 5001 HWY 287 SOUTH, STE. 105 ARLINGTON, TEXAS 76017

# \*\*\*\*\* Electronically Recorded Document \*\*\*\*\*

# **Johnson County**

Becky Ivey
Johnson County Clerk
Cleburne, TX

Document Number: 2015-12720

Recorded As : ERX-WARRANTY DEED

Recorded On:

June 15, 2015

Recorded At:

08:43:16 am

**Number of Pages:** 

4

**Recording Fee:** 

\$34.00

Parties:

Direct-

Indirect-

**Receipt Number:** 

33321

Processed By:


**April Newby** 






I hereby certify that this instrument was filed on the date and time stamped hereon and was duly recorded in the Volume and Page of the named records in Johnson County, Texas.

Any provision herein which restricts the sale, rental or use of the described Real Estate because of color race is invalid and unenforceable under Federal law.







# **JOHNSON COUNTY Department of Public Works**

1 North Main Street/Suite 305, Cleburne, TX 76033

development@iohnsoncountytx.org - (817) 556-6380 - Fax (817)556-6391

Application for 'Authorization to Construct' OSSF System

Office use only	Authorization to Construct	t Permit #		Date	}
FIRM Panel #	Precinct				
T MAN T GROOT II					
This is to certify that	t:		has paid a		
Fee of: 🗆 \$475.00 A	t: erobic Septic Systems	\$375.00	All other Septic Sys	tems	İ
waste disposal system This AUTHORIZATIO	ith the rules and regulations o m – address and owner listed ON TO CONSTRUCT is only vali unless revoked for non-complic	below. Inspector d with INSPECTOR	approval: APPROVAL and is y	Date <u>valid for 1' year</u> from ti	ne l
Property Owner's Name 911 site address:	igned by Property owner e: NiCOVEHE Ma 852 Apache Tri	<u> Lio Vista</u> curi	# <u>917-739</u> ent mailing address	<u>46</u> 87 s:	
<del>-</del>	letes and Bounds: Acre				
Recorded deed: Volur	me Page	Survey	Abstract	-or-	
□ Subdivision:	me Page HERMAN'S PARANS	E Lot#: 68/69	Blk#:Pha	se / Section #:	•
Please attach	n verification of legal description	such as a copy of: D	eed and Survey or oth	ner documentation	
Type of Home / Buildin	ng: New 🗆 Existing	□ Site Built	Manufactured	ABldg. Sq. Ft. Pro	
•	ms <u>3</u> $\Box$ Multi-Family		Li Commerciai	# cmployees	_
□ Well -or-	Water Co.	·			
for Johnson County Put investigation of an on-s	e statements are true and corr blic Works to enter upon the a site sewage facility. ure of Owner)	rect to the best of above described p	my knowledge. Au roperty for the pur (Date)	thorization is hereby pose of site evaluation	given n and
·····	· · · · · · · · · · · · · · · · · · ·	-, l	221.11		
Site Evaluator:	CACIONESA-VETERS	License No	a 7016	Sens V	
Phone No: 8/7,	9940095	Other No			
Mailing Address: 16	15 Lynnstoren cit	v 1500	StateZip	76103	
Installer:		License No			10
Phone No:	2.5	Other No			
Mailing Address:	Cit	:y	StateZip		_

\*\*\*\*System must be installed according to specifications on attached design\*\*\*\*



# **JOHNSON COUNTY Department of Public Works**

1 North Main Street/Suite 305 Cleburne, Texas 76033 – (817) 556-6380 – Fax (817-556-6391 development@johnsoncountytx.org

# ON-SITE SEWAGE FACILITY TECHNICAL INFORMATION FOR PERMIT

PROFE	SSIONAL DESIGN REQUIRED: A Yes on No Designer Name: BUCA-CHURSA-P Phone No. 8/7 GAU 10095 Mailing Address: 16/5 Lywn Hawlur	Other or Fax No	Yes
I.	TYPE AND SIZE OF PIPING FROM: (Example: 4: Stub out to treatment tank: 5012 26 00 Treatment tank to disposal system: 3/4"	SCH 40 PVC) SCH 40 PVC 111 SCH 40 PURPLE PUC	<del></del>
	DAILY WASTEWATER USAGE RATE: Q= ZHC Water Saving Devices: 1/2 Yes  No	1	
ali.	Pump/Lift Tank: Yes	Liquid Depth (bottom of tank to outlet ):  Manufacturer:  Size: 500 (gal)   No	□ NA □ NA
IV.	Disposal Type: FIED	Area Required: 3750 F	
V.	ADDITIONAL INFORMATION:  NOTE THIS INFORMATION MUST BE ATTACH!  A. Soil/Site Evaluation B. Planning m	ED FOR REVIEW TO BE COMPLETED. naterials (If Applicable).	
	T BEGIN CONSTRUCTION PRIOR TO OBTAIN RUCTION CAN RESULT IN CIVIL AND/OR AD		. UNAUTHORIZED
SIGNAT	TURE OF INSTALLER OR DESIGNER:	DATE:	5/18/2015

JOHNSON COUNTY - OSSF SOIL EVALUATION FORM 5/14/2015 **Date Performed** Owner's Name Maysar **Physical Address** 27616 O.S. Number **Site Evaluator Proposed Excavation Depth** \*At least two soil evaluations must be performed on the site, at opposite ends of the disposal area. Please show the results of each soll evaluation on a separate table. Locations of soil evaluations must be shown on site drawing. \*For subsurface disposal, soil evaluations must be performed to a depth of at least 2 ft below the proposed excavation depth. For surface disposal, the surface horizon must be evaluated. \* Please describe each soil horizon and identify any restrictive features in the space provided below. Draw lines at the appropriate depths. **Soil Boring Number** Drainage/Mottles Restrictive Depth Inches **Textural Class Water Table** Horizon Comments CHYSTE 12 (Rock <u> 36</u> <u>48</u> 60 **Soil Boring Number** Depth Drainage/Mottles Restrictive Inches **Textural Class Water Table** Horizon **Comments** <u>12</u> <u> 36</u>

I certify that the grove statements are true and are based on my own field observations.

ATTESTED BY:

Signature

| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Address | Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator No. 27616|
| Site Evaluator

The test data and other information on this report is required by Johnson County. The design, construction and installation of each system is based upon specific conditions affecting each lot or tract and must be subsequently approved by Johnson County

48

<u>60</u>

Revised 7/10/2012

# JOHNSON COUNTY - SITE EVALUATION REPORT

Deto	51	14/2	2015							PARADISE
Name L	Jico	ette	Mars	sal_			Phone			
Address	5 9	352	APACHE	TRAI	1					····
PROPER	RTY LOC	CATION		_				. ,		PROMINE
Lot	108	69	Block _			Subdivisi	on <u>F</u>	SHERM	MUS	THEFDIE
Additio	nal Info	ormatio	١					<u>.,</u>		
				SCH	EMATIC (	OF LOT O	R TRAC	π		
Location	of natural	i, construc	eet(s), direction ted or proposed sed water wells poring and dug p	drainage wa	iys, water i	mpoundme				opes and buildings. ble point).
	<del></del>				<del></del>	1				
<del>                                     </del>										<del>                                     </del>
<b> </b>										
							7			<del>  </del>
						15	$\nu_+$		- +	
						1				+
-					A					
						.,,				+
				4/	-649	$r_{\parallel}$				<del>                                     </del>
			1	10	e=					+
										+
										1
							-			<del>                                     </del>
					<u> </u>					<u> </u>
										TO LAS
										A TOTAL CONTRACTOR OF THE PARTY
							<u> </u>		me i a	The state of the s
Presence Presence Existing	e of uppe e of adjac or propo	sed water		r impoundm irea	ent area	Yes Yes Yes	<del></del>	No No	情	FSSIO.
ATTES Signat	TED BY	:2	ulti	t				Site Eval	uator No	27616
		1615	Lynn	14916	n			8		4:0095 hone
			Address						۲	none

The information on this report is required by Jahnson County. The design, construction and installation of each system is based upon specific conditions affecting each lot or tract and must be subsequently approved by Johnson County.

Revised 7/10/2012

# Becca Grassl-Petersen, R.S II

Professional Sanitarian #4024 1615 Lynnhaven Road Fort Worth, TX. 76103 817.994.0095

Design Purpose: Residential Onsite Sewage Facility

Location of Proposed Onsite Sewage Facility: 9352 Apache Trail, Johnson County, TX

Designed for: Nicolette Mavsar (Property owners)

# The following information is designed in accordance with TAC 285 for the location intended.

Date: 05/18/2015

Number of Bedrooms: proposed 3 w/water saving devices

Square Footage: proposed <1500sqft

Soll Type: Class IV/rock

Site Evaluation: This site is suitable to support vegetation for surface application

Estimated Daily Flow: 240gpd

Loading Rate: .064

Disposal Area Required: 3750sqft

Disposal Area Proposed: 4241sqft; 3-30' 180degree spray heads

Primary water source: co-op

Minimum Requirements for System Installation:

Sewer Cleanout: Double

Sewer Pipe: Schedule 40 or SDR 26 PVC from building to tank inlet

Sewer Pipe Slope: 1/8 per foot of fall

Tank Installation: If needed, follow specifics from TAC 285.32 (F);

4" Class III Soil pad below tanks

All tanks with ground surface risers must have double lids for protection from unauthorized access

All tanks must be watertight

Private water lines within 10' of the tanks must be sleeved or moved to adhere to 10' setback

**Primary Tank**: 500galion

TAC 285.32 required inlet/outlet devices used

Aerobic Class I Tank:

500 gallon

**NSF** Approved

See manufacturer's specifications

Inline Chlorinator(s): installed post aerobic unit; liquid or tablet fed; must be NSF approved

Pump Tank:

750 gallon

All electrical wiring must meet the National Electric Code requirements

All electrical components must be contained in a code approved watertight electrical grade box

All wiring must be contained in code approved rigid, none metallic grey conduit

1/2 hp

Manual override

Mercury floats on a separate circuit from the pump

Wall mounted electrical components are to be in site of the lift station with an electrical dis

Visual and audible high water alarm required

Dosing Volume: 150 gallons Timer: is required for this system

For more specifications see TAC 285.34(c)



#### Pipes and Fittings:

Schedule 40 or SDR 26 PVC for sewer line is required

Between tanks: SDR 35 is allowed

Disposal line from the treated effluent pump tank: Schedule 40 PVC 3/4" to 1" purple pipe is required

One-foot of separation below any water line

Disposal line is to be a depth of 12 inches to avoid freezing

Private water lines within 10' of sewer manifold must be sleeved or moved to adhere to 10' setback

#### Sprinkler Heads:

Low angle (13degree), non-aerosol nozzles are to be used

Purple colored tops

Heads are to be installed at grade and protected, if need be from hoofed animals or mowers

A check valve is required to prevent back flow into the pump tank if higher than tanks

Natural grasses are to be mowed and maintained in the disposal field year round

### Important Facts:

- -Grease, oil, bleach, medications and other non-biodegradable products or hazardous compounds and chemicals are to be avoided at all cost to protect the integrity of this system. Failure to comply could result in costly damage to the system and legal action against the operator by the permitting authority.
- -Avoid hydraulic over use; stay with in permitted daily flow
- -Only septic system approved chlorine is allowed in the chlorinator
- -Chlorine residual is to be maintained at 1.0mg/l at all times
- -pH is to be maintained between 7 and 8
- -Water saving devices are required
- -Sludge pumping is recommended every 3 to 5 years
- -Do not build on, drive on or torture this system in any way
- -Any other requirements or recommendations set forth by the manufacturer or permitting authority to protect the health and safety of humans and the environment

Contact your permitting authority for service contract requirements is your area.

\*Due to the unpredictable habits of humans and the ways of nature, this design is not guaranteed

\*Additional charges may apply if any additional site visits and/or redesigns are needed due to changes in construction and site layout other than what has been discussed with the property owner as of 5/18/2015.


Becca Grassl-Petersen

Registered Sanitarian II, #4024

Date: 05/18/2015 Scale 1": 60'

\* THIS SITE WAS VACANT @ TIME OF S.E.

\* SCATTERED TREES-SCALE
KNAY HAVE TO BE ROMOVED
TO MEET SET BACKS



9352 Apache Trail

Becca Grassl-Petersen Registered Sanitarian II, #4024

7