

Approved


Commissioners Court

JUN 13 2016


STATE OF TEXAS §

COUNTY OF JOHNSON §

BEFORE ME, Frances Box the undersigned authority, on this day personally appeared Rick Bailey known to me to be the person whose name is subscribed hereto, and having been duly sworn by me on oath declared and stated that the attached copy of a Road Report, for Precinct # 1 dated June 1, 2016 is true and correct.


Commissioner, Precinct No. 1

SUBSCRIBED AND SWORN TO BEFORE ME this 23rd day of May, 2016, to certify which witness my hand and official seal.



Frances Box
Notary for the State of Texas



**RICK BAILEY
JOHNSON COUNTY COMMISSIONER
PRECINCT 1**

June 1, 2016

251.004 COMMISSIONERS AS ROAD SUPERVISORS

A. County Commissioners in Johnson County are the Road Supervisors.

251.005 COMMISSIONER'S ANNUAL ROAD REPORT.

- 1) For print out of roadway conditions including bridges and culverts, see "Attachment A".
- 2) \$650,000 is the amount of money reasonably necessary to provide paving, seal coating, patching, oiling and adding of base material and maintenance of Precinct 1 roadways.
- 3) During this fiscal year, Precinct 1 replaced approximately 290 traffic control devices. At this date we are not aware of, nor have any report of any defaced or torn down traffic control devices.
- 4) Developers are constructing approximately 3.0 miles of new roadways in subdivisions in the northern portion of Precinct 1.
- 5) Precinct 1 has budgeted \$423,507 for the maintenance and improvements necessary to keep bridges and culverts in good condition.

251.007 CLASSIFICATION OF COUNTY ROADS.

A. All public roadways in Precinct 1 will be classified as third class roadways having less than 40 feet of roadway and some having less than 20 feet of roadway.

251.009 CATTLE GUARDS ON COUNTY ROADS.

A. There are currently 17 cattle guards in Precinct 1 which the Precinct is required to maintain.

Attachment A
6/01/2016

TXDOT ROAD ID#	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	ROAD SURFACE: 51 PAVED 32 - GRAVEL	CONDITION (1- 5) 1=POOR, 5=EXCELLENT	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLEGUARDS
AA2155	305A		SH 171	CEMETERY (FAULKENBERRY)	0.390	51	2	0					
AA0310	310		1205	SH 171	1.600	51	3	SH 171-1205: (1) 18" X 25' CULV (2) 4' X 23' CULV (1) 24" X 30' CULV (1) 42" X 40' CULV (15)	3 3 3 5				
AA1628	310A		1205	SH 171	2.200	51	3	1205-SH 171: (1) 18" X 34' CULV (1) 24" X 36' CULV (1) 18" X 21' CULV (1) 24" X 30' CULV (1) 15" X 24' CULV	3 3 3 3 3				
AA0902	902		1010	ANDY NORTH	1.970	51	3	1018-1010: (1) 18" X 24' CULV (04)	4	AA0156-001	MARTIN BRANCH	7/6	
AA0903	903		1022	CLEBURNE CITY LIMITS	1.206	51	3	0					
AA0904	904		JORDAN CT	1010	1.880	51	2	1010-1022: (2) 36" X 35" Ex/bands (08) (2) 42" X 35" CULVS (08)	4 4				
AA2513	904Z		CLEBURNE CITY LIMIT SOUTH OF CR904	1010	0.306	51	5	AT 904: 34" X 48" CONCRETE (13)	5				
AA0905 (2)	905		1010	1017	1.670	51	5	0					
AA0906	906		1006	1009	0.671	51	3	1009-1006: (3) 48" X 20' CULVS (1) 24" X 30' CULV	3 3				
AA0907	907		1003A	1006	1.430	51	3	1003A-1006: (3) 24" X 20' CULVS (1) 24" X 24' CULV (1) 18" X 24' CULV (2) 36" X 24' CULVS (3) 48" X 36" ARCH & (2) 36" X 20' W/BAND/CONCRETE (12)	4 4 4 4 4				
AA0913	913		1008	1001	5.000	51	4	1008-1006: (1) 5' X 30' CULV (1) 36" X 30' CULV FM2331-1002: (1) 42" X 36' CULV 1002-1001: (2) 36" X 40' CULV (1) 18" X 30' CULV (1) 24" X 30' CULV	3 3 3 2 3 3				
AA1001	1001		913	SH 171/GODLEY CITY LIMIT	1.820	51	5	0					
AA1675	1003A		FM 917	DEAD END	0.676	51	3+	0					
AA1006	1006		913	SH 171	3.798	51	4	SH 171-FM917: (1) 24" X 24' CULV (1) 24" X 24' CULV, EXT (08) FM917-913: (2) 24" X 30' CULV (1) 18" X 30' CULV (1) 18" X 30' CULV	3 3 3 3 3				

Attachment A
6/01/2016

TXDOT ROAD ID#	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	ROAD SURFACE: 51 = PAVED 32 = GRAVEL	CONDITION (1- = POOR 4 = EXCELLENT)	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLEGUARDS
AA1008	1008		FM 917	913	1.728	51	4	FM 917-912: (3) 30' X 40' X 36" ARCH (2) 24' X 36" CULV (1) 24' X 24' CULV A1912: (1) 30' X 30' CULV	3 3 3 3 3				
AA1009	1009		FM 917	SH 171	2.710	51	3	1010-SH 171: (1) 24' X 30' CULV (1) 18' X 30' CULV (2) EXT (08)	3 4	AA1009-001	TRIB TO NOLAN RIVER	7/6	
AA1010	1010		SH 171	FM 917	3.431	51	3	904-SH 171: (1) 36' X 24' CULV	3	AA0157-001	MARTIN BRANCH	7	
AA1533	1010A		1010	CLEBURNE CITY LIMIT	0.690	51	1	(1) 18" X 24" CULV	2				
AA1011	1011		1010	1009	0.746	51	3	0	0				
AA1013	1017		FM 917	902	3.176	51	3	(1) 18" X 24" BOX (1) 36" X 40' CULV (15)	3 3				
AA1535	1017		904	(901/VAUGHN) CLEBURNE CITY LIMITS	1.853	51	3+	(1) 36" X 32' CULV (08) (2) 15X20" CULVS (11)	4 4				
AA1539	1022		CLEBURNE CITY LIMIT	END (NORTH FROM DON LEE RD)	0.056	51	4	0	0				
AA2512	1024Z							SH 171-1200: (2) 36" X 22' CULV (1) 15" X 20' CONCRETE (1) 7" X 43' CULV (1) 24" X 33' CULV (1) 18" X 26' CONCRETE (1) 18" X 26' CULV	4 4 4 4 4 4				
AA1100	1100		SH 171	1200	1.461	51	4	HILL CO - 1203: (1) 36" X 30' CULV 1203-1204: (1) 18" X 21' CONCRETE (1) 24" X 24' CONCRETE	3 3 3				
AA1616	1100A		1204	HILL COUNTY LINE	1.256	51	4	(1) 18" X 20' CONCRETE (1) 36X35" ARCH (11)	4 3-				
AA1258	1101		SH 171	DEAD END	0.249	51	2	(1) 18" X 20' CONCRETE (1) 36X35" ARCH (11)	4 3-				

Attachment A
8/01/2016

TXDOT ROAD ID#	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	ROAD SURFACE: 51 = PAVED 32 = GRAVEL	CONDITION (1-5) 1=POOR 5=EXCELLENT	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLEGUARDS
AA1613 AA1614	1102		SH171	HILL COUNTY LINE	5.786	51	4	FM 2488-1206: (3) 8' X 12' X 32' BOX (1) 18" X 46' CULV 1206-1205 (1) 36" X 23' CULV (1) 12' X 33' CULV (3) 36" X 20' CULVS (1) 8' X 18' X 22' BOX (2) 18" X 32' CONCRETE 1205-1204: (2) 36" X 23' CONCRETE (1) 24" X 42' CONCRETE (2) 36" X 20' CULVS (1) 24" X 30' CULV (2) CULVS 36" X 30' (13) 1203-1202: (1) 24" X 24' CULV (1) 36" X 30' CULV (1) 4' X 26' CULV (1) 36" X 27' CULV (1) 36" X 27' CULV 1200-KENNARD AVE. (1) 36" X 29' CONCRETE (1) 5' X 24' CULV	3- 3 4 4 4 3 4 4 4 4 5 3 3 3 3 3 4 4	*AA0482-001 **AA482-002 ***AA482-003	06 06 07		
AA1103	1103		SH 171	DEAD END	0.781	51	4	SH 171-END: (1) 15" X 26' CULV (2) 18" X 24' CONCRETE	3- 4				
AA2154	1103A		FM 916	DEAD END	0.363	51	3	FM 916-END: (1) 24" X 18' CULV	3				
AA2153	1103B		1103	1102	0.370	51	3	1102-1103: (1) 18" X 26' CULV (1) 24" X 28' CULV	3 3				
AA1256	1104		1205	1204	0.730	51	3	1204-1205: (1) 18" X 46' CULV (2) 36" X 36' CULV (10)	3 3				
AA2144	1104A		FM 916	DEAD END	0.236	51	3	0					
AA1817	1104B		1200 SOUTH OF FM 916	DEAD END	0.347	51	3-	(1) 18" X 32' CULV	3				
AA1257	1104C		1202	DEAD END	0.472	51	2+	1202: (3) 36" X 28' CULVS, (1) 24" X 30' CULV	3 3				
AA1105	1105		1206	SH 174	2.293	51	5	SH 174-1206: (2) 24" X 28' CONCRETE (3) 24" X 42' CULVS (1) 18" X 37' CULV	4 4 4				

Attachment A
6/01/2016

TXDOT ROAD ID#	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	ROAD SURFACE: 51 = PAVED 32 = GRAVEL	CONDITION (1 = POOR 3 = EXCELLENT)	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTELGUARDS
AA1106	1106		1224A	RIO VISTA CITY LIMIT	4.283	51	3	(1) 5' X 21' CULV (1) 36" X 25' CULV 1223-1222: (1) 18" X 30' CULV (14) (1) 18" X 24' CONCRETE (1) 18" X 24' CULV (14) (4) 48" X 40' - (4) 42" X 38' LINERS-LWC (15) (2) 4' X 21' CULVS (2) 36" X 26' CULVS (2) 24" X 34' CULVS 1222-1221: (1) 4' X 26' CULV 1221-1208: 18" X 50' WBAND CULV (14) 1208-SH 174: (1) 36" X 36' CULV (5) 36" X 25' CULVS (5) 18" X 25' CONCRETE	4	AA11-06-001	NOLAN RIVER	6+	
AA1624	1107		1205	RIO VISTA CITY LIMIT (E. SIDE OF ADDR 989)	0.550	51	3+	(4) 36" X 5' CULV - EXT (08) (2) 24" X 25' CULV, Band (16) 1205-1107B: (2) 24" X 20' WBAND (15) (2) 36" X 18' CULV (1) 24" X 35' CULV (2) 72" X 33' CULVS (15) (1) 18" X 30' CULV (15) (1) 24" X 30' CULV 1107B-1202: (1) 18" X 24' CULV (14) (2) 24" X 20' WBAND (15) 1202-SH 171: (1) 24" X 25' CULV (08) (1) 60" X 35' CULV (14) (1) 18" X 32' CONCRETE	4				
AA1620	1107A		1205	SH 171	2.737	51	3-	1205-1107A: (1) 24" X 24' CULV (1) 18" X 30' CULV (1) 30" X 18' LWC (1) 5' X 24' CULV (1) 36" X 19' CULV (1) 24" X 21' CONCRETE (2) 36" X 28' CULV	3				
AA1621	1107B		1205	1107A	1.281	51	3-	0					
AA1618	1107C		1107A	1200	0.122	51	3						

Attachment A
6/01/2016

TXDOT ROAD ID#	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	ROAD SURFACE: 51 - PAVED 52 - GRAVEL	CONDITION (1-5) 1=POOR 5=EXCELLENT	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLEGUARDS
AA1123	1123		CLEBURNE CITY LIMIT NORTH OF US 67	FM 2331	4.937	51	4	FM 2331-WOODWARD: (1) 36" X 27' CONCRETE (2) 36" X 25'-(1) CONCRETE, (1) STEEL (1) 18" X 28' CULV (1) 15" X 25' CONCRETE (1) 36" X 25' & (1) 42" X 30' DOUBLE (1) 24" X 28' CULV (1) 36" X 28' CULV (1) 15" X 25' CULV (1) 18" X 28' CULV (1) 30" X 28' CULV (1) 12" X 30' CULV (1) 18" X 50' CULV (13) (1) 15" X 30' CULV (09)	3 3 3 3 3 3 3 3 3 3 5 5	AA1123-001	TOWN CREEK	7	
AA1124	1124		FM 2331	CLEBURNE CITY LIMIT SW OF FM 4	3.105	51	5	FM 2331-FM 4: (1) 24X36 CONCR LWC (02) (1) 36" X 58' CULV (1) 24" X 28' CULV (1) 24" X 27' CULV (1) 18" X 30' CULV (12) (1) 18" X 24' CULV (13)	4 5 5 5 5 5	AA1124-001	WEST FORK OF NOLAN RIVER	7	
AA1125	1125		CLEBURNE CITY LIMIT FROM WEST OF SH 171	CLEBURNE CITY LIMIT NW OF FM 4	2.072	51	3	FM 4-1217: (1) 18" X 20' CULV (1) 18" X 20' CULV (1) 18" X 30' CULV (1) 36" X 24' CULV FROM 1217-SH 171: (2) 60" X 36' CULVS (1) 36" X 20' CULV	3 3 3 3 5 3				
AA1126	1126		SH 171	CLEBURNE CITY LIMIT SOUTH OF SH 171 (WEST OF CLEBURNE)	3.016	51	3	SH 171-1228: (1) 18" X 30' CULV (12) 3) 36" X 24' CULVS (1) 36" X 24' CULV 1228-SH 171: (1) 60" X 24' CULV (1) 18" X 32' CULV & CONCR END (09) LWC (01) (1) 36" X 24' CULV	5 3 3 3 3 5 3 3	AA0319-001	NOLAN RIVER	7	
AA1573	1126A		1229	1228	0.481	51	3	1229-1228: (1) 30" X 40' CULV (1) 18" X 40' CULV	3 3				
AA1574	1126B		1126	1229	1.781	51	3+	1126-1229: (1) 30" X 25' CULV (1) 24" X 24' CULV (1) 36" X 24' CULV (1) 18" X 30' CULV	4 4 4 4				
AA1127 AA1252	1127		1230	1232	2.277	51	3	1232-FM 2331: (1) 18" X 24' CULV (1) 42" X 24' CULV FM 2331-1230: (1) 86" X 24' CULV (1) 24" X 20' CULV (1) 18" X 30' CULV	4 4 3 3 3				

Attachment A
6/01/2016

TxDOT ROAD ID#	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	ROAD SURFACE: 51 - PAVED 52 - GRAVEL	CONDITION (1-5) 1=POOR 5=EXCELLENT	CULVERTS	CULV CONDITION	BRIDGE TxDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLEGUARDS
AA1131	1131	FM 4	HOOD COUNTY LINE		2.363	51	3	FM 4-HOOD C.L.: (1) 36" X 30" CULV (1) 36" X 30" CULV (1) 36" X 30" CULV (1) 36" X 30" CULV (1) 36" X 30" CULV (1) 18" X 30" CULV (1) 72" X 30" CULV	3 3 3 3 3 3 3				
AA1200 AA1619	1200	SH 171	1100A		4.678	51	3	SH 171-FM 916: (1) 4" X 30" CULV (3) 5" X 24" CULV (1) 24" X 30" CULV (1) 30" X 26" CULV (1) 24" X 26" CULV (1) 5" X 35" CULV (14) 1100A-1100: (1) 18" X 30" CULV (1) 18" X 30" CULV 1100-1102: 1102-1104B: (2) 36" X 18" CULVS (2) 36" X 35" CULVS (10) (1) 18" X 28" CULV (1) 12" X 22" CULV (1) 18" X 24" CULV (2) 24" X 20" W/BAND @ 1104B (12)	3 3 3 3 3 5 3 3 3 3 3 3 5	AA16-19-001	MUSTANG CREEK	7	
AA1202	1202	SH 171	1102		4.390	51	3	FM 916-1104C: (1) 36" X 21" CULV (2) 4" X 20" CULVS (1) 36" X 20" CULV (1) 36" X 30" CULV (1) 18" X 25" CULV (08) FM 916-1107A: (1) 36" X 24" CULV 1107A-SH 171: (1) 24" X 26" CULV (1) 36" X 30" CULV (03)	3 3 3 3 3 3 3 3 3 4	AA0468-001	MUSTANG CREEK	7	
AA1203	1203	1102	1100A		0.895	51	3	1102-1100A: (1) 18" X 24" CULV (1) 18" X 30" CULV (1) 18" X 40" CULV 1100A-1102: (1) 48" X 30" CULV (1) 30" X 30" CULV (1) 30" X 30" CULV 1102-FM 916: (1) 15" X 24" CONCRETE (1) 24" X 30" CULV (16)	3 3 3 3 3 3 3 3				
AA1204	1204	FM 916	HILL COUNTY LINE		2.239	51	3		3				

Attachment A
6/01/2016

TXDOT ROAD ID#	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	ROAD SURFACE: 51 = PAVED 32 = GRAVEL	CONDITION (1-5) 1=POOR 5=EXCELLENT	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1229	1229		CLEBURNE CITY LIMIT, NORTH OF FM 4	1230	4.376	51	3	FM 2331-1126B: (2) 36" X 24" CULVS (1) 24" X 24" CULV (1) 30" X 25" CULV 1126B-1126A: (1) 36" X 30" CULV (1) 24" X 24" CULV (2) 42" X 20" CULVS (1) 24" X 24" CULV (1) 54" X 36" ARCH (16) 1126A-FM 4: (2) 30" X 30" CULVS (1) 24" X 30" CULV (1) 36" X 40" CULV (2) 30" X 24" CULVS	3 3 3 3 3 3 5 3 3 3 3				
AA1575	1229A		1229	FM 2331	0.171	51	3	0					
AA1230 (2)	1230		FM 2331	FM 4	3.756	51	3	FM 2331-1127: (1) 60" X 24" CULV (1) 24" X 24" CULV (1) 24" X 24" CULV (1) 24" X 24" CULV 1127-FM 4: (1) 24" X 24" CULV (1) 24" X 36" CULV (15) (1) 48" X 24" CULV (1) 24" X 24" CULV (1) 24" X 20" CULV	3 3 3 3 4 5 4 4 4				
AA1231	1231		FM 2331	FM 2331	0.809	51	2	(1) 36" X 30" CULV (16)	3				
AA1251	1231A		FM 2331	1127	0.246	51	2	0					
AA1232	1232		1128	FM 4	3.148	51	3	1128-1127: (1) 18" X 30" CULV (2) 48" X 26" CULVS (1) 24" X 24" CULV (1) 48" X 24" CULV (1) 72" X 28" CULV 1127-FM 4: (1) 24" X 30" CULV	3 3 3 3 3 3				
AA1570	1233A		1233	FM 4	1.200	51	4	1233-FM 4: (1) 24" X 30" CULV (1) 18" X 30" CULV (1) 20x40" LWC (1) 36" X 30" CULV 1234 & 406SOMERV. C.L.-1119: (1) 24" X 32" CULV (1) 24" X 30" CULV (2) 36" X 40" CULVS (1) 18" X 26" CULV (2) 36" X 32" CULVS (1) 20" X 30" LWC (1) 24" X 36" CULV (1) 24" X 30" CULV	4 4 4 4 3 3 3 3 3 3 3 3				(1) CATTLE GUARD, (1) CATTLE GUARD 8' X 14', (1) CATTLE GUARD 8' X 15', (1) CATTLE GUARD 8' X 13', (1) CATTLE GUARD 6' X 16'
AA1234 (2)	1234		1119 AT US 87	SOMERVELL COUNTY LINE	3.478	51 = 2.009 32 = 1.469	3						
AA0111	1234A		1234	DEAD END	0.267	32	3	0					

Attachment A
6/01/2016

TXDOT ROAD ID#	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	ROAD SURFACE: 51 - PAVED 32 - GRAVEL	CONDITION (1-5) 1=POOR 5=EXCELLENT	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLEGUARDS
AA1235	1235		FM 200	1236	1.027	51	3	FM 200-1236: (1) 24" X 42" CULV (1) 24" X 30" CULV (1) 18" X 48" CULV (00)	3 3 3				
AA1585	1235A		1236	FM 1434	0.376	51	3	1236-FM 1434: (1) 18" X 26" CULV (00) (1) 18" X 67" CULV (00)	3 3				
AA1589	1235B		FM 1434	DEAD END	0.232	51	3	(1) 18" X 26" CULV	3				
AA1236	1236		FM 200	FM 1434	2.320	51	3	FM 200-1235A: (1) 18" X 30" CULV (2) 18" X 36" CULVS (1) 18" X 24" CULV (1) 18" X 30" LWC 1235A & 1236-1235: (2) 36" X 30" CULVS 1235 & 1236-FM 1434: (1) 18" X 36" CULV	3 3 3 3 3 3 3				
AA1237	1237		FM 1434	1118	2.655	51	3	FM 1434-1118: (3) 5" X 30" CULV (1) 36" X 36" CULV (2) 10" X 30" CULV (1) 24" X 36" CULV (1) 5" X 34" CULV (1) 6" X 32" CULV	3 3 3 3 3 3				
AA1586 (2)	1237		FM 200	SOMERVELL COUNTY LINE	0.657	51 = 0.947 32 = 0.61	3	(1) 18" X 15" CULV (1) 15" X 30" LWC	3 3				
AA1238 (2)	1238		FM 1434	DEAD END	1.711	51 = 1.128 32 = 0.583	3	(4) 4" X 25" CULVS	3				(1) CATTLE GUARD
AA1239	1239		FM 1434	DEAD END	0.884	51	4	FM 1434-: (1) 15" X 30" CULV (1) 15" X 30" CULV (1) 15" X 30" CULV (1) 15" X 26" CULV (1) 18" X 30" CULV (1) 12" X 24" CULV	4 4 4 4 4 4				
AA1240	1240		1117 NORTH END	1117 SOUTH END	1.860	51	4	1117 & 1240-1240A: (1) 24" X 24" CULV (1) 24" X 28" CULV (1) 36" X 28" CULV 1117B & 1240- 1117: (1) 36" X 29" CULV (1) 24" X 30" CULV (1) 24" X 32" CULV	4 4 4 4 4 4 4				
AA1591	1240A		1240	DEAD END	0.333	32	3	1240A & 1240: (1) 24" X 40" CONCRETE (1) 18" X 24" CONCRETE	3 3				
AA1241	1241		1117	DEAD END	0.585	51	3	(1) 18" X 30" CULV	3				
AA1242	1242		1108	1117	1.061	51	4	1242 & 1108-1117A: (1) 24" X 36" CULV (4) 4" X 20" CULVS LWC 1117A & 1242-1117: (1) 24" X 28" CULV (1) 24" X 36" CULV	4 4 4 4 4				

Attachment A
6/01/2016

TWOOT ROAD ID#	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	ROAD SURFACE: 51 = PAVED 32 = GRAVEL	CONDITION (1-5) 1=POOR 5=EXCELLENT	CULVERTS	CULV CONDITION	BRIDGE TYPOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLEGUARDS
AA1243	1243		FM 1434	1117	0.586	51	4	1243 & 1117-FM 1434: (2) 24" X 30" CULVS (1) 24" X 30" CULV	4 4				
AA1250	1250		FM 1434	DEAD END	0.900	51	5	FM 1434-EN: (2) 24" X 22" CULVS (1) 24" X 30" CULV (1) 18" X 22" CULV (1) 18" X 22" CULV	2 2 2 3				
AA6058	ALSTON CT	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.207	51	4						
AA2130	AMOS NORTH	ABS ESTATES	902	ANDY NORTH	0.326	51	3						
AA2131	ANDY NORTH	ABS ESTATES	902	AMOS NORTH	0.429	51	3						
AA1608	APACHE TRL	FISHERMAN'S PARADISE	INDIAN TRAIL	DEAD END	0.171	51	3						
AA2158	APPLE CT	GORDON'S EDEN	310A	DEAD END	0.403	51	3						
AA6063	ARCHIE CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.108	51	4						
AA1563	ASCOT DR	NOLAN RIVER ESTATES	1219	NOLAN RIVER ROAD S.	0.754	51	3	1219-NOLAN RV RD: (1) 18" X 34" CULV (1) 24" X 55" CULV (1) 18" X 48" & (1) 24" X 48" DOUBLE (1) 18" X 60" & (1) 24" X 60" DOUBLE	3 3 3 3				
AA5950	BAKER ST	PARKER COMMUNITY	1101	OLA	0.251	51	2+	1101-OLA: (1) 18" X 28" CONCRETE (1) 18" X 28" CONCRETE (1) 18" X 22" CONCRETE (1) 18" X 20" CULV	3 3 3 3				
AA1321	BENJAMIN BLVD	PARADISE PARK	1017	WILD OAKS BLVD.	0.268	51	3						
AA6060	BIRD SONG CT	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.248	51	4						
AA6056	BLACK FOREST TRL	CHERRY RIDGE	1010	DEAD END	0.516	51	3						
AA2129	BLACKBURN DR	ABS ESTATES	902	SUNSET MOBILE HOME	0.276	51	3						
AA1577	BONO RD	BONO COMMUNITY	1122	FM 2331	0.494	51	2	(1) 18" X 30" CULV (14)	5				
AA1722	BRUSHY NOB DR	BRUSHY NOB ADDITION	TIMBER TOP TRAIL	S. OF SOUTHERN OAKS	0.252	51	3						
AA1541	BRYANT PLACE	BRUSHY NOB ADDITION	1022	THOUSAND OAKS DRIVE	0.212	51	4						
AA1259	CHEROKEE CT	FISHERMAN'S PARADISE	CHEROKEE TRAIL	DEAD END	0.056	51	3						
AA1610	CHEROKEE TRL	FISHERMAN'S PARADISE	INDIAN TRAIL	INDIAN TRAIL	0.425	51	3	(1) 24" X 25"	5				
AA1301	CHERRY CT E	GORDON'S EDEN	PEACH LANE	DEAD END	0.126	51	3	(1) 36"X36" ARCH (16)	5				
AA2160	CHERRY CT W	GORDON'S EDEN	PEACH LANE	DEAD END	0.096	51	3						
AA6062	CHERRY RIDGE CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.230	51	4						
AA6057	CHERRY RIDGE LN	CHERRY RIDGE	1010	DEAD END	0.498	51	4						
AA1604	CIMMARON TRL	FISHERMAN'S PARADISE	OLD WAGON TRAIL	INDIAN TRAIL	0.157	51	3						
AA1576	COKE RD	BONO COMMUNITY	BONO ROAD	WOODARD	0.133	51	3	BONO RD-WOODARD: (1) 18" X 24" CULV (1) 18" X 28" CULV	3 3				
AA1534	COMANCHE DR	COMANCHE HILLS	CR1008	DEAD END	0.883	51	5	1008-1008: (1) 16"X40" (1) 18"X26" (1) 24"X42"X30" ARCH (1) 32"X52"X30"	3 3 3 3				
AA1677	CORRAL RD	HILLTOP RANCH ESTATES	FM 917	HORSE SHOE ROAD	0.245	51	3	(1) 18" X 40"	3				

Attachment A
6/01/2016

TXDOT ROAD ID#	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	ROAD SURFACE: 51 = PAVED 52 = GRAVEL	CONDITION (1 = POOR, 2 = FAIR, 3 = GOOD, 4 = EXCELLENT)	CULVERTS	CULV CONDITION	BRIDGE TYP/ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLEGUARDS
AA1588	LAKEVIEW CT - HOH	HILLS OF HOMES	HILLTOP DRIVE	DEAD END	1.037	51	4	FROM LAKEVIEW & HILLTOP- LAKEVIEW/END: (1) 24" X 30" CULV (1) 18" X 40" CULV (1) 18" X 30" CULV (1) 15" X 30" CULV (1) 15" X 30" CULV (1) 15" X 30" CULV (1) 18" X 30" CULV (1) 15" X 30" CULV	4 4 4 4 4 4 4 4				
AA2136	LAKEVIEW DR	LAKEVIEW ESTATES	RIVERSIDE DRIVE	RIVERVIEW DRIVE	0.181	51	3	RIVERSIDE-RIVERVIEW DR: (1) 18" X 52" CONCRETE (1) 15" X 44" CONCRETE	3 3				
AA1680	LARIAT LN	HILLTOP RANCH ESTATES	HORSE SHOE DRIVE	DEAD END	0.066	51	4	0					
AA1606	LIVE OAK DR	FISHERMAN'S PARADISE	INDIAN TRAIL	VILLAGE DRIVE	0.160	51	3	0					
AA2126	MARTIN CREEK DR	MARTIN CREEK ADDITION	902	DEAD END	0.338	51	4	902-END: (1) 18" X 30" CULV (1) 24" X 30" CULV (1) 24" X 40" CULV	4 4 4				
AA6059	MCKINNEY LN	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.325	51	4	0	LWC				
AA2133	MESA DR	RIVERVIEW ESTATES	OVERHILL	END	0.041	32	4						
AA1609	MOUNTAIN VIEW - FISH P	FISHERMAN'S PARADISE	DUSTY TRAIL	VALLEY VIEW	0.202	51	3						
AA1311	MOUNTAIN VIEW RD - P PRK	PARADISE PARK	BENJAMIN BLVD	RUSTIC TRL	0.178	51	3	(1) 18" X 32" CULV					
AA6061	MOYER CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.205	51	4	0					
AA1111	NOLAN RIVER RD S (1111)	NOT SUBDIVISION	1219	CITY LIMITS	2.442	51	3	1219-C.L.: (1) 18" X 32" CULV (1) 36" X 28" CULV (1) 36" X 32" CULV (1) 36" X 26" CULV (1) 24" X 34" CULV (1) 24" X 42" CULV	3 3 3 3 3 3	(1) 25" X 100" BRIDGE-1966 (LEVEL III)	AA0377-001	6	
AA5852	OLA AVE	PARKER COMMUNITY	SH 171	BAKER STREET	0.149	51	3	0					
AA2145	OLD FOAMY (1112 E)	NOT SUBDIVISION	CLEBURNE CITY LIMIT WEST OF SH 174	CLEBURNE CITY LIMIT EAST OF NOLAN RIVER RD SOUTH (1111)	1.226	51	3	SH 174-1111: (2) 4' X 21" CULVS (1) 18" X 60" BOX (03) (1) 36" X 32" CULV (2) 36" X 18" CULVS	3- 3 3 3				
AA1600	OLD WAGON TRL	FISHERMAN'S PARADISE	FM 916	INDIAN TRAIL	0.416	51	4	(1) 36" X 35" CULV (14) 1121-RIVERVIEW DR: (1) 18" X 36" CONCRETE (1) 4' X 30" CONCRETE (1) 15" X 36" CONCRETE (1) 15" X 48" CONCRETE	5 3 3 3 3				
AA1578	OVERHILL DR	LAKEVIEW ESTATES	1121	RIVERVIEW DRIVE	0.458	51	3						
AA2157	PEACH LN	GORDON'S EDEN	310A	CHERRY COURT	0.167	51	3	0					
AA2156	PEAR CT	GORDON'S EDEN	310A	DEAD END	0.188	51	3	0					
AA2138	PENNINGTON CROSSING	NOT SUBDIVISION	FM 1434	WESTSHORE	0.520	51	5	0					
AA1300	PLUM COURTE	GORDON'S EDEN	PEACH LANE	DEAD END	0.126	51	3	0					

Attachment A
6/01/2016

TXDOT ROAD ID#	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	ROAD SURFACE: 1-PAVED 2-GRAVEL 3-EXCELLENT	CONDITION (1-5) 1-POOR 2-FAIR 3-GOOD 4-EXCELLENT	CULVERTS	CULV CONDITION	BRIDGE TxDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLEGUARDS
AA2159	PLUM COURT W	GORDON'S EDEN	PEACH LANE	DEAD END	0.095	51	3	0					
AA2151	PREAKNESS CT	NOLAN RIVER ESTATES	NOLAN RIVER ROAD S.	DEAD END	0.421	51	3	(1) 24" X 42" CULV	3				
AA1719	RESERVOIR RD	PARADISE PARK	MOUNTAIN VIEW	DEAD END	0.266	51	3	0					
AA2134	RIVERVIEW DR	LAKEVIEW ESTATES	OVERHILL	OVERHILL	1.042	51	3	OVERHILL: (1) 15" X 42" CONCRETE OVERHILL-VALLEYVIEW: (1) 15" X 36" CONCRETE LAKEVIEW-LAKEVIEW: (1) 24" X 38" CULV (1) 24" X 25" CONCRETE	3 3 3 3				
AA1370	RUSTIC TRL	PARADISE PARK	WILD OAKS AVE	DEAD END	0.154	51	3	0					
AA1315	SCENIC VIEW CT	FISHERMAN'S PARADISE	DUSTY TRAIL	DEAD END	0.088	51	3	0					
AA1811	SHINING STAR TRL	FISHERMAN'S PARADISE	MOUNTAIN VIEW	DEAD END	0.193	51	3	MOUNTAIN VIEW-END: (1) 15" X 30" CULV (1) 24" X 28" CULV (1) 18" X 30" CULV (1) 12" X 30" CULV (1) 18" X 30" CULV	3 3 3 3 3				
AA1593	SHOREVIEW DR	SHORE VIEW ADDITION	1218	DEAD END/LAKE	0.495	51	3	1218-END: (1) 18" X 30" CULV (1) 18" X 21" CONCRETE (1) 18" X 24" CULV (14)	3 3 5				
AA1679	SPUR CT	HILLTOP RANCH ESTATES	HORSESHOE ROAD	DEAD END	0.094	51	4	0					
AA2148	ST LEGER DR	NOLAN RIVER ESTATES	ASCOT DRIVE	GOLD CUP DRIVE	1.419	51	3	ASCOT-GOLD CUP: (2) 36" X 40" CULVS (2) 36" X 40" CULVS (1) 36" X 40" CULV	3 3 3				
AA2151	THOMPSON AVE	PARKER COMMUNITY	SH 171	DEAD END	0.139	51	3	0					
AA1720	THOUSAND OAKS DR	BRUSHY NOB ADDITION	FM 917	TIMBER TOP TRAIL	0.578	51	3	0					
AA1721	TIMBER TOP TRL	BRUSHY NOB ADDITION	THOUSAND OAKS DR.	DEAD END	0.483	51	3	0					
AA1607 (2)	VALLEY VIEW - FISH P	FISHERMAN'S PARADISE	INDIAN TRIAL	DEAD END	0.455	32 = 0.112	3	0					
AA2135	VALLEY VIEW LN	LAKEVIEW ESTATES	RIVERVIEW DRIVE	RIVERVIEW	0.189	51	2	0					
AA1254	VALLEY VIEW LN CUL-D	LAKEVIEW ESTATES	VALLEY VIEW LANE	DEAD END	0.037	51	2	0					
(W) of AA2135	VALLEY VIEW LN CUL-D	LAKEVIEW ESTATES	VALLEY VIEW LANE	DEAD END	0.042	32	2	0					
AA1602	VILLAGE DR	FISHERMAN'S PARADISE	INDIAN TRAIL	CIMMARON TRAIL	0.320	51	3	0					
AA2137	WEST LAKE RD	EASON ADDITION	CLEBURNE CITY LIMIT SE OF US 67	END	0.330	51	3	US 67-END: (1) 24" X 40" CULV (2) 24" X 40" CULVS (1) 24" X 40" CULV	3 3 3				
AA1309	WILD OAKS AVE	PARADISE PARK	BENJAMIN BLVD	MOUNTAIN VIEW	0.152	51	3	0					
					249.348								