JUL 09 2018

Approved

REQUEST FOR AGENDA PL Submission Deadline - Tuesday, 12:00	
SUBMITTED BY: David Disheroon TODA	AY'S DATE: 06/22/2018
DEPARTMENT:	Public Works
SIGNATURE OF DEPARTMENT HEAD:	
REQUESTED AGENDA DATE:	07/09/2018
SPECIFIC AGENDA WORDING: Con one septic system at 4801 County Road 312 in Preci	
PERSON(S) TO PRESENT ITEM: David Dis	sheroon
SUPPORT MATERIAL: (Must enclose supp	orting documentation)
TIME: 10 minutes	ACTION ITEM: X WORKSHOP
(Anticipated number of minutes needed to discuss item	
STAFF NOTICE:	
COUNTY ATTORNEY:IT DE	PARTMENT:
AUDITOR: PURC PERSONNEL: PUBLI	C WORKS: X
BUDGET COORDINATOR: OTHER:	
**********This Section to be Completed by C	ounty Judge's Office********
ASSIGNED AGENDA	DATE:
REQUEST RECEIVED BY COUNTY JUDG	E'S OFFICE
COURT MEMBER APPROVAL	Date



all

(Date)

Variance Request for Septic System

Johnson County Subdivision Rules and Regulations state only one septic system per one (1) acre, Section VII A. Variance fee is \$100 per request. To request a variance for the purpose of: installing a septic system on a lot or tract of less than an acre or two residences structures on one (1) septic system or installing a second septic system on a lot less than 2 acres Please provide the following information. This request will be presented to the Commissioner's Court for their decision. Owner Zachary Thompson Date 6-19-18 Email address Zacauna uahoo, com **Property Information for Variance Request:** Property 911 address 4801 County Road 312 Cleburne Tx 7603/ Subdivision name Abstract 540 Acreage 22 Survey O Millickan Size of existing residence: 2600 sq. ft. Does this lot currently have a septic system? (メ) Yes (__) No System type <u>arko</u>た ETJ: (____) Yes - City ______ Is a part of the property located in a FEMA designated Floodplain? (____) Yes Reason for request Tack Room Shower + Tiolet in Bam Provide the following with this request: Copy of your plat if property has been platted Copy of property deed Survey or drawing showing existing home, buildings, existing & proposed septic system locations Legal Description: ☐ Metes and Bounds Acreage: _ 🏎 Recorded deed: Volume Page Survey D millitan Abstract 590 Well Water or MWater provider Coop Johnson County ⁶ Site Built or ☐Manufactured/Mobile Home Building Square Feet: <u>Ilean</u> Thomas Single Family # Bedrooms _____ or 🗆 Multi-Family # Bedrooms _____ ☐ Commercial # Employees____ I certify that the above statements are true and correct to the best of my knowledge. Authorization is hereby given for Johnson County Public Works to enter upon the above described property for the purpose of site evaluation and investigation of an on-site sewage facility.

(Signature of Owner or Representative)



JOHNSON COUNTY PUBLIC WORKS

2 North Mill Street/Suite 305, Cleburne, TX 76033 development@johnsoncountytx.org (817) 556-6380

Application for 'Authorization to Construct' OSSF System

Office use only	Precinct
Authorization to Construct Permit #	Firm Panel
This is to certify that:	has paid a fee of:
	□ \$375.00 All other Septic Systems
	s of this department for the construction of a private liquid
waste disposal system Inspector approval:	- address and owner listed below. Date 6.19.18
This AUTHORIZATION TO CONSTRUCT is only valid with INSPECT	OR APPROVAL and is <u>valid for 1 year from</u> the issue date unless revoked for non- ules and regulations of this department
To be completed and signed by Property owner or a	uthorized representative
Property Owner's Name: Jachary Thom	1/50 1 Phone number: 817-458262
911 site address: 980/ County, Road	1312 (lebarne 1/2 2603)
Current mailing address: P.O. Box 89	4 Grandview Tx 76050
	such as a copy of: Deed and Survey or other documentation
Legal Description: ☐ Metes and Bounds Acreage:_	44
	D millikan Abstract 590
-OR- 🗆 Subdivision:	Lot #: Blk #: Phase / Section #:
☐ Well Water or ☑ Water provider) Johnson County
Is this Building: Thew or MExisting	2
மலைகளை ØSite Built or □Manufa	actured/Mobile Home Building Square Feet: <u>2600</u>
	or □ Multi-Family # Bedrooms
☐ Commercial # Employees	
I certify that the above statements are true and correfor Johnson County Public Works to enter upon the a investigation of an on-site sewage facility.	ect to the best of my knowledge. Authorization is hereby given above described property for the purpose of site evaluation and
(Signature of Owner or Representative)	(Date)
Site Evaluator: Doule Call	License No/ / OOC
Phone No: 817-297-2342	Other No.
Mailing Address: P.O. Bex 986	City Crowles State Tx Zip 76036
Installer:	License No
Phone No:	Other No.
Mailing Address:	CityStateZip

****System must be installed according to specifications on attached design****



JOHNSON COUNTY PUBLIC WORKS

2 North Mill Street/Suite 305, Cleburne, TX 76033 development@johnsoncountvtx.org (817) 556-6380

ON-SITE SEWAGE FACILITY TECHNICAL INFORMATION FOR PERMIT

PROFESSIONAL DESIGN REQUIRED: ☑ Yes ☐ No	If Yes, professional design attached: ☑ Yes ☐ No
Designer Name: Doyle Culp	License Type and No. 2949 RS
Phone No. 817-297-2342	Other or Fax No.
Mailing Address: PO 986	City: Crowley State: TX Zip: 76036
I. TYPE AND SIZE OF PIPING FROM: (Example: 4:	SCH 40 PVC)
Stub out to treatment tank: 3 inch PVC schole 40	
Treatment tank to disposal system: 1/8 inch per foo	t
II. DAILY WASTEWATER USAGE RATE: Q= 3/5 Water Saving Devices: ☑ Yes □ No	(gallons/day)
III. TREATMENT UNIT(S): ☐ Septic Tank	State Office Listing
A. Tank Dimensions:	Liquid Depth (bottom of tank to outlet): 52
Size proposed: 600 (gal)*	Manufacturer: Cleans HEAm
Material/Model#	
Pretreatment Tank: Yes	Size:(gal)
Pump/Lift Tank: ☐ Yes	Size:(gal)
B. OTHER ☐ Yes ☐ No <i>If yes, p</i>	please attach description.
IV. DISPOSAL SYSTEM:	" - Sources of I'm
Disposal Type: Existing	TATE OF TELYOU
Manufacturer and Model	
Area Proposed: 5652	Area Required: DOYLE W. CULP
V. ADDITIONAL INFORMATION: NOTE – THIS INFORMATION MUST BE ATTACHED A. Soil/Site Evaluation B. Planning ma	D FOR REVIEW TO BE COMPLETED SONAL STORES
DO NOT BEGIN CONSTRUCTION PRIOR TO OBTAINI CONSTRUCTION CAN RESULT IN CIVIL AND/OR AD	ING AUTHORIZATION TO CONSTRUCT. UNAUTHORIZED MINISTRATIVE PENALITIES.
SIGNATURE OF INSTALLER OR DESIGNER:	W. C. DATE: 5/30/18
Revised 02/01/2018	

		JOHNZON CONNILA -	OSSF SOIL EVALU	ATION FORM	
Date Perfo	ormed (44/14 5/29/18			
Owner's N	lame Z	ACK Thompson	J		
Physical A	ddress H	801 CR 312 'Clebu	"INC TX		. 17.2
Site Evalua	ator 📆	SHIE CUID		O.S. Number 4°	770
Proposed	Excavation [Depth '			
		nust be performed on the site, at oppo			of
°For subsurfa	uation on a separ ce disposal, soil e	ate table. Locations of soil evaluation evaluations must be performed to a de-	is must be snown on site drawn both of at least 2 ft below the pr	reposed excavation depti	h. For
surface dispos	sal, the surface h	orizon must be evaluated.			
	ribe each soil hor	izon and identify any restrictive featur	res in the space provided below	. Draw lines at the appro	opriate
depths.	Soil Boring	Number 61			
	Depth	IVUITUEI ()	Drainage/Mottles	Restrictive	
,	•	Textural Class	Water Table	Horizon	Comments
	CONTRACTOR OF THE PROPERTY OF	lexturar class	VVCC1 1051C	<u> </u>	
	17	10 1 day 7	N/A	NA	Sutable
	<u>12</u>	Shady Lan It			- (JUII-11)
	<u>24</u> /8 -			4 m m m m m m m m m m m m m m m m m m m	
		The decimal was the first total total total desirable desirable desirable on the sale of t	the way have the term one one way may be all one and the sale of the term of the term of the term.		
	<u>36</u>	Ma TIT	MA	UKS	UNSVITABLE
				J	
	4 <u>8</u>				
		May the the the the the the test are shown as me as posterior the test and the test	are and stay sign than the reason was not been used the majority sign that sign stay sign stay sign for sign the sign that sign is sign to sign is sig		
	<u>=</u> <u>60</u>		ALL DEPARTMENT OF THE PROPERTY		
	Soil Boring Depth Inches	Number 67	Drainage/Mottles Water Table	Restrictive Horizon	Comments
	12	in hountt	NA	MA	sv.726le
	_				
	<u>24</u> /6 -	+	ALL STATES OF THE STATES OF TH		
	a	THA 70	MA		Worthble
	<u>36</u>	Cigar	774	3c5	NO I
	=		and command that the part of the second that the second that the second the second that the se		ETROP DE TENN
	<u>48</u>				= 5 -1 101
	2			A THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COL	
	<u>60</u>				DOYLEW CUID
I certify th ATTESTED Signature	hat the abov	re statements are true and a		eld observations.	6470
	20 984/C	Lowley TX	and the first of the second	87-297-	
Address					Phone

The test data and other information on this report is required by Johnson Caunty. The design, construction and installation of each system is based upon specific conditions affecting each lot or tract and must be subsequently approved by Johnson County

Revised 7/10/2012



5/2	1/18	JOHNSO	N COUNT	Y - SITE	EVALUA	TION RI	EPORT		
ري Date (lafr4								
Name ZAC	KTho	MASON			Ph	one	5/7-	680-	8992
Address <u>48</u>	ol c	R 312							
PROPERTY LOC	ATION								
Lot		_Block		Subc	livision				
PROPERTY LOC. Lot Street/Road Ad Additional Info	dress	4801 CA	317	Cles	wwe	7X			and the state of t
Additional Info	rmation	drinks						*****	The state of the second
			SCHEMA	TIC OF L	OT OR TI	RACT			
Compass North, adja Location of natural, Location of existing Location of (number	constructed or proposed w	r proposed draina rater wells.	ge ways, wa	iter impou					
				7		***	1		-
	ļ <u>.</u>		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ml		_			
		 -							
	 	 							
						_			3004-400000 areas are
		 	<u> </u>		82				
		 -			4-				
				1005					
	ļļ						7/4/4		
		-					_190		
				<u> </u>					- 06 7 M.
					,0F1				
		- 4		1000	191.				
									DT LE W GULP
	<u> </u>								23.49 /3/
	 	 							
	 	 			X	4			
	 		0-8	3 3	≥				
		The second secon	45	<u> </u>					22325
Presence of 100 yea Presence of upper w Presence of adjacen Existing or proposed	rater shed t ponds, strea		ndment area	Yes		No No No No	<u> </u>	Firm Pa	nel#_48751C0375
ATTESTED BY: Signature	2466	U Cip	**************************************		wii, ta a thair agus tha de da d	Sit	e Evalua	tor No	6470
Po984 (ابياد فادر شعد شديفوش الدوروب في فيورون الفائدة		on an and an annual and an	ili	817-J	97-239	
The information on t		iress eauired by Johnso	n County. Ti	he deslan.				Phone	9

The information on this report is required by Johnson County. The design, construction and installation of each system is based upon specific conditions affecting each lot or tract and must be subsequently approved by Johnson County.

Revised 7/10/2012



CR312

SPRAYFIELD DESIGN

PREPARED FOR:

NAME:

Zack Thompson

ADDRESS: 4801 County Road 312

Cleburne, Texas Johnson County Texas

LEGAL:

INSTALLER:

DESIGN PARAMETERS:

ESTIMATED FLOW: 300 Gallon (4 BRm)

Water Saving Devices

15 Gallon (Tack Room)

Water Saving Devices

315 Gallon Total

LOADING RATE: .064

AREA REQUIRED: 4921 Sq. Ft. AREA DESIGN: 5652 Sq. Ft.

SYSTEM PARAMETERS:

SEPTIC: Simplex Sewage System 1/2 H.P. Grinder

PRETREATMENT TANK: Existing

AERATION TANK: Existing Aerobic Unit

PUMP TANK: Existing

SPRINKLER AREA: 2 - 30 Ft. Radius Full Circle 2826 Sq. Ft. Each

Total 5652 Sq. Ft.

PUMP SPECIFICATION: 1/2 H.P.

CHLORINATOR: Yes - 285.91 (4) ANSI / NSF Approved

WATER SUPPLY: Co-Op Water

VEGETATION COVER: Sprayfield areas to be sod in all season grasses

PREPARED BY:

Doyle Culp

R.S. 2949

PO Box 986

Crowley, Texas 76036

(817) 297-2342



ON-SITE EVALUATION

DESIGN CALCULATIONS

Using the formula : <u>GPD</u> = Total Square Feet App. Rate

Required Area: 300 W/s /.064 = 4688 Sq. Ft.

Designed Area: 5652 Sq. Ft.

SYSTEM LAYOUT

Discharge from the Residence will gravity flow via a three inch PVC pipe (1/8 inch per ft. fall minimum) Discharge from Tack Room existing Simplex Sewage System then to a existing pretreatment tank then to a existing Aerobic Unit. There will be a clean out installed within 3 Ft. of house and every 100 Ft. if needed.

The clear effluent from the Aerobic Unit will discharge through a chlorinator into pump tank. The chlorinated effluent will pass through a 1/2 horse power pump to 30 feet radius with 2 sprinkler heads via a one inch pressure rated line. Low angle nozzle 13 degree or less shall be used to keep the spray low and reduce aerosol. All spray areas will be covered in grasses or trees, or prepared for seeding of grasses. Risers must be fitted with removable watertight caps and protected against unauthorized intrusions. (285.38)

PUMP TANK

The pump tank volume will be existing minimum. In the event of pump failure a total volume will be left exceeding the 1/3 flow above the alarm. The tank shall be provided with an audio and visual high water alarm. All electrical wiring shall be in accordance with the most recent edition of the National Electrical Code. When sprinklers are used as the application method, the maximum inlet pressure shall 40 pounds per square inch.

VARIANCES

No variances are requested with any part of this system. Any changes in proposed system must be approved by the permitting authority before the installer is authorized to make change.

A timer will be installed if any sprinkler is within 20 feet of property line For night time distribution.

Johnson County Public Works Johnson County Public Works 1 North Main Street, Suite 305 Cleburne, TX 76033 (817) 556-6380

Receipt Number: 2018-841

6/25/2018 08:26 AM GA 1

Descriptions:	
1. \$100.00	Variance Request
2.	
3.	
4.	
	Received From:
	Zachary Thompson
	4801 CR 312
	Amount Received:
	\$100.00
	Payment Information:
	Cash
\$100.	.00 variance fee, hooking two structures into 1 septic
r	
Cinnatura / Initiala	
Signature / inicials,	GA 1 6/25/2018 08:26 Al



Johnson County Public Works Department

1 North Main Street, Suite 305 Cleburne, Texas 76033 817-556-6380 Fax: 817-556-6391

Septic Permit Application Checklist

Items that do not have a check must be provided to complete the approval process for your Septic Permit. Please note if customer will send any missing documents.

Property Owner: <u>Eachary Thampson</u>
Site Address: 480/ CR. 312, ClibWML
Acreage: 22 Variance Required: yes / no
Septic Application
Technical Sheet
Soil Test
Drawing
Spec Sheets
Authorization Form
Inspector will determine if necessary:
☐ Affidavit
☐ Maintenance Contract
☐ Other
If no existing development permits: □ Filed Deed □ Survey or Plat <u>\$\infty\$1530@n</u> Suff
Application was: brought in e-mailed Date: 0-19-18 Revised 08/09/2017 Clork: