AUG 13 2018

Approved

	Approv
REQUEST FOR AGENDA PI Submission Deadline - Tuesday, 12:00	
SUBMITTED BY: David Disheroon TOD	AY'S DATE: 08/03/2018
<u>DEPARTMENT</u> :	Public Works
SIGNATURE OF DEPARTMENT HEAD:	
REQUESTED AGENDA DATE:	08/13/2018
SPECIFIC AGENDA WORDING: Co buildings on one septic system at 201 FM 2738 in F	
PERSON(S) TO PRESENT ITEM: David D	isheroon
SUPPORT MATERIAL: (Must enclose supp	oorting documentation)
TIME: 10 minutes	ACTION ITEM: X WORKSHOP
(Anticipated number of minutes needed to discuss iten	e) CONSENT: EXECUTIVE:
STAFF NOTICE:	
COUNTY ATTORNEY:IT DE	PARTMENT:
	CHASING DEPARTMENT:
. 21.00111221	ic works:

********This Section to be Completed by County Judge's Office*******

COURT MEMBER APPROVAL _____ Date_____

REQUEST RECEIVED BY COUNTY JUDGE'S OFFICE

ASSIGNED AGENDA DATE:

PU.3



Variance Request for Septic System

Johnson County Subdivision Rules and Regulations state only one septic system per one (1) acre, Section VII A. Variance fee is \$100 per request. To request a variance for the purpose of:

installing a septic system on a lot or tract of less than an acre or
two residences (structures on one (1) septic system or
installing a second septic system on a lot less than 2 acres
Please provide the following information. This request will be presented to the Commissioner's Court for their decision. Owner
Phone no. 774 - 7/88
Email address jobinson @ rawhide Services.com
Property Information for Variance Request:
Property 911 address 201 FM 2938
Subdivision nameBlockLot
Survey WM Hickman Abstract 327 Acreage 5.7
Size of existing residence:sq. ft.
Does this lot currently have a septic system? () Yes () No System type **Yero5'L
ETJ: () Yes - City () No
Is a part of the property located in a FEMA designated Floodplain? () Yes () No
Reason for request Two Swillings on one septic
please one sink of toilet in each blag
Provide the following with this request:
Copy of your plat if property has been platted
Copy of property deed
Survey or drawing showing existing home, buildings, existing & proposed septic system locations

 $\mathcal{F}_{i} = \mathcal{F}_{i} = \{ (\mathbf{x}_{i}, \mathbf{x}_{i}, \mathbf{x}_{i}, \mathbf{x}_{i}) \mid \mathbf{x}_{i} \in \mathcal{F}_{i} : \mathbf{x}_{i} : \mathbf{x}_{i} \in \mathcal{F}_{i} : \mathbf{x}_{i} \in \mathcal{F}_{i} : \mathbf{x}_{i} : \mathbf{x}_{i} \in \mathcal{F}_{i} : \mathbf{x}_{i} : \mathbf{x}_{i}$



JOHNSON COUNTY PUBLIC WORKS

2 North Mill Street/Suite 305, Cleburne, TX 76033 development@iohnsoncountvtx.org (817) 556-6380

Application for 'Authorization to Construct' OSSF System

	Office use only	Precinct				
	Authorization to Construct Permit #	Firm Panel				
	This is to certify that:	has paid a fee of:				
	waste disposal system— Inspector approval: This AUTHORIZATION TO CONSTRUCT is only valid with INSPECTOR compliance with the rule	of this department for the construction of a private liquid address and owner listed below. Date 8/1/8 RAPPROVAL and is valid for 1 year from the issue date unless revoked for non-said regulations of this department				
<u>T</u>	o be completed and signed by Property owner or au	thorized representative Spu Phone number: 817-774-7188				
	11 site address: <u>201</u> FM 273 (
C		TX 76009				
		ch as a copy of: Deed and Survey or other documentation				
	egal Description: Metes and Bounds Acreage:					
R	ecorded deed: Volume Page Survey _	WM Hickorga Abstract 327				
-1	OR- □ Subdivision:	Lot #: Phase / Section #:				
	Well Water or Water provider	Lot #: Blk #: Phase / Section #:				
15	this Building: Diyew or Existing					
		ured/Mobile Home Building Square Feet: 2 1000 5.				
		or 🗆 Multi-Family # Bedrooms				
	©∕Commercial #Employees_					
I certify that the above statements are true and correct to the best of my knowledge. Authorization is hereby given for Johnson County Public Works to enter upon the above described property for the purpose of site evaluation and investigation of an on-site sewage facility.						
(-	Jisa Jhouston ignature of Owner or Representative)	7-17-18				
E 1						
Si	ite Evaluator: TKoKl					
P	hone No: 5107 Brown Ct	Other No.				
N	Mailing Address: 40/9- TEXGS	CityZip				
Ir	istaller: Jabe : }	License No. 7491				
Р	hone No: 614-3879	Other No.				
N	Mailing Address: 5753 3 ac Children Joseph State 1 X zip 7.6058					

****System must be installed according to specifications on attached design****



JOHNSON COUNTY PUBLIC WORKS

2 North Mill Street/Suite 305, Cleburne, TX 76033 development@johnsoncountytx.org (817) 556-6380

ON-SITE SEWAGE FACILITY TECHNICAL INFORMATION FOR PERMIT

PROFE	SSIONAL DESIGN REQUIRED: Yes INO	If Yes, professional design attached: ☐ Yes ☐ No
	Designer Name: T Vioh	License Type and No. 7908
	Phone No. 734-4734	Other or Fax No.
	Mailing Address: 5207 3rown	City:Zip:
	TYPE AND SIZE OF PIPING FROM: (Example: 4:	
	Stub out to treatment tank:	31' Puc sch 40
	Treatment tank to disposal system:	31' Pue sih 40 purple
11.	DAILY WASTEWATER USAGE RATE: Q=	(gallons/day)
	Water Saving Devices: ☐ Yes ☐ No	
Ш.	TREATMENT UNIT(S): Septic Tank	⊕ Aerobic Unit
	A. Tank Dimensions: 66 X 120	Liquid Depth (bottom of tank to outlet): 62
	Size proposed: <u>SOO</u> (gal)*	
	Material/Model# 3550 /	ancrete
	Pretreatment Tank: 🗓 Yes	Size: <u>→ CO (g</u> al) □ No □ NA
	Pump/Lift Tank: ✓ Yes	Size: 75 (gal) □ No □ NA
	B. OTHER ☐ Yes ☐ No If yes,	please attach description.
IV.	DISPOSAL SYSTEM:	,
	Disposal Type:	Spray. K Pain Area Required: 3, 750
	Manufacturer and Model	K Pain
	Area Proposed: 5, 652	Area Required: 3, 430
V.	ADDITIONAL INFORMATION: NOTE – THIS INFORMATION MUST BE ATTACH A. Soil/Site Evaluation B. Planning m	ED FOR REVIEW TO BE COMPLETED. naterials (If Applicable).
DO NO CONS	OT BEGIN CONSTRUCTION PRIOR TO OBTAIN TRUCTION CAN RESULT IN CIVIL AND/OR AI	NING AUTHORIZATION TO CONSTRUCT UNAUTHORIZED
SIGNA	TURE OF INSTALLER OR DESIGNER:	PATEHOMAS NO.
Revised C	02/01/2016	PO PEGISTER STREET

JOHNSON COUNTY - OSSF SOIL EVALUATION FORM


Date Perfo	ormed	7-1	-18				
Owner's N	lame	カナで	Mny	met			
Physical A	ddress	201	1-10	8855			~ ~ ~
Site Evalua	etor		Kohl		0	.S. Number	2408
Proposed	Excavation	Depth					
*At least two	soil evaluations	must be performed on	the site, at oppo	osite ends of the disposal	area, Ple	lase show the results o	if
each soil evalu *Eor cubsurfa	uation on a sepa ra disposal koll	arate table. Locations of evaluations must be ne	i sou evaluation rformed to a de	s must be shown on site o pth of at least 2 ft below	nawing. the prope	osed excavation depth	. For
surface dispos	sal, the surface l	horizon must be evaluat	ed.				
* Please descr	ribe each soil ho	rizon and identify any r	estrictive featur	es in the space provided I	below. D	raw lines at the appro-	priate
depths.	multi muutus	Number 4	1				
	Soil Boring	g Number 1		Drainage/Mottl	oc	Restrictive	
	Depth	Textural Class		Water Table	E3	Horizon	Comments
	Inches	Textural class		voter roote		7/	
	<u>12</u>	TV		13row	- 00	Clay	
	=						
	24						
			Through the Advisor to the Section of the Section o				
	<u>36</u>						
	p						
	<u>48</u>						. W M M M M M M M M M M M M M M M M M M
	#						
	<u>60</u>						AMPLICATION OF THE PROPERTY OF
		-	‡ ₂				
		g Number T	٠ ٧	•			
	Depth			Drainage/Mott		Restrictive	
	Inches	Textural Class		Water Table		Horizon	Comments
	=						
	<u>12</u>	T TO THE BUILT SEE SECTION OF THE SECTION OF SECTION OF				· · · · · · · · · · · · · · · · · · ·	
	n.				116	Z.,	
	<u>24</u>				#H	J-5	
	= 2.0			SIA	4	X	
	<u>36</u>				5	dan met dant date त्यार प्रस्त प्रस्त प्रस्त प्रस्त प्रस्त प्रस्त प्रमाण प्रमाण प्रमाण प्रमाण प्रमाण प्रमाण प	
	<u>48</u>			l Ū	1		
	40						**************
	<u>60</u>						
	,		->>	F TEXACOLL			
I certify t	hat the abo	ve statements are	true gala	re based on my or	wn field	d observations.	
ATTESTE		1h-	1 Second	A STATE			7478
Signature	}	7	//	We KOLL	Site	e Evaluator No	(100
٤	201	Brown	2,7	Too of		73	9-4734
		Addre	ess Trope	MEGIS IN A			Phone

The test data and other information on this report is required by Johnson County. The design, construction and installation of each system is based upon specific conditions affecting each lot or tract and must be subsequently approved by Johnson County

Revised 08/09/2017

JOHNSON COUNTY - SITE EVALUATION REPORT

Date 7	7-18		green.	_74-7188
Name	<u> </u>	Magne	Phone	7/1/188
Address	<u> 701</u>	FM -7738		
PROPERTY LOCATI	ON			
Lot	Block	Sub	division	
Street Address			FM	2738
Additional Informa	etion			
		SCHEMATIC OF	LOT OR TRACT	
Location of existing or o	structed or proposed d	rainage ways, water impo		or fill banks, sharp slopes and buildings.
			me hec	
	4	2	Japa 1	
		-141	21 100	
		> Start	AC	
		nd /		
		21		
Presence of 100 year flo Presence of upper wate Presence of adjacent po Existing or proposed wa	er shed onds, streams, water in	Ye Ye npoundment area	No No No No STEVANO NO N	
ATTESTED BY:	and of	1/201/		
Signature	fr	Karl	Si Si	te Evaluator No. <u>2408</u>
5707	Brown	14 000	100 o / 3 3	739-4234
201		1.30.186	GISTER SOL	Phone
The information on this	Address	ahnson County. The design	IONAL SAL	rnone
construction and install	report is required by it ation of each system is	annson County. ातक षहरूत् : based upon specific cond	litions	
affecting each lot or tra	ct and must be subseq	uently approved by Johns	on County.	Revised 08/09/201



5207 Brown Court Tolar TX 76476 Phone (817) 739-4234

DESIGN CRITERIA FOR A PRIVATE SEWAGE DISPOSAL SYSTEM WITH AEROBIC TREATMENT AND SURFACE DISCHARGE

Date: 6/26/2018

Site Location: 201 FM 2738

Johnson County

Prepared for: Troy Thompson

NOTE: All uncovered tank openings must have secondary protection to guard against accidental entry!

The following information will serve as design documentation for the installation of an aerobic surface discharge wastewater disposal system. This report should be submitted to the County Health department for review and design approval.

DESIGN PARAMETERS

Estimated Flow: 240 GPD (16 Employees at 15 gpd each)

Loading Rate: .064 gpd/sq. ft.
Area Required: 3,750 sq. ft.
Area Designed: 5,652 sq. ft.
Chlorinator: NSF Approved

SYSTEM SPECIFICATIONS

Pre-Treatment Size: 400 gal.
Aerobic Unit: 500 Gpd ATU
Pump Tank: 750 gal

Pump Specifications: 1/2 hp
Dosing Volume: 240 gal.
Effluent Timer: Needed

Site Evaluation and Structure: This is a design for an office warehouse. There is adequate soil for the establishment of turf grass.

Thomas Kohl, RS 2908

INSTALLATION REQUIREMENTS:

Treatment Unit; Pretreatment of effluent shall meet the requirements for a NSF, Standard 40, Class I effluent by means of aerobic action and a contact chlorine chamber. Effluent should maintain a residual chlorine level of no less than 1.0 mg/1 with a pH of7 to 8.

<u>Pipe and Fittings:</u> Schedule 40 PVC pipe should be used in the installation. 3/4 or 1 inch PVC should be used in order to provide adequate pressure. If sprinkler line crosses any water line, the sprinkler line must be a minimum of one foot beneath the water line. Supply lines should be buried to a depth of no less than 12 inches to provide adequate insulation against freezing during periods of cold climatic conditions.

<u>Pump</u>, <u>Float Controls</u>. And <u>Alarm System</u>: Pump controls should include a manual override to turn off the system in case of an emergency. An automated mercury float switch on a separate circuit from the pump is also necessary for all pump applications. A high water switch with a visual and audible alarm will be required in the pump chamber set at a level allowing 1/3 day reserve capacity in case of pump failure. All electrical connections should be made outside the liquid chamber.

Sprinkler Heads: Rainbird (Max-Paw 3 GPM) non-aerosol or equivalent should be used. All sprinkler heads should be adjusted to deliver water at less than a 13 degree angle. Sprinkler heads placed at an elevation higher than the pump tank should be equipped with check valves in order to prevent liquid backflow into the holding tanks.

<u>Landscape Plan:</u> Area used for effluent application will be left in native or improved vegetation in order to provide a vegetative cover. Effluent should not be applied to garden or fruit products. At no time shall effluent be applied to bare ground.

SAFE DISTANCE SET BACKS:

SPRAY PATTERN TO PROPERTY LINES: 20 FEET

MAINTENANCE REQUIREMENTS:

- A. A two-year service contract is required to provide, as part of the basic purchase price, by Manufacturers and distributors of onsite aerobic plants sold in Texas.
- B. An additional fee can be charged for renewal of the service contract after the initial two-year period.
- C. Owners of plants utilizing surface application for disposal of wastewater must have a service contract continuously in place to legally operate their systems.
- D. State policy calls for a site visit at least once every four months; more frequent is better.
- E. Sludge accumulation in the tanks should be monitored and pumped as required. Accumulation of grease and other solid waste should be closely monitored. Failure to do so will cause premature system failure.

JOHNSON COUNTY PUBLIC WORKS AUTHORIZATION FORM

Use this form for the Property Owner to give someone other than themselves authorization to acquire an OSSF Permit

I, LISA Thompson (Must be the name of the person listed on current deed for property)
Give Authorization To:
Individual Name
iligividai ivaitie
OR Danhicle Services
Business Name and Representative (If Applicable)
To Acquire an OSSF Permit for the following location:
201 Fm. 2738
911 Address
ALVARADO TE 76009
City
·
WITNESS BY HAND(S) ON THIS 17 DAY OF July 2018
Lisa Showson
Property Owner(s) Signature(s)
SWORN TO AND SUBSCRIBED BEFORE ME ON THIS
Notary Public, State of Texas Notary's Printed Name: My Commission Expires February 27, 2019
mi commission expires.

AFFIDAVIT TO THE PUBLIC

County of Johnson State of Texas

CERTIFICATION OF OSSF


According to Texas Commission on Environmental Quality Rules for On-Site Sewage Facilities, this document is filed in the Deed Records of Johnson County, Texas. (please attach copy of file receipt)

ı.

The Texas Health and Safety Code, Chapter 366 authorizes the Texas Commission on Environmental Quality (TCEQ) to regulate on-site sewage facilities (OSSFs). Additionally, the Texas Water Code (TWC), 5.012 and 5.013, gives the TCEQ primary responsibility for implementing the laws of the State of Texas relating to water and adopting rules necessary to carry out its powers and duties under the TWC. The TCEQ, under the authority of the TWC and the Texas Health and Safety Code, requires owners to provide notice to the public that certain types of OSSFs are located on specific pieces of property. To achieve this notice, the TCEQ requires a deed recording. Additionally, the owner must provide proof of the recording to the OSSF permitting authority. This deed certification is not a representation or warranty by the TCEQ of the suitability of this OSSF, nor does it constitute any guarantee by the TCEQ that the appropriate OSSF was installed.

11

""
An OSSF according to 30 Texas Administrative Code 285.91(12) will be installed on the property described as (insert legal description):
Abst 327 TR 37 WM Hickman Survey
Johnson County
5.7 Garcs
The property is owned by (print owner's full name): Lish Thompson htt Property Magnet
This OSSF shall be covered by a continuous service policy for the first two years. After the initial two-year service policy, the owner of an aerobic treatment system for a single family residence shall either obtain a maintenance contract within 30 days or maintain the system personally. The owner will, upon any sale or transfer of the above-described property, request a transfer of the permit for the OSSF
to the buyer or new owner. A copy of the planning materials for the OSSF can be obtained from JOHNSON COUNTY PUBLIC WORKS.
WITNESS BY HAND(S) ON THIS 17 DAY OF JULY 2018
Two Thompson
Owher(s) Signature(s)
SWORN TO AND SUBSCRIBED BEFORE ME ON THIS 17 DAY OF July 2018
5 South City
Notary Public, State of Texas Notary's Printed Name: JEREMY JABE ROBINSON My Commission Expires
Notary's Printed Name: My Commission Expires My Commission Expires February 27, 2019







Instrument Number: 2018-21097

As

Recorded On: July 30, 2018

Affidavit

Parties:

То

Billable Pages: 1

Number of Pages: 2

Comment:

(Parties listed above are for Clerks reference only)

** Examined and Charged as Follows: **

Affidavit

26.00

Total Recording:

26.00

Any provision herein which restricts the Sale, Rental or use of the described REAL PROPERTY because of color or race is invalid and unenforceable under federal law.

File Information:

Record and Return To:

Document Number: 2018-21097

Receipt Number: 136931

JABE ROBINSON

Recorded Date/Time: July 30, 2018 02:50:54P

5753 BLACKBURN DRIVE

ENV

User / Station: L Bailey - CCL30 JOSHUATX 76058



Thereby certify that this instrument was filed on the date and time stamped hereon and was duly recorded in the Volume and Page of the named records in Johnson County, Texas.

Any provision herein which restricts the sale, rental or use of the described Real Estate because of color race is invalid and unenforceable under Federal law.

> BECKY IVEY, COUNTY CLERK JOHNSON COUNTY, TEXAS

TWO YEAR

WASTEWATER TESTING AND REPORTING AGREEMENT

Rawhide Service Company

5753 Blackburn Rd. • Joshua, Texas 76058 Jabe Robinson - On Site Installer II - LIC #087491

Phone: (817) 929-1789 • Fax: (817) 517-5780

Inspection Calls GUARANTEED for Term of Agreement

(Please Print)			
Owner Name hisa Thom	1020x	Address 201	FM 2738
City/St/Zip Alvarado	76009	Phone <u>817</u> -	774-175
County Jolas . N			
Manufacturer of System	No Water	Installer Name	Jabe Robinson
The Texas Natural Resources and Conser of Aerobic Wastewater Treatment System the inspections for the use and operation Initial Terms: Begins on date of receipt later. Duties of Inspector: During the term of bic wastewater treatment systems every 4 tor's findings about the operation and use required 10 (ten) days. Inspector shall m requests for service or repair will be answ Robinson is the certified Inspector on all ***Laboratory testing, adding chloring Owner's expense and not covered by the DUTIES OF THE OWNER: Owner shall represents that he/she is the Owner of suc replenish chlorine in the system as neede ASSIGNABILITY: This agreement does Owner of the system.	is to have an initial two-ye of such treatment systems, of paid renewal agreement and any extension of paid renewal agreement and any extension of the system; including it ake such field tests as requivered in 24 hours, however, contracted systems. The pumping replacement his agreement, *** The pumping of the system and authorized to d.	ar contract and thereafter and the by Rawhide Service Co. and the service Co. and the service Co. and the service Cowner and appropriate gover's pumps, acrators, alarms, so tired by government/regulator all will be answered within parts, labor or materials for fiately of any malfunctions or center into this agreement.	d ends twenty-four (24) months tor shall inspect Owner's aero- ernment agencies the Inspec- ewitches and valves within the rry agencies. In most cases, 5 (five) working days. Jabe or the unit shall be at the r failure of the system. Owner Owner agrees to monitor and
RENEWAL FEE: Prior to the expiration notified by letter. A contract rate of \$150			
P.	LEASE MAKE YOUR CI RAWHIDE SERVIC		
TERMINATION OF AGREEMENT: default in payment of renewal fee.	This agreement shall term	inate upon written notice fror	n either party, or upon Owner
Jose Thompson	~	57/-	7-17-18
Owner	Date	Tabe Robinson	Date

(Agreement authorized with signature only)

Bennett's form 802060 090817