



LINE NUMBER	BEARING	DISTANCE	AREA	MARKER
C1	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C2	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C3	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C4	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C5	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C6	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C7	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C8	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C9	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C10	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C11	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C12	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C13	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C14	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C15	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C16	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C17	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C18	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C19	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C20	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C21	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C22	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C23	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C24	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C25	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C26	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C27	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C28	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C29	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C30	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C31	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C32	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C33	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C34	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C35	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C36	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C37	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C38	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C39	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C40	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C41	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C42	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C43	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C44	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C45	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C46	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C47	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C48	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C49	S89°18'35"W	37.50	37.50	1/2" IRON ROD
C50	S89°18'35"W	37.50	37.50	1/2" IRON ROD

...066962RETREATPHASE14FINAL.dgn 6/19/2018 2:30:44 PM