Approved

REQUEST FOR AGEND	
Submission Deadline - Tuesday	, 12:00 PM before Court Dates
SUBMITTED BY: Ralph McBroom TODAY'S DATE: October 15, 2018	
DEPARTMENT: Purchasing	
DEPARTMENT HEAD: Ralph McBroon	n
REQUESTED AGENDA DATE: Octobe	er 22, 2018
SPECIFIC AGENDA WORDING: Consider Holland T6030 Tractor with Alamo Boom new Kubota M6-101DTC-F Tractor for a Precinct 2 in accordance with LGC 263.15 TerrainKing Boom Mower for \$67,289.00	Mower valued at \$20,000.00 towards net purchase price of \$44,970.96 for 52(2). Also approve purchase of a
PERSON(S) TO PRESENT ITEM: SUPPORT MATERIAL: (See attached	Ralph McBroom C.P.M.
TIME: 5 min	ACTION ITEM: X
TIME: 5 min	WORKSHOP
(Anticipated number of minutes needed to discuss iter	m) CONSENT: EXECUTIVE:
STAFF NOTICE:	
AUDITOR:	IT DEPARTMENT: PURCHASING DEPARTMENT: PUBLIC WORKS: OTHER:
**********This Section to be completed	d by County Judge's Office********
	O AGENDA DATE:
REQUEST RECEIVED BY COUR	NTY JUDGE'S OFFICE



M6-101DTC-F WEB QUOTE #1171599
Date: 10/15/2018 7:53:05 AM
- Customer Information -Howell, Kenny
Johnson County Precinct 2

Johnson County Precinct 2 pct2@johnsoncountytx.org 817-297-1926

- Standard Features -

Quote Provided By Zimmerer Kubota & Equipment, Inc. Steve Lee 5165 Mark IV Parkway Ft. Worth, TX 76106 email: stevel@zkmail.com phone: 8172816143

-- Custom Options --

W Kubota.

Not Available in Nebraska

M Series

M6-101DTC-F 4WD FARM TRACTOR, ELECTRO-HYDRAULIC SHUTTLE TRANSMISSION & CAB

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection
3.8L (230 cu. In.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
Fuel Tank Capacity: 50.2 Gal
130 Amp Alternator Cab
12V 900 CCA Battery
SAE Gross HP: 104.5
Engine Net HP: 97.1
Max . PTO HP: 82.0
@ 2600 Engine RPM

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System DEF Tank Capacity: 4.2 Gal

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed: Power Steering; 16.1 gpm Impl. Flow: 18.7 gpm Total Flow:34.8 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent) (1) FD (Float Detent) In-Cab Flow Control Adjustment

3 POINT HITCH & DRAWBAR

Cat II 3-point Hitch
@ Lift Points: 8598 lbs
@ 24" Behind: 6834 lbs
2 External Lift Cylinders
Electronic Position and Draft Control
Telescoping Lower Links
Stabilizers
Swinging Drawbar - Straight

POWER TAKE OFF (540)

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 rpm @ 2405 Eng. rpm SAE 1 3/8" Twenty-One Spline 1000 rpm @ 2389 Eng. rpm

LIGHTING

2 Headlights - Tail lights

4 Hazard Flasher Lights w/ Turn Signals

2 Grille Mounted Worklights

2 Front Cab Halogen Worklights

2 Rear Halogen Worklights

TRANSMISSION

24F/24R Intelli-Shift
Auto 4WD Function
Three Range, 8-Speed SemiPowershift
Auto Shift Mode - Field & Road
Auto 4WD Function
Electro-Hydraulic Shuttle Shift
Electro-Hydraulic Front & Rear Diff.
Lock
Clutch - Multi Plate Wet
Planetary Final Drives
Hydraulic Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD: Cast Iron, Bevel Gear Type Bi-Speed Turn Feature Planetary Final Drives Adj. (Rim) Tread Spacing

FLUID CAPACITY

Cooling System: 11.3 qts Crankcase: 10.5 qts Hydraulics/Trans: 17.2 gal

INSTRUMENTS

LCD readout for MPH and PTO rpm 26 Mode LCD Readout Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature Gear Speed Digital Light Indicator Digital Light Indicator F/R Direction

GRAND-X CAB

4-post, ROPS Certified RH & LH Doors Tinted Glass Doors and Windows In-roof window/vent Tilt and Telescoping Steering Wheel Deluxe Air Ride Seat **Dual Level Air Conditioning & Heater** Front and Rear Wiper/Washer Front Sun Visor Rear View Mirror LH & RH Telescoping Side Mirrors Radio Ready Cab Steps, Left and Right Side Interior Dome Light 12V - 30-Amp 2 Wire Coupler 12V - 3 Pin 30-Amp Coupler 12V - Outlet Cup Holder Instructor Seat Ready Horn

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals

M6-101DTC-F Base Price: \$81,268.00 (1) INSTRUCTOR'S SEAT KIT \$464.00 M9121A-INSTRUCTOR'S SEAT KIT Configured Price: \$81.732.00 **BUY BOARD Discount:** (\$17,981.04)SUBTOTAL: \$63,750.96 Factory Assembly: \$250.00 Dealer Assembly: \$85.00 Freight Cost: \$635.00 \$250.00 Trade in 2008 NH T6030 & boom mower (\$20,000.00)

Total Unit Price: \$44,970.96

Quantity Ordered: 1

Final Sales Price: \$44,970.96

Purchase Order Must Reflect the Final Sales Price

To order equipment – purchase orders must be made out and returned to:

Kubota Tractor Corporation Attn: National Accounts 1000 Kubota Drive Grapevine, TX 76051 or email NA. Support@kubota.com or call 817-756-1171 or fax 844-582-1581 SMV Sign 7-Pin Electrical Trailer Connector

SELECTED TIRES
AMR8559A & AMR9256C AG TIRES
FRONT - 340/85R24 R1W Goodyear OptTrac
REAR - 460/85R34 R1W Goodyear OptTrac Cast

*All equipment specifications are as complete as possible as of the date on the quote. Additional attachments, options, or accessories may be added (or deleted) at the discounted price. All specifications and prices are subject to change. Taxes are not included. The PDI fees and freight for attachments and accessories quoted may have additional changes added by the delivering dealer. These charges will be billed separately. Prices for product quoted are good for 80 days from the date shown on the quote. All equipment as quoted is subject to availability.

© 2018 Kubota Tractor Corporation. All rights reserved.