

AGENDA PLACEMENT FORM

(Submission Deadline – Monday, 5:00 PM before Regular Court Meetings)

Date: 04.01.2024

Meeting Date: 04.09.2024

Submitted By: Lance Anderson

Department: Precinct #1

Signature of Elected Official/Department Head:



<p>Court Decision: This section to be completed by County Judge's Office</p>

<p>April 9, 2024</p>

Description:

Consideration and approval with Authorization for County Judge to sign
agreement to purchase Kenworth W900 Tractor for Precinct #1 from MHC
Kenworth.

Sourcewell Contract #060920-KTC

(May attach additional sheets if necessary)

Person to Present: Lance Anderson

(Presenter must be present for the item unless the item is on the Consent Agenda)

Supporting Documentation: (check one) PUBLIC CONFIDENTIAL

(PUBLIC documentation may be made available to the public prior to the Meeting)

Estimated Length of Presentation: 5 minutes

Session Requested: (check one)

Action Item Consent Workshop Executive Other _____

Check All Departments That Have Been Notified:

County Attorney IT Purchasing Auditor

Personnel Public Works Facilities Management

Other Department/Official (list) Precinct #1

**Please List All External Persons Who Need a Copy of Signed Documents
In Your Submission Email**



NEW TRUCK ORDER

ALVARADO, TX 76009
5001 S INTERSTATE 35W
1-817-568-2000

TEXAS KENWORTH CO, LLC ("Dealer")

doing business as: MHC KENWORTH - SOUTH FORT WORTH

PURCHASER: Johnson County Pct 1
ADDRESS: 411 Marti Dr
CITY: Cleburne, STATE: TX, ZIP CODE: 76033, COUNTY: , DATE: 04/03/2024
QUANTITY: 1, YEAR: 2025, MAKE: KW, MODEL: W900, BODY TYPE: , SALESPERSON: ANTHONY HEDRICK
STOCK NUMBER: , COLOR: , TO BE DELIVERED ON OR ABOUT: 07/31/2024, FINANCIAL SOURCE: Cash
PRICE OF VEHICLE(S) INCLUDING FET: \$194,781.61
-QUOTE INCLUDES WET KIT AND FULL FENDERS.
-JOHNSON COUNTY SOURCEWELL MEMBER NUMBER 117641.
-KENWORTH SOURCEWELL CONTRACT 060920-KTC.
-SOURCEWELL DISCOUNT FACTOR 31%.

TRADE TERMS AGREEMENT APPLICABLE [X] YES

NOTE: If vehicle(s) are not funded within 15 days of truck receipt date at the dealer, customer will be charged a per diem amount per unit until units are fully funded. Customer has 60 days from delivery date of the truck to return and have any add-ons listed on the sales order completed.

Table with columns: DESCRIPTION OF TRADE-IN OR TRADE ATTACHMENT, YEAR, MAKE, MODEL, SUBTOTAL, BUSINESS TAX, SALES TAX, VIT TAX, DOCUMENTATION FEE, REGISTRATION FEES, TOTAL DELIVERED PRICE, LESS: TRADE-IN ALLOWANCE, LESS: BALANCE OWED ON TRADE-IN, TRADE-IN EQUITY, LESS: CASH DEPOSIT SUBMITTED WITH ORDER, CASH DUE ON DELIVERY, UNPAID BALANCE. Includes PURCHASER'S CERTIFICATION section.

THIS ORDER CONTAINS A BINDING ARBITRATION PROVISION WHICH MAY BE ENFORCED BY THE PARTIES
TERMS AND CONDITIONS ON PAGE 2 HEREOF ARE PART OF THIS AGREEMENT

SIGNED (AUTHORIZED REPRESENTATIVE OF PURCHASER): [Signature], DATE: 4-9-24, ACCEPTED BY DEALER: [Signature], DATE: 4/13/2024

(107-269240-All)

Customer Initials _____

CONTINUATION OF TERMS AND CONDITIONS CONSTITUTING A PART OF TRUCK ORDER

This Truck Order ("Order"), including the front of this Order and these terms and conditions, constitutes a contract for the purchase of the vehicle(s) or chassis ("Vehicle") listed and described on the front side hereof, between dealer identified on the front side hereof ("Dealer"), and the purchaser identified on the front side hereof ("Purchaser"). This Order is binding upon Dealer and Purchaser upon each party's execution on the front side hereof.

1. PRICE REVISION: The manufacturer of any new Vehicle ordered hereunder by Purchaser may change the price to dealer of such Vehicle after the date of this Order. In the event of any such price change, prior to the delivery of any new vehicle to Purchaser, the Dealer shall have the right to change the price of the Vehicle described on the front side hereof by providing notice of such change to Purchaser. If Purchaser does not agree to pay the changed price of the Vehicle, Purchaser shall cancel this Order by providing Dealer with written notice of such cancellation within two (2) days of notice from Dealer of the change in the price of the Vehicle. If Purchaser fails to timely provide Dealer with such written notice, Purchaser shall be bound to pay the changed cash price of the Vehicle. In the event Purchaser cancels this Order pursuant to this Paragraph 1 and has traded a used vehicle as part of the consideration for a new Vehicle purchased by Purchaser, such traded-in vehicle shall be returned to Purchaser upon payment of a reasonable charge for storage and repairs (if any) or, if such traded-in vehicle has been previously sold by Dealer, the amount received therefore less a selling commission of 15% and any expense for storing, insuring, conditioning, or advertising such vehicle for sale shall be returned to Purchaser.

2. DEALER NOT AGENT OF MANUFACTURER: It is understood that there is no relationship of principal and agent between the Dealer and the manufacturer of the Vehicle and that the Dealer is not authorized to act, or attempt to act, or represent itself, directly or by implication, as agent of the manufacturer, or in any manner assume or create, or attempt to assume or create, any obligation on behalf of or in the name of the manufacturer. It is further understood that neither Dealer nor anyone acting on its behalf has made, or adopted from the manufacturer, any guarantee, representation or warranty regarding the residual, trade-in, repurchase or buyback value of the Vehicle (a "Repurchase Obligation"), and that any Repurchase Obligation is the sole and exclusive responsibility of the manufacturer. Purchaser hereby acknowledges, agrees, represents and warrants that Purchaser shall look solely to the manufacturer to perform or satisfy any Repurchase Obligation.

3. DISCLAIMER OF WARRANTY: General: References to a "new Vehicle" herein shall mean a motor vehicle that has not been previously registered in any state of the United States of America. References to a "used Vehicle" herein shall mean a motor vehicle which has been previously registered or which should have been registered in a state of the United States of America. **PURCHASER HEREBY ACKNOWLEDGES THAT DEALER NOR ANYONE ACTING ON ITS BEHALF HAS MADE ANY AFFIRMATION OF FACT, REPRESENTATION OR PROMISE RELATING TO THE VEHICLE THAT HAS BECOME A BASIS OF THIS TRANSACTION OR WHICH CREATES AN EXPRESS WARRANTY. NO SAMPLE OR MODEL HAS BECOME A BASIS OF THIS TRANSACTION OR WHICH CREATES AN EXPRESS WARRANTY. TO THE FULLEST EXTENT PERMITTED BY LAW, DEALER DISCLAIMS ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, INFRINGEMENT, AND THOSE ARISING OUT OF COURSE OF PERFORMANCE OR DEALING OR USAGE OF TRADE OR ANY OTHER IMPLIED WARRANTY WITH RESPECT TO THE VEHICLE.**

New Vehicles: There are **NO WARRANTIES**, express or implied, made by Dealer or the manufacturer, on any new vehicle described on the front of this Order, except for the manufacturer's warranty applicable to such new Vehicle contained in the separate manufacturer's warranty which will be furnished to Purchaser upon delivery of the new vehicle. Such separate manufacturer's warranty shall be expressly IN LIEU OF any other express or implied warranty, condition or guarantee on the new Vehicle or any part thereof. Purchaser hereby acknowledges and agrees that Dealer has not in any manner adopted the manufacturer's warranty as a warranty of the Dealer and Purchaser acknowledges, agrees, represents and warrants that Purchaser shall look solely to the manufacturer to perform or satisfy any obligation under the manufacturer's warranty.

Used Vehicles: Dealer sells any used vehicle **AS IS** with all faults and defects, and the Dealer disclaims all warranties with respect to the Dealer in connection with the sale of any used Vehicle. If the Purchaser is assigned the remaining term of any manufacturer's warranty, Purchaser hereby acknowledges, agrees, represents and warrants that Dealer has not in any manner adopted the manufacturer's warranty as a warranty of Dealer, and Purchaser acknowledges, agrees, represents and warrants that Purchaser shall look solely to the manufacturer to perform or satisfy any obligation under the manufacturer's warranty. As between Purchaser and Dealer, the entire risk as to the quality and performance of any used Vehicle is assumed by Purchaser. As between Purchaser and Dealer, the Purchaser assumes the entire cost of service and repair and loss with respect to any used Vehicle found to be defective.

4. LIMITATION OF LIABILITY: DEALER WILL NOT BE LIABLE TO PURCHASER OR ANY OTHER PARTY FOR ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, PUNITIVE OR OTHER INDIRECT DAMAGES, INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOST USE, LOST PROFITS, LOST SAVINGS OR OTHER COMMERCIAL OR ECONOMIC LOSS, EVEN IF DEALER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR THEY ARE FORESEEABLE OR FOR CLAIMS MADE BY A THIRD PARTY. IN NO EVENT SHALL DEALER'S TOTAL AGGREGATE LIABILITY TO PURCHASER OR ANY OTHER PARTY RELATING TO OR RESULTING FROM THE SALE, LICENSE OR USE OF A VEHICLE SUBJECT TO THIS ORDER OR THESE TERMS AND CONDITIONS EXCEED THE PURCHASE PRICE PAID FOR SUCH VEHICLE. THESE LIMITATIONS APPLY WHETHER THE LIABILITY IS BASED ON CONTRACT, TORT, STRICT LIABILITY OR ANY OTHER THEORY AND WHETHER THE ALLEGED BREACH OR DEFAULT IS A BREACH OF A FUNDAMENTAL CONDITION OR TERM, OR A FUNDAMENTAL BREACH. THESE LIMITATIONS APPLY TO THE FULLEST EXTENT PERMITTED BY LAW.

5. TRADE-IN VEHICLE: If a vehicle has been traded in as a part of the consideration for the Vehicle ordered by Purchaser hereunder and such traded in vehicle is not delivered to Dealer until delivery to Purchaser of the Vehicle, such trade-in vehicle shall be reappraised as directed by Dealer and such reappraisal value shall determine the allowance made for such vehicle. If such reappraised value is lower than the original allowance therefore shown on the face of this Order, Purchaser may, cancel this Order by providing Dealer with written notice of such cancellation within two (2) days after the reappraisal or prior to delivery of the Vehicle ordered hereunder to Purchaser whichever is earlier. If Purchaser fails to timely provide said written notice of such cancellation, Purchaser shall be bound to the amount of the reappraisal and shall pay the changed cash portion of the price of the Vehicle. The condition of any trade-in vehicle shall strictly comply with and Purchaser shall strictly comply with any Trade/Purchase Terms and Conditions Agreement signed by Purchaser ("Trade Terms Agreement"). If the condition of any trade-in vehicle is not strictly in compliance with, or if Purchaser has not strictly complied with the Trade Terms Agreement, Dealer shall not be obligated to accept the trade-in vehicle and the allowance shown on the front side hereof shall be deleted and Purchaser shall not be entitled to such allowance and Purchaser shall pay the amount of the deleted allowance to Dealer in cash upon delivery of the Vehicle.

6. PURCHASER'S REPRESENTATIONS AND WARRANTIES: Purchaser hereby represents and warrants that: (a) the trade-in vehicle shall be delivered free and clear from any security interest or other lien or encumbrance of any third person (except as otherwise noted on the title and agreed to in writing by Dealer at the time of the execution of this Order); (b) Purchaser shall promptly deliver to Dealer a valid certificate of title to the trade-in vehicle; (c) Purchaser has full power, right and lawful authority to dispose of the trade-in

vehicle; (d) the trade-in vehicle does not have a cracked or defective head, block, power train, or frame (including supportive portion of the anybody); (e) the engine and transmission have not been changed from the manufacturer's original equipment specifications; and (f) while owned by Purchaser, the odometer of the trade-in vehicle has not been replaced, tampered with or otherwise altered in any way and Purchaser has no reason to believe the trade-in vehicle's current odometer reading, as represented on the front side hereof, does not reflect its actual mileage. Purchaser further represents and warrants that Purchaser will use the Vehicle exclusively for a commercial use.

7. FAILURE OR REFUSAL TO ACCEPT DELIVERY: Except as provided in Paragraphs 1 and 5 of this Order, Purchaser may not cancel this Order. In the event that Purchaser fails or refuses to complete the purchase of the Vehicle, Purchaser shall pay Dealer, as liquidated damages and not as a penalty, the greater of the following: (a) twenty-five percent (25%) of the Total Delivered Price of the Vehicle, or (b) the cash deposit set forth on the front of this Order ("Liquidated Damages"). Dealer may apply any cash deposit made by Purchaser towards the Liquidated Damages. Further, in the event Purchaser has delivered to Dealer a trade-in vehicle as part of the consideration for the Vehicle, Dealer is authorized to sell such trade-in vehicle and Dealer may retain the proceeds thereof to satisfy the Liquidated Damages. Purchaser acknowledges that the Liquidated Damages are reasonable in light of the anticipated or actual harm caused by Purchaser's failure to complete the purchase. Purchaser further acknowledges that the Liquidated Damages do not constitute a penalty, but instead represent the parties' best estimate of the resulting damages given that the precise damages of Dealer are difficult to calculate.

8. TAXES: Unless otherwise agreed to in a writing signed by Purchaser and Dealer, Purchaser shall be solely responsible for the payment of all sales, use, consumer and other taxes arising out of this Order mandated by any applicable federal, state and local laws, codes, ordinances, rules and regulations, whether currently in effect, scheduled to go in effect, or subsequently enacted, including but not limited to, any increases in such taxes taking effect after the date of this Order. Purchaser shall be solely responsible for the cost and fees for all licenses, registrations and titles associated with the sale of the Vehicle.

9. FAILURE OR DELAY OF DELIVERY; FORCE MAJEURE: Dealer shall not be liable for failure to deliver or delay in delivery of the Vehicle where such failure to deliver or delay is due, in whole or in part, to any cause other than the gross negligence of Dealer. Further, Dealer will not have any liability for any breach caused by extreme weather or other act of God, strike or other labor shortage or disturbance, fire, accident, war, terrorist act or civil disturbance, delay of carriers, failure of normal sources of supply, act of government or any other cause beyond the reasonable control of Dealer.

10. NOTICES: It shall be a condition precedent to any liability of Dealer, whether in contract, tort, or otherwise, arising out of this Order or any other dealings between the parties that Purchaser provide written notice to Dealer of any claim, controversy, or alleged breach of this Order within ten (10) days of the event or occurrence giving rise to such claim, controversy or alleged breach and that Purchaser provide Dealer within a reasonable opportunity to cure the problems or issues giving rise to such claim, controversy or alleged breach of this Order. Notwithstanding the foregoing, Purchaser must provide Dealer with notice of any claim, controversy, or alleged breach of this Order and demand for arbitration within twelve months of discovery or accrual of the same, whichever occurs first. It is understood and agreed by the parties that the foregoing provision is both a condition precedent to the right to take such action, and a contractual modification to the statute of limitations for all actions, whether in contract, tort or otherwise, and failure to comply with this condition precedent and contractual statute of limitations shall be an absolute bar to recovery for any problems, issues, rights, claims or causes of action not specifically pled within the twelve month period. Whenever this Order requires that notice be provided to the other party, notice shall be deemed to have been validly given (i) if delivered in person to the party entitled to receive such notice, (ii) two (2) days after being sent by registered or certified mail, postage prepaid to the address indicated on the front side of this Order, or (iii) one (1) day after being sent via overnight mail through a respectable overnight delivery company.

11. ARBITRATION: Any controversy or claim arising out of or relating to this Order shall be decided by arbitration administered by the American Arbitration Association in accordance with its Commercial Arbitration Rules, subject to the limitations and restrictions set forth in this Paragraph 11. A demand for arbitration shall be made within a reasonable time after a controversy or claim has arisen and in no event shall be made after the date when institution of legal or equitable proceedings based upon such claim or controversy would be barred by the applicable statute of limitations, subject to the restriction set forth in Paragraph 10. The arbitrator(s) shall have no authority to award punitive or other damages not measured by the prevailing party's actual damages. The parties acknowledge and agree that this Order evidences a transaction involving interstate commerce. Accordingly, the United States Arbitration Act (Title 9 of the United States Code) shall govern the interpretation, enforcement and proceedings pursuant to the arbitration provisions of this Order. The place of arbitration shall be the American Arbitration Association's office closest to the location of Dealer designated on the front side hereof. The parties shall be entitled to discover all documents and information reasonably necessary for a full understanding of any relevant issue raised in the arbitration. Regardless of any term or provision herein to the contrary, claims for contribution or indemnity filed by a party in any lawsuit or action filed or asserted by a third party on account of personal injury or death of any person or damage to property shall not be subject to the terms and provisions of this Paragraph 11. The award rendered by the arbitrator(s) shall be final, and judgment may be entered upon it in accordance with applicable law in any court having jurisdiction thereof.

12. EXPENSES AND COSTS: Should Dealer be required to institute any action, including any arbitration proceeding, to enforce any of its rights set forth in this Order, then Dealer shall be entitled to reimbursement from Purchaser for all expenses, including but not limited to, reasonable attorneys' and experts' fees, and costs incurred by Dealer in connection with such action. In the event Purchaser institutes any action, including any arbitration proceeding, against Dealer and in the further event Dealer prevails in such action, Purchaser shall pay Dealer the amount of all expenses, including but not limited to reasonable attorneys' and experts' fees, and costs incurred by Dealer in connection with such action.

13. MISCELLANEOUS: This Order may not be changed, altered or amended in any way except in writing signed by a corporate officer or authorized manager of Dealer and an agent of Purchaser. Purchaser acknowledges and agrees that Purchaser has had an adequate opportunity to review and revise this Order and the Order shall not be construed against or in favor of Purchaser or Dealer. No waiver by either party of a breach or default hereunder will be deemed a waiver by such party of a subsequent breach or default of a like or similar nature. No waiver of any of these terms and conditions or any of the terms and conditions will be effective against Dealer unless it is in writing signed by a corporate officer or authorized manager of Dealer. No course of dealing or performance, usage of trade or failure to enforce any term or condition will be used to modify this Order. If any of these terms or conditions is unenforceable, such term or condition will be limited only to the extent necessary to make it enforceable, and all other terms and conditions will remain in full force and effect. This Order is deemed to have been entered into in the state of the location of Dealer designated on the front side hereof and will be governed by the laws of the state of the location of Dealer designated on the front side hereof, without giving effect to the choice of laws provisions thereof. The remedies expressly provided for in these conditions will be in addition to any other remedies that Dealer may have under the Uniform Commercial Code or other applicable law. Purchaser may not assign this Order without the prior written consent of Dealer. These terms and conditions are for the exclusive benefit of Dealer and Purchaser and no other person will have rights hereunder.



MHC KENWORTH - SOUTH FT. WORTH (T204)
 5501 S I-35 W
 Alvarado, Texas 76009

JOHNSON COUNTY
 411 MARTI DR
 CLEBURNE, Texas 76033
 United States of America

Anthony Hedrick
 Cell Phone: 817-300-9412
 Office Phone: 817-740-2300
 Email: Anthony.hedrick@mhc.com

PURCHASING DEPARTMENT
 Email: lchandler@johnsoncountytexas.org

Vehicle Summary

Model:	Unit	W900 Series Conventional.	Fr Axle Load (lbs):	13200
Type:		TRACTOR	Rr Axle Load (lbs):	40000
Description 1:		W900L END DUMP	G.C.W. (lbs):	80000
Description 2:				
Intended Serv.:	Application	Local Pickup & Delivery: Vehicles which	Road Conditions:	
Commodity:		Gravel/Crushed Rock/Sand	Class A (Highway)	87
Type:	Body		Class B (Hwy/Mtn)	10
Length (ft):		0	Class C (Off-Hwy)	3
Height (ft):		0	Class D (Off-Road)	0
Max Laden Weight (lbs):		0	Maximum Grade:	6
			Wheelbase (in):	224
			Overhang (in):	59
			Fr Axle to BOC (in):	100
			Cab to Axle (in):	124
			Cab to EOF (in):	183
No. of Trailer Axles:	Trailer	2	Overall Comb. Length (in):	766
Type:		End dump		
Length (ft):		45	Special Req.	
Height (ft):		10	U.S. Domestic Registry, 50-state.	
Kingpin Inset (in):		36		
Corner Radius (in):		0		
	Restrictions			
Length (ft):		75		
Width (in):		102		
Height (ft):		13.5		

Approved by: 

Date: April 9, 2024

Note: All sales are F.O.B. designated plant of manufacture.



Sales Code	Std/Opt	Description	\$ List	Weight
Model				
0000900	S	W900 Series Conventional. Threaded steel spring pins & bushings, 16mm. fasteners from rear cab support to end-of-frame, except tractor taper crossmember. Vinyl inside sunvisors, driver side includes strap & mirror, rider side includes strap; Under-dash center console w/ 2 cup holders, 2-12V outlets & a storage compartment, Glove box door with locking latch.	234,491	15,873
0070077	S	W900: Straight or Sloped Hood.	0	0
0080310	O	EPA Clean Idle Label - Cummins Engines	107	0
0090000	S	Non-Sleeper w/ Rear Axle Capacity less than 59K.	0	0
0098443	O	State of Registry: Texas	0	0
Engine & Equipment				
0130349	O	Cummins X15 450V 450@1900 1650@900, 2024 with Intebrake, Productivity Series N09420 C333 0.....Reserve Speed Limit Offset (N09380 C334 0.....Maximum Cycle Distance (C334 N09360 C400 252...Reserve Speed Function Reset N09200 C399 120...Standard Maximum Speed Limit N09400 C401 10.....Maximum Active Distance (C40 N09220 C402 0.....Expiration Distance (C402) N09540 C395 0.....Expiration Distance (C395) N09260 C121 75...Maximum Accelerator Pedal Ve N09440 C234 YES...Engine Protection Shutdown (N09460 C231 NO....Gear Down Protection (C231) N09580 C133 5.....Timer Setting (C133) N09680 C233 NO....Idle Shutdown Manual Ovrul N09480 C132 1300..Max PTO Speed (C132) N09300 C128 75...Maximum Cruise Speed (C128) N09500 C239 NO....Cruise Control Auto Resume (N09520 C238 NO....Auto Engine Brake in Cruise N09240 C209 120...Hard Maximum Speed Limit (C2 N09780 C190 80....High Ambient Temperature Thr N09740 C188 40....Low Ambient Temperature Thre N09760 C189 60....Intermediate Ambient Tempera N09720 C382 YES...Enable Hot Ambient Automatic N09600 C396 YES...Enable Impending Shutdown Wa N09620 C397 60....Timer For Impending Shutdown N09640 C206 35....Engine Load Threshold (C206) N09560 C225 NO....Enable Idle Shutdown Park Br	0	0
1000046	O	EPA Emissions Warranty Engine	0	0
1000151	S	PremierSpec	0	0
1000233	O	Powertrain Protect with SmartAccel - X15 Torque Rate Limiting	0	0

Price Level: January 1, 2024

Deal: W900L END DUMP

Printed On: 3/29/2024 5:39:29 AM

Date: March 28, 2024

Quote Number: QUO-1023625-K5X4D7

Sales Code	Std/Opt	Description	\$ List	Weight
1000244	O	Gearing Analysis: Balance power/economy blend results.	0	0
1000257	O	Customer's Typical Operating Spd: 70 MPH	0	0
1000524		RegistrationYear Year of Registration: 2024	0	0
1000683		Effective VSL Setting 65.0 MPH or Greater (USA)	0	0
1000858	O	Engine Idle Shutdown Timer Disabled	0	0
1000891		Eff EIST NA Expiration Miles Use only with MX and Cummins engines	0	0
1002080	S	Air Compressor: Cummins 18.7 CFM, Naturally Aspirated for Cummins X15 engines	0	0
1042230	O	Air Cleaner: Dual 15 in. ERA Stainless Steel Cowl Mounted W/ Kenworth Bug W/ Preferred Fit Element.	275	44
1098005	O	Filter Minder Air Restriction Indicator Mounted on Air Cleaner Replacing Standard Pop-up Indicator.	59	0
1099091	O	Fairings Dual Stainless Steel for Cowl Mounted Air Cleaners.	227	2
1105220	S	Fan Hub: Horton 2-Speed for X15/X15N	0	0
1121245	O	Cooling module: W900L 1240 square inches. T660 with export engine. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant.	89	-160
1160208	O	Bug Screen: Between Hood & Grille	122	2
1247251	O	EXH: Single Can 2024 RH Under with Dual Side-of-Cab Tailpipes	1,487	0
1290436	O	Tailpipe: 7 in. dual 36 in. 45 degree curved.	652	8
1321125	O	Fuel Filter: Davco 382 Fuel/Water Separator	422	8
1321205	S	Run Aid: Fuel Heat *For Fuel Filter	0	0
1321305	O	Start Aid: 12V Heat *For Fuel Filter	80	1
1504005	O	Immersion Block Heater 120V 1500W W/ Plug Under Door on C500, T660, T800 & W900.	151	2
1816260	S	Alternator: PACCAR 160 amp, Brush Type	0	0
1821210	S	Batteries: 3 PACCAR GP31 Threaded Post (700-730) 2100-2190 CCA dual purpose.	0	0
1836103	O	PACCAR Premium 12V Starter W/ Cummins X15 Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system with circuit protection circuits number & color coded.	124	0

Price Level: January 1, 2024

Deal: W900L END DUMP

Printed On: 3/29/2024 5:39:29 AM

Date: March 28, 2024

Quote Number: QUO-1023625-K5X4D7

Sales Code	Std/Opt	Description	\$ List	Weight
1840005	O	Battery Disconnect Switches 2, Mounted On Battery Box.	192	2
1840061	O	Low Voltage Disconnect Day Cab or W/ Sleeper Except 72 in., 75 in., & 86 in.	156	0
Transmission & Clutch				
2058362	O	Transmission: Fuller FRO16210C 10-speed w/pump & external oil cooler. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650 pound-feet.	-3,619	-232
2250496	S	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 1750 ft-lb, Ceramic, 4-Paddle, Predamper	0	0
2294035	O	Grease Bank for Clutch & Cross Shaft.	435	11
2406465	O	Driveline: 2 Dana SPL250SF 1 Centerbearing	1,189	83
2410047	O	High Capacity Input Shaft Bearing for High PTO Duty Cycle	30	0
2429100	O	Chassis will be Fitted with LH Transmission PTO. (Prevents ECU From Interfering With PTO Only)	0	0
2429358	O	Rear Transmission Support Springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	92	0
2460042	S	14" Eaton High Capacity Standard Cooler Oil to Water. For Transmission 1550-2250 LBFT, 18-speed AutoShift.	0	0
Front Axle & Equipment				
2502324	O	Dana Spicer E-1322W Front Axle rated 13.2K 5in drop, wide track	670	35
2607011	S	Front Brakes: 14.6K Bendix RSD ADB22X Disc Brake.	0	0
2690025	O	Splined Rotor for Front Air Disc Brakes for Use with Iron Hubs.	-201	0
2702500	O	Front Hub: Iron Hub Pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	16	48
2741970	S	ConMet PreSet Plus Hub Package; Front Axle.	0	0
2750001	S	Hubcap: Front Vented.	0	0
2769000	S	Slack Adjusters Included W/ Front Axle or Brakes. Also use with disc brakes.	0	0
2864013	O	Front Springs: Taperleaf 13.2K W/ Shock absorbers. 54 inch length. Only available on W900L, threaded pins standard.	0	41
2895121	S	Single Power Steering Gear: 13.2K Sheppard M100P.	0	0
2900024	O	Front Frame Raised: 1 in.	49	0

Price Level: January 1, 2024

Deal: W900L END DUMP

Printed On: 3/29/2024 5:39:29 AM

Date: March 28, 2024

Quote Number: QUO-1023625-K5X4D7

Sales Code	Std/Opt	Description	\$ List	Weight
Rear Axle & Equipment				
3122247	O	Dual Meritor MT40-14x4 Hypoid Rear Axle rated at 40K, with heavy-wall housing. Tandem rear axles.	176	123
3200355	O	Rear Axle Ratio - 3.55.	0	0
3304012	S	Dual Rear Brake: Bendix RSD 16.5X7 46K Capacity Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	0	0
3392005	S	Dual Rear Brake Drums: Cast. For use with 16.5X7" or 16.5X8.625" brake.	0	0
3403460	O	Dual Rear Hubs: Iron Hub Pilot 52K; 11.25" Bolt circle. Requires "R" series outer ends.	16	104
3441972	S	ConMet PreSet Plus Hub Package; Dual Rear Axle.	0	0
3465002	S	Tandem Rear Axle Automatic Slack Adjusters. For use with drum brakes.	0	0
3485207	S	Spring Brake: 3030 Long Stroke Dual 30 Square inches travel. For drum brakes. Helps keep brakes in adjustment longer.	0	0
3495225	O	FMVSS-136 Stability Control Schedule Review Chassis meets FMVSS-136 requirements and must be equipped with Electronic Stability Control. Reference Option code placed on order.	0	0
3495229	S	Bendix 4S/4M Anti-Lock Brake System W/ Air traction control (ATC) & electronic stability program (ESP) for tractor.	0	0
3500062	O	Interaxle Driveline: 1 Dana SPL170SF Not For Tridem Axles.	-160	-2
3511420	O	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear & rear rear axle. Under Speed Interlock is standard on T680.	2,686	39
3573100	O	Xlock/Differential Lock Plumbed to Low Side of low side of transmission (manual).	131	0
3739207	O	Rear suspension: Tandem Chalmers 854-40-H-HS 40K. 54 in. axle spacing. High center of gravity application. Unladen Height: 12.4 in. Laden Height: 10.9 in.	1,592	232
3836500	O	Heavy-Duty Gussets for Forward Suspension crossmember on Airglide 400/460, Chalmers, or Hendrickson beam suspensions. This replaces the standard gussets.	103	12
Tires & Wheels				
4017158	O	Front Tires: Michelin XZE2 11R24.5 16PR. 43.5 in. Diameter, All Position. 20.3 in. SLR.	308	34
4210151	O	Rear Tires: Michelin X Works D 11R24.5 16PR	3,004	320
4900008	O	Rear Tire Quantity: 8	0	0
5045275	O	Front Wheel: Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	593	-34
5245275	O	Rear Wheel: Alcoa 98U63 24.5X8.25 AL Ultra One High Polish Wheel.	2,368	-136

Price Level: January 1, 2024

Deal: W900L END DUMP

Printed On: 3/29/2024 5:39:29 AM

Date: March 28, 2024

Quote Number: QUO-1023625-K5X4D7

Sales Code	Std/Opt	Description	\$ List	Weight
5890000	O	V2B Double Seal Cap Valves.	67	0
5900008	O	Rear Wheel/Rim Quantity: 8	0	0
Frame & Equipment				
6056400	S	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in. to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in.-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	396	111
6309720	O	Bumper: Texas Square Chrome. Requires a Bumper setting code.	568	66
6319030	O	30 in. Bumper Setting. Requires a Bumper Code.	0	0
6321005	O	Removable Front Tow Hooks: 2.	276	15
6390001	S	Steel Shackle Links.	0	0
6390114	O	Mudflaps, Front: Symplastic Black Spray Guard	38	0
6405086	O	W9 Parallel Polished Aluminum Battery Box Module w/ integral step. Extended length for use w/ 2010 and later SCR style exhaust. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	1,468	9
6409901	S	Battery Box Location: LH Side.	0	0
6410010	O	Frame Access Grabhandle(s) LH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	78	2
6414006	O	Full Coverage Deck Plate. Up to and Incl 72 in. of aluminum frame access deck plate filling the space from hoses to fifth wheel.	462	24
6418008	O	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, LH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	225	6
6451096	O	W9 Polished DPF/SCR or CNG Cover with Step. For use with 2010 or later exhaust systems.	666	0
6490440	O	Heavy-Duty BOC Crossmember Assembly.	209	23
6593115	O	Fifth Wheel: No-Tilt Air, Jost JSK37USLN-A9PX24 24.0 in. slide, 8.75 in. height. No-tilt, outboard mounting angles, 50K vertical rating. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	1,114	62

Price Level: January 1, 2024

Deal: W900L END DUMP

Printed On: 3/29/2024 5:39:29 AM

Date: March 28, 2024

Quote Number: QUO-1023625-K5X4D7

Sales Code	Std/Opt	Description	\$ List	Weight
6690080		FifthWheelSetting FW rear/fixed setting behind bogie 8 in indicates rearmost setting measured rearward from centerline of tandem or single rear axle	0	0
6721144	O	Rear Mudflap Arms: Fleetline FF30SS, Tapered spring loaded & stainless steel.	270	13
6722060	U	RR MDFLP SHIELDS:BLACK SYMPLASTIC SPRAY	45	0
6743111	O	Tractor Taper W/ Crossmember. Non-Towing end-of-frame configuration.	199	13
6747000	O	Shortest End-of-Frame Cutoff With Specified end-of-frame configuration. Selecting this code will override the overhang dimension found in the Vocational Analysis of the sales tool.	0	0

Fuel Tanks & Equip

7214121	O	Split Tank: 120 US Gallon 24.5 in. Aluminum BOC replace. Split: fuel 60 gallon, hydraulic 60 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck.	457	17
7216075	O	Fuel Tank: 75 US Gallon 24.5 in. Aluminum BOC Add Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	2,353	103
7722155	O	Large Round DEF Tank, 30 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	433	22
7821300	O	Heavy-Duty 7 in. Steel Supports/ Straps for Two 24.5in. tanks. Two supports per tank.	878	36
7840029	O	Polish Only Two Aluminum Tanks.	857	0
7840038	O	Polished Cover for 1 DEF Tank Any Size.	357	3
7889082	O	Polish Only 7 in. Stainless Steel Straps for Two 24.5in. tanks; 2 straps per tank.	316	0
7889208	O	DEF to fuel fill ratio between 1.25:1 and 2:1.	0	0
7889245	S	Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks.	0	0
7889604	S	DEF Tank Location is LH.	0	0
7889810	O	2 Hydraulic Tank Fittings, Forward Top, Bottom.	0	0
7930121	O	Location: 120 gal split tank RH bhd cab	0	0
7940075	O	Location: 75 gal fuel tank LH behind cab	0	0

Cab & Equipment

Sales Code	Std/Opt	Description	\$ List	Weight
8024310	S	Cab: Curved Glass Conventional. Cab Includes aluminum & fiberglass fully hucked cab w/ all aluminum bulkhead doors & continuous stainless steel piano-style door hinges. Single electric horn standard. Incandescent exterior lights include diagnosable bulb detection and warning. Trailer cable on tractors includes integrity detection. Standard features include multiplex wiring for interior lights, automated pre-trip inspection (excluding T3 series), short and open check diagnostics. Warning alarm will sound when lights are left on.	0	0
8080137	O	Cab Door Bearing Blocks, Top & Bottom.	33	0
8090606	O	Hood: Extended Metton Hood w/ Grille & Shell. Use for W900L Requires 1240 Square in. Radiator & 2007+ Engine.	1,938	-57
8098207	O	Heavy-Duty Hood Reinforcement W900L Only.	428	17
8098404	O	Additional 4 Ribs on Radiator Grille.	146	2
8108010	S	Cab Heater: W/ Integral Defrosters & A/C 45,000 btu cab heater. No sleeper heater/AC. Includes 5 mode rotary control. T660 include filter media.	0	0
8201014	O	Steering Wheel: 18 in. 4-Spoke W/ Leather Wrap.	135	0
8201200	S	Adjustable Telescoping Tilt Steering Column.	0	0
8203060	O	5 Sets of Keys. Replaces Standard 2 Sets of Keys.	31	0
8205012	O	Off-Highway Dash Switch: For ABS System. Includes indicator light.	56	0
8205045	O	Flip Valve: On Dash For Single Speed PTO. Customer-Installed. Includes Indicator Light & Piping.	452	2
8205103	O	Information for Customer-Installed PTO Chelsea 8-bolt.	66	0
8208495	O	Two Spare Switches: Wired to Power.	94	0
8208601	O	Switch: W/Light & Guard For Trailer Dump Gate. Includes Approximately 3 Meters of Coiled Wire BOC in LH Rail.	169	0
8220106	O	Gauge: Dash Mounted Air Filter Restriction Gauge.	154	0
8221136	O	Gauge: Trailer Reservoir Air Pressure Gauge.	75	0
8221137	O	Gauge: Trailer Air Application Gauge.	62	0
8221160	O	Gauge: Engine Oil Temperature Gauge With Integral warning light. The NavPlus HD unit includes a virtual engine oil temperature gauge.	35	0
8222712	O	Gauge: Fuel Filter Restriction Gauge.	153	0
8222722	O	Gauge: Manifold Pressure Gauge.	33	0

Price Level: January 1, 2024

Deal: W900L END DUMP

Printed On: 3/29/2024 5:39:29 AM

Date: March 28, 2024

Quote Number: QUO-1023625-K5X4D7

Sales Code	Std/Opt	Description	\$ List	Weight
		The NavPlus HD unit includes a virtual manifold pressure gauge.		
8225658	O	Gauge: Axle Oil Temperature, Dual-Drive Axle. (2 gauges) w/integral warning light.	244	0
8226667	O	Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.	41	0
8227704	O	Gauge: One Additional Fuel Gauge for Second Fuel tank, w/integral warning light.	101	0
8282004	S	KW Driver Information Center: Includes fuel economy, RPM display, trip information, truck information, diagnostics, gear display, alarm clock.	0	0
8282009	S	Instrument Package: Includes Speedometer, tachometer, fuel gauge, engine coolant temperature gauge, engine oil pressure, voltmeter. Class 8 also includes primary & secondary air reservoir gauges & an air application gauge. DEF level gauge and warning lamp are included with 2010+ engines. Engine hour meter and outside air temperature readouts are standard. Primary read out will be MPH. Add 8240620 to switch primary scale to KPH in Canada.	0	0
8331100	S	Cab Interior: Splendor. Includes Smooth upholstered side & back panels w/stitched accent lines, upholstered door pads, full vinyl headliner, black dash panels & black rubber floormats.	0	0
8343305	O	Interior Color: Jet Black W/ Dark Slate Gray.	0	0
8410481	O	Driver Seat: Kenworth Air Cushion Plus IB Mordura Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	252	-6
8480480	O	Rider Seat: Kenworth Toolbox Plus IB Mordura. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	295	-4
8490170	O	Seat Color: All Jet Black.	0	0
8496559	O	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	31	0
8601432	O	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	538	0
8601881	O	CB Radio: Cobra 29. W/ Header Mounted Quick release. Includes transceiver & separate speaker remote-mounted in headliner & dual CB antennas. Includes sound tracker & illuminated panel.	591	11
8700049	O	Logbook Holder Under Dash.	45	0

Sales Code	Std/Opt	Description	\$ List	Weight
8700101	O	Black Dash: Replacing Trim Color Dash. W/Diamond trim the dash top, area by the glovebox & lower dash will be black. The trim around the main dash area, above the glove box, the header spear & trim on the doors will be woodgrain.	41	0
8700168	S	Non-Self Cancelling Turn Signal: W/Column-Mounted headlight dimmer switch & intermittent wiper control.	0	0
8700186	S	Electric LH & RH Door Locks.	0	0
8700405	O	Stainless Steel Permit Panels on Cab.	128	13
8700663	S	Kenworth TruckTech+: This system provides the World's Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This is standard on all Kenworth models with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine.	0	0
8800271	S	Long Grabhandle RH Side of Cab.	0	0
8800373	S	Long Grabhandle LH Side of Cab.	0	0
8800400	S	Grabhandle: LH Inside Door Frame Above Dash.	0	0
8800401	S	Grabhandle: RH Inside Door Frame Above Dash.	0	0
8832115	S	Daylite Door: LH/RH Includes RH Peeper Window	0	0
8841618	O	Dual Rectangular Air Horn 23 in. LH & RH Top of roof. Includes air horn covers.	246	4
8850235	O	Dual Convex Mirror 8.5 inch W/ Offset Mounting below regular mirror, and non-heated.	47	8
8850300	S	Look-Down, Pass. Door, Stainless 8.5x4.4	0	0
8867202	O	Mirror: Dual Moto Heated Mirrors 7 in. x 16 in. LH & RH remote controlled. Switch located on door pad.	541	2
8869005	S	Mirror Brackets 8-1/2 ft Load Width.	0	0
8871445	O	Rear Cab Stationary Window 17 in. x 36 in. Dark tint.	35	0
8879213	O	Electric-Powered LH & RH Door Window Lifts. Switch located on door.	292	0
8890017	O	Aluminum Records Holder: Mounted on Toolbox Seat base.	35	0
8890105	O	Two-Piece Roped-In Windshield, W/ Curved Glass.	151	2
8890135	O	Exterior Stainless Steel Sunvisor.	393	11
8890898	O	Link Cabmate Suspension.	735	22
8890966	O	Stainless Steel Closure Panel & Polished	354	2

Sales Code	Std/Opt	Description	\$ List	Weight
		aluminum plate behind chrome-plated emblem.		
8891000	O	Quiet Cab Package: For Non-VIT Interiors. Includes Firewall Insulation & Floor Covering w/ Sound Deadening Materials and Cowl Blanket	206	77
Lights & Instruments				
9010802	S	Headlamps: Dual Rectangular, Extended Life halogen	0	0
9022137	O	Marker Lights: Five, Rectangular, LED	212	0
9030014	O	Turn Signal Lights: LED, Mounted on Fender.	85	0
9030052	S	LED Stop, Turn, Tail: With Two LED Backup Lights and With An LED License Plate.	0	0
9052008	U	Floodlights: Dual LED Flush First Set	165	0
9052016	U	Floodlights: Dual LED Flush Second Set	165	0
9059911	O	Floodlight Location: Located Mid - First Set	0	0
9059923	O	Floodlight Location: Located Low - Second Set . This Code To Be Used With Flush-Mount (9052012) or C/I (9058072) Codes Only.	0	0
9090027	O	Headlamps to Turn on When Wipers are Active.	0	0
9090039	S	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	0	0
9090049	S	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	0	0
9090126	O	Electric Backup Alarm: Meets SAE J994 & OSHA requirements.	167	4
9090845	O	Circuit Breakers: Replacing Fuses. Does Not apply to any 5-amp fuse box position. Brakers include stop/brake/turn, tail lamp, high & low beams, marker/clearance lamps, horn, fuel heat, gauges, air dryer, HVAC controls, panel lamps. Some circuits will remain fuses.	44	0
Air Equipment				
9101218	S	Air Dryer: Bendix AD-HF Puraguard Heated	0	0
9108001	S	Moisture Ejection Valve W/ Pull Cable Drain.	0	0
9110071	O	Tractor Kit: Center Frame-Mounted W/ Hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one	-70	12

Sales Code	Std/Opt	Description	\$ List	Weight
		end only, light lines are detachable at both ends. Conspicuity components are standard.		
9120015	O	Air and light line length 15 feet	0	0
9140020	S	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	0	0
9140225	O	Bendix Trailer Hand Valve: Spring Loaded/ Self- returning, replacing standard.	0	0
9140328	S	Trailer ABS Electric Supply Through SAE J560 7-pin connector per TMC RP137).	0	0
9140532	O	15' PACCAR Premium Spiral Wrap & Swivel Clamp On 15' Straight Air and Light lines. Requires 15' air/light line code.	337	0
9140702	O	Optional Hosetenna Bracket Location 2ft BOC/sleeper. Hosetenna bracket will be located plus or minus six inches from any non-standard location requested	15	0
Extended Warranty				
9200021	S	Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.	0	0
9212651	O	TruckTech+ RD - 3YR Sub Cummins Engines	499	0
9220001	O	Base Warranty: Emissions 5YR/100K MI - EPA Engine	0	0
Miscellaneous				
9409852	S	GHG Secondary Manufacturer: Does Not Apply	0	0
9490003	O	Additional Lead Time Required for Off Highway & /or specialty component truck.	0	0
9490206	O	Warning Triangle Reflector Kit: Shipped Loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	57	4
9490406	O	One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of rider seat. Class ABC.	151	11
Promotions				
Paint				
9700000	O	Paint Color Number(s). N9702 A - L0006 WHITE N9720 FRAME N0001 BLACK	0	0
9943004	O	Bumper Unpainted	0	0
9943048	O	Day Cab Bulk Paint	0	0
9943050	S	Day Cab Standard Paint	0	0
9944820	S	1 - Color Paint - Day Cab Color will be White if no other color is specified.	0	0



<i>Sales Code</i>	<i>Std/ Opt</i>	<i>Description</i>	<i>\$ List</i>	<i>Weight</i>
9965510	S	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	0	0

Special Requirements

- Special Requirement 1 0098025
- Special Requirement 2
- Special Requirement 3
- Special Requirement 4

Order Comments

Total List Price (W/O Freight & Warranty & Surcharges)	\$270,574
Marketing and Service Support Fee	\$1,395
Prepaid Freight	\$3,625
Total Surcharge/Options Not Subject To Discount	\$499
Total Weight	17,122

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information




Shipping Destinations

Intermediate Destination:


Final Destinations	Quantity
--------------------	----------

FIFTH WHEEL HEIGHT




Component	Sales Code	Description	Laden	Unladen
Rearmost Fifth Wheel	6593115	Fifth Wheel: No-Tilt Air, Jost JSK37USLN-A9PX24	8.8	8.8
Frame	6056400	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in.	10.8	10.8
Suspension	3739207	Rear suspension: Tandem Chalmers 854-40-H HS 40K.	10.9	12.4
Tire	4210151	Rear Tires: Michelin X Works D 11R24.5 16PR	20.7	21.8
		Total Height	51.1	53.6

HORIZONTAL DIMENSIONS



Dimension	Measurement	Start	End
Axle Spacing	54	197	251
Bumper to Back of Cab	130.0	-30	100
Bumper to Front Axle	30.0	-30	0
Bumper to Front Frame	12.5	-30	-17.5
Cab to End of Frame	183.0	100	283
Cab to Rear Axle	124.0	100	224
Effective Bumper to Back Of Cab	130.0	-30	100
Frame Length	300.5	-17.5	283
Front Axle to Back of Cab	100.0	0	100
Front of Frame to Axle	17.5	-17.5	0
Load Space	183.0	100	283
Overall Length	313.0	-30	283
Overhang	59.0	224	283
Pusher Offset #1	27.0	197	224
Pusher Offset #2	27.0	197	224
Pusher Offset #3	27.0	197	224
Tag Offset	27.0	224	251
Wheelbase	224	0	224

FRAME LAYOUT



Note: Optional content may be displayed. The order has not yet received an engineering review. The actual arrangement of components may not be exactly as pictured. Additional changes may be made to the layout by Kenworth. Add a Custom Frame Layout code if an exact layout is required.

Selected Options (Wheelbase: 224)

Sales Code	Description	Length	Side
7214121	Split Tank: 120 US Gallon 24.5 in. Aluminum BOC	60.5	Right
7216075	Fuel Tank: 75 US Gallon 24.5 in. Aluminum BOC Add	38.5	Left
7722155	Large Round DEF Tank, 30 Gallons.	20.1	Left
6418008	Frame Access Steps: 2 for Fuel/Hydraulic Tank	70	Left
6405086	W9 Parallel Polished Aluminum Battery Box Module	50	Left

SPEED & GRADE PERFORMANCE REPORTS

Cruise Report (Engine Fan Off)

Configuration:	W900 Series Conventional / TRACTOR GCW: 80000
Quote/DTPO/CO:	QUO-1023625-K5X4D7
Engine:	0130349 Cummins X15 450V 450@1900 1650@900, 2024
Transmission:	2058362 Transmission: Fuller FRO16210C 10-speed
Rear Axle:	3122247 Dual Meritor MT40-14x4 Hypoid Rear Axle
Rear Tire:	4210151 Rear Tires: Michelin X Works D 11R24.5 16PR : 468
Operating Conditions:	0% Rolling Resistance

Startability	
Transmission Ratio	Maximum Starting Grade
12.69	30.52
9.29	22.34

Engine RPM:	600	700	800	900	950	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000
Gross Torque:	1016	1150	1421	1650	1650	1650	1650	1650	1650	1650	1614	1513	1424	1345	1244	1047
Net Torque:	900	1031	1288	1505	1506	1508	1510	1512	1514	1515	1483	1390	1309	1236	1143	960
Net HP:	103	137	196	258	272	287	316	345	375	404	424	424	424	424	413	366

Gear Ratios: TRN (1): 12.69 RAX (1): 3.55																
Speed (MPH):	1.7	2.0	2.3	2.6	2.7	2.8	3.1	3.4	3.7	4.0	4.3	4.6	4.8	5.1	5.4	5.7
Grade (%):	28.6	33.4	43.2	52.5	52.6	52.6	52.8	52.8	52.9	53.0	51.5	47.5	44.1	41.2	37.5	30.8
Gear Ratios: TRN (2): 9.29 RAX (1): 3.55																
Speed (MPH):	2.3	2.7	3.1	3.5	3.7	3.9	4.3	4.7	5.1	5.4	5.8	6.2	6.6	7.0	7.4	7.8
Grade (%):	20.4	23.6	30.2	36.0	36.0	36.0	36.1	36.2	36.2	36.3	35.4	32.9	30.7	28.8	26.4	21.8
Gear Ratios: TRN (3): 6.75 RAX (1): 3.55																
Speed (MPH):	3.2	3.7	4.3	4.8	5.1	5.4	5.9	6.4	7.0	7.5	8.0	8.6	9.1	9.6	10.2	10.7
Grade (%):	14.5	16.7	21.2	25.2	25.2	25.2	25.3	25.3	25.3	25.3	24.7	23.1	21.6	20.3	18.7	15.5
Gear Ratios: TRN (4): 4.9 RAX (1): 3.55																
Speed (MPH):	4.4	5.2	5.9	6.6	7.0	7.4	8.1	8.8	9.6	10.3	11.1	11.8	12.5	13.3	14.0	14.7
Grade (%):	10.2	11.9	15.1	17.8	17.8	17.8	17.8	17.9	17.9	17.9	17.5	16.3	15.3	14.4	13.2	10.9
Gear Ratios: TRN (5): 3.62 RAX (1): 3.55																
Speed (MPH):	6.0	7.0	8.0	9.0	9.5	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0
Grade (%):	7.4	8.5	10.9	12.8	12.9	12.9	12.9	12.9	12.9	12.9	12.6	11.8	11.0	10.3	9.5	7.8
Gear Ratios: TRN (6): 2.59 RAX (1): 3.55																
Speed (MPH):	8.4	9.8	11.2	12.5	13.2	13.9	15.3	16.7	18.1	19.5	20.9	22.3	23.7	25.1	26.5	27.9
Grade (%):	5.1	5.9	7.5	8.9	8.9	8.9	8.9	8.9	8.9	8.9	8.7	8.1	7.6	7.1	6.4	5.3
Gear Ratios: TRN (7): 1.9 RAX (1): 3.55																
Speed (MPH):	11.4	13.3	15.2	17.1	18.1	19.0	20.9	22.8	24.7	26.6	28.5	30.4	32.3	34.2	36.1	38.0
Grade (%):	3.5	4.1	5.3	6.3	6.3	6.3	6.3	6.3	6.3	6.2	6.1	5.6	5.2	4.8	4.3	3.4
Gear Ratios: TRN (8): 1.38 RAX (1): 3.55																
Speed (MPH):	15.7	18.3	20.9	23.6	24.9	26.2	28.8	31.4	34.0	36.6	39.3	41.9	44.5	47.1	49.7	52.3
Grade (%):	2.3	2.7	3.6	4.3	4.3	4.3	4.2	4.2	4.2	4.1	4.0	3.6	3.3	2.9	2.6	1.9
Gear Ratios: TRN (9): 1 RAX (1): 3.55																
Speed (MPH):	21.7	25.3	28.9	32.5	34.3	36.1	39.7	43.3	46.9	50.6	54.2	57.8	61.4	65.0	68.6	72.2
Grade (%):	1.4	1.7	2.3	2.7	2.7	2.7	2.6	2.6	2.5	2.4	2.2	1.9	1.6	1.3	0.9	0.3
Gear Ratios: TRN (10): 0.74 RAX (1): 3.55																
Speed (MPH):	29.3	34.2	39.0	43.9	46.4	48.8	53.7	58.6	63.4	68.3	73.2	78.1	83.0	87.8	92.7	97.6
Grade (%):	0.7	0.9	1.3	1.6	1.5	1.4	1.3	1.2	1.0	0.9	0.6	0.3	-0.1	-0.4	-0.8	-1.4

Engine RPM:	600	700	800	900	950	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000
Gross Torque:	1016	1150	1421	1650	1650	1650	1650	1650	1650	1650	1614	1513	1424	1345	1244	1047
Net Torque:	900	1031	1288	1505	1506	1508	1510	1512	1514	1515	1483	1390	1309	1236	1143	960
Net HP:	103	137	196	258	272	287	316	345	375	404	424	424	424	424	413	366