

**AGENDA PLACEMENT FORM**

(Submission Deadline – Monday, 5:00 PM before Regular Court Meetings)

**Date:** 06/14/2024  
**Meeting Date:** 06/24/2024  
**Submitted By:** Rick Bailey  
**Department:** Precinct 1 Road & Bridge  
**Signature of Elected Official/Department Head:**  
\_\_\_\_\_

**Court Decision:**  
This section to be completed by County Judge's Office

  
**June 24, 2024**

**Description:**  
Consideration to Accept Precinct 1 Commissioner's Annual Road Report for 2024  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(May attach additional sheets if necessary)

**Person to Present:** Rick Bailey

(Presenter must be present for the item unless the item is on the Consent Agenda)

**Supporting Documentation:** (check one)     PUBLIC     CONFIDENTIAL

(PUBLIC documentation may be made available to the public prior to the Meeting)

**Estimated Length of Presentation:** \_\_\_\_\_ minutes

**Session Requested:** (check one)

Action Item     Consent     Workshop     Executive     Other \_\_\_\_\_

**Check All Departments That Have Been Notified:**

County Attorney     IT     Purchasing     Auditor  
 Personnel     Public Works     Facilities Management

Other Department/Official (list) \_\_\_\_\_

**Please List All External Persons Who Need a Copy of Signed Documents  
In Your Submission Email**



**RICK BAILEY**  
**JOHNSON COUNTY COMMISSIONER**  
**PRECINCT 1**

**June 1, 2024**

**251.004 COMMISSIONERS AS ROAD SUPERVISORS**

A. County Commissioners in Johnson County are the Road Supervisors.

**251.005 COMMISSIONER'S ANNUAL ROAD REPORT.**

- 1) For print out of roadway conditions including bridges and culverts, see "Attachment A".
- 2) \$850,000 is the amount of money reasonably necessary to provide paving, seal coating, patching, oiling and adding of base material and maintenance of Precinct 1 roadways.
- 3) During this fiscal year, Precinct 1 replaced approximately 323 traffic control devices. At this date we are not aware of, nor have any report of any defaced or torn down traffic control devices.
- 4) New subdivisions accepted for County maintenance in Precinct 1: Rustic Meadows, Blackberry Springs, and Strawberry Ridge. Adding a total of approximately 9.47 miles of roadways.
- 5) Precinct 1 has budgeted \$410,000 for the maintenance and improvements necessary to keep bridges and culverts in good condition.

**251.007 CLASSIFICATION OF COUNTY ROADS.**

A. All public roadways in Precinct 1 will be classified as third-class roadways having less than 40 feet of roadway and some having less than 20 feet of roadway.

**251.009 CATTLE GUARDS ON COUNTY ROADS.**

A. There are currently 17 cattle guards in Precinct 1, which the Precinct is required to maintain.


STATE OF TEXAS §

COUNTY OF JOHNSON §

BEFORE ME, Keli Pack the undersigned authority, on this day personally appeared Rick Bailey known to me to be the person whose name is subscribed hereto, and having been duly sworn by me on oath declared and stated that the attached copy of a Road Report, for Precinct # 1 dated June 1, 2024 is true and correct.

  
Commissioner, Precinct No. 1

SUBSCRIBED AND SWORN TO BEFORE ME this 14th day of June, 2024, to certify which witness my hand and official seal.



  
Notary for the State of Texas

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA2155	305A		SH 171	CEMETERY (FAULKENBERRY)	0.350	51	3	0					
AA0310	310		1205	SH 171	1.600	51	3	SH 171-1205: (1) 18" X 25' CULV (2) 4' X 23' CULV (1) 24" X 30' CULV (1) 42" X 40' CULV (15)	3 3 3 5				
AA1628	310A		1205	SH 171	2.200	51	3	1205-SH 171: (1) 24"X36' CULV (*19) (1) 24" X 36' CULV (1) 18" X 21' CULV (1) 24" X 30' CULV (1) 15" X 24' CULV	5 3 3 3 3				
AA0902	902		1010	MARTIN CREEK DR	0.450	51	3		4	AA0156-001	MARTIN BRANCH	7/6	
AA0903	903		1022	CLEBURNE CITY LIMITS	1.286	51	2	(1) 30" x 30' CULV (1) 36" x 20' CULV (2) 36" X 24' CULVS					
AA0904	904		JORDAN CT	1010	1.880	51	3	1010-1022: (2) 36"X35'- Ext/bands (08) (1) 48"X26" CULV (4/20)	3- 5				
AA0905 (2)	905		1010	1017	1.669	51	5	0					
AA0906	906		1006	1009	0.671	51	5	1009-1006: (4) 48" X 35' ARCH (6/21) (1) 24" X 30' CULV	5 3				
AA0907	907		GODLEY CITY LIMIT	1006	1.000	51	5	1003A-1006: (3) 24" X 20' CULVS (1) 24" X 24' CULV (1) 18" X 24' CULV (2) 36" X 24' CULVS (3) 48" X 36' ARCH & (2) 36"X20' W/BAND/CONCRETE (12)	4 4 4 4 4				
AA0911	911		FM917	CR912	2.353	51	3	FROM FM917-S SUNDANCE: (1) 20" CULV (1) 20" CULV (1) 48" CULV FROM S SUNDANCE-WILDBERRY: (1) 20" CULV (4) 24" CULV FROM WILDBERRY-912: (2) 36" CULV					

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA0912	912		CR1008	CR913	3.030	51	3	FROM 913: (2) 36" CULV (2) 36" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV W/HEADWALL FROM 911-1008: (1) 36" CULV (1) 150' CULV					
AA0913	913		913A	CR916	8.020	51	3+	913A-913B: (1) 36" CULV (1) 24" CULV 1008-1006: (1) 5"x30' CULV (2) 18"x30' CULVS ("20) FM2331-1002: (1) 42"x36' CULV 1002-1001: (2) 36"X40' CULV (1) 18"X30' CULV (1) 24"X30' CULV 1001-916: (1) 22" CULV (1) 18" CULV (1) 50" W/HEADWALL (1)48" W/HEADWALL	3 5 3 2 3 3				
AA1102	913B		CR913	CR913A	0.510	51	3	(1) 14: CULV (1) 14" CULV					
AA1000	1000		SH171	CR916	0.660	51	4	FROM 916 TO SH171: (1) 30" CULV (1) 60" CULV					
AA1000	1000		SH171	CRESSON CITY LIMIT	0.480	32	4	(1) 24" CULV (2) 48" W/HEADWALL					
AA1001	1001		913	SH 171/GODLEY CITY LIMIT	0.774	51	5	0					
AA1002	1002		CR913	CR916	1.700	51	3	(1) 24" CULV (1) 24" CULV (1) 24" CULV					
AA1675	1003A		GODLEY CITY LIMIT N OF FM 917	DEAD END	0.486	51	5	0					
AA1005	1005		CR913	CR915	1.200	51	4	(1) 20" CULV (1) 20" CULV (1) 18" CULV (1) 24" CULV					

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1006	1006		913	SH 171	3.798	51	4	SH 171-FM917: (1) 24" X 24' CULV (1) 24" X 24' CULV, EXT (08) FM917-913: (2) 24"X30' CULV (1) 18"X30' CULV (1) 18"X30' CULV	3 3 3 3 3				
AA1008	1008		FM 917	913	1.728	51	4	FM917-912: (3) 30"X40"X36' ARCH (2) 24"X36' CULV (1) 24"X24' CULV At 912: (1) 30"X30' CULV	3 3 3 3 3				
AA1009	1009		FM 917	1011	1.150	51	3+	1010-SH 171: (1) 24" X 30' CULV (1) 18" X 30' CULV(19)	3 5				
AA1010 AA9062	1010		SH 171	FM 917	3.431	51	2	904-SH 171: (1) 36" X 24' CULV	3	AA0157-001	MARTIN BRANCH	7/7	
AA1533	1010A		1010	CLEBURNE CITY LIMIT	0.890	51	4	(1) 18" X 24' CULV (1) 18" X 30' CULV	2 2				
AA1011	1011		1010	CLEBURNE CITY LIMIT	0.290	51	3	(1) 5' X 20' CONCRETE BOX					
AA1012	1012		FM917	CR912	0.480			(1) 24" CULV (1) 24" CULV					
AA1013 AA1017 AA1535	1017		FM 917	902	3.167	51	3	(1) 24" X 30' ARCH (5/21) (1) 36" x 30' CULV (1) 36"X32' CULV (08) (2) 30" x 25' CULV (2) 15X20" CULVS (11)	5 3 3 3 3				
AA1539	1022		904	(901/VAUGHN) CLEBURNE CITY LIMITS	1.400	51	3	(1) 24" X 30' ARCH (5/21) (1) 36" x 30' CULV (1) 36"X32' CULV (08) (2) 30" x 25' CULV (2) 15X20" CULVS (11)	5 4 4 4 4				
AA2512	1024Z		CLEBURNE CITY LIMIT	END (NORTH FROM DON LEE RD)	0.056	51	4	0					
AA1100	1100		SH 171	1200	1.451	51	4	SH 171-1200: (2) 36" X 22' CULV (1) 15" X 20' CONCRETE (1) 7' X 43' CULV (1) 24" X 33' CULV (1) 18" X 26' CONCRETE (1) 18" X 26' CULV	4 4 4 4 4 4				

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1616	1100A		1204	HILL COUNTY LINE	1.257	51	4	HILL CO.-1203: (1) 36" X 30' CULV 1203-1204: (1) 18" X 21' CONCRETE (1) 24" X 24' CONCRETE	3 3 3				
AA1258	1101		SH 171	DEAD END	0.249	51	2	(1) 18" X 20' CONCRETE (1) 36X35' ARCH (11)	4 3-				
AA1613 AA1614	1102		KENNARD AVE	HILL COUNTY LINE	5.526	51	4	FM 2488 H.C.L.-1206: (3) 8' X 12' X 32' BOX (1) 18" X 46' CULV 1206-1205 (1) 36" X 23' CULV (1) 12" X 33' CULV (3) 36" X 20' CULVS (1) 8' X 18' X 22' BOX (2) 18" X 32' CONCRETE 1205-1204: (2) 36" X 29' CONCRETE (1) 24" X 42' CONCRETE (2) 36" X 20' CULVS (1) 48" X 35' CULV (16) (2) CULVS 36"X30' (13) 1203-1202: (1) 24" X 24' CULV (1) 36" X 30' CULV (1) 4' X 26' CULV (1) 36" X 27' CULV (1) 36" X 27' CULV 1200-KENNARD AVE. (1) 36" X 29' CONCRETE (1) 5' X 24' CULV	3- 3 4 4 4 3 4 4 4 4 4 4 4 4 4 5 3 3 3 3 3 4 4	*AA0482-001 **AA482-002 ***AA482-003	7/7 7/7 7/6		
AA1103	1103		SH 171	DEAD END	0.781	51	3	SH 171-END: (1) 15" X 26' CULV (2) 18" X 24' CONCRETE	3- 4				
AA2154	1103A		FM 916	DEAD END	0.383	51	3	FM 916-END: (1) 24" X 18" CULV	3				
AA2153	1103B		1103	1102	0.370	51	3	1102-1103: (1) 18" X 26' CULV (1) 24" X 28' CULV	3 3				
AA1256	1104		1205	1204	0.730	51	3	1204-1205: (1) 18" X 46' CULV (2) 36" X 36' CULV (10)	3 3				
AA2144	1104A		E 3rd St	DEAD END	0.236	51	3	0					
AA1617	1104B		1200 SOUTH OF FM 916	DEAD END	0.347	51	2	AT 1200 INTERSECTION: (1) 18" X 26 & 18" X 10' W/BAND CULV (8/21)	4+				
AA1257	1104C		1202	DEAD END	0.472	51	2+	(3) 36" X 28' CULVS, 1) 24" X 30' CULV	3 3				

**Attachment A**  
**6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1105	1105		1206	SH 174	2.293	51	5	SH 174-1206: (2) 24" X 29' CONCRETE (3) 24" X 42' CULVS (1) 18" X 37' CULV	4 4 4				
AA1106	1106		1224A	RIO VISTA CITY LIMIT	4.283	51	3-	1224A-1223: (1) 5' X 21' CULV (1) 36" X 25' CULV 1223-1222: (1) 18" X 30' CULV (14) (1) 18" X 24' CONCRETE (1) 18" X 24' CULV (14) (4) 48"X40' -(4) 42"X38' LINERS- LWC (15) (2) 4' X 21' CULVS (2) 36" X 26' CULVS (2) 24" X 34' CULVS 1222-1221: (1) 4' X 26' CULV 1221-1208: 18" X 50' W/BAND CULV (14) 1208-SH 174: (1) 36" X 36' CULV (5) 36" X 26' CULVS (5) 18" X 25' CONCRETE	3 3 5 4 5 5 3 3 3 5 5 4 4 4	AA11-06-001	NOLAN RIVER	6+	
AA1624	1107		1205	RIO VISTA CITY LIMIT (E. SIDE OF ADDR 969)	0.550	51	3-	(4) 36"X8" CULV - EXT (08) (2) 24"x25' CULV, Band (16)	4 5				
AA1620	1107A		1205	SH 171	2.737	51	3	1205-1107B: (2) 24" X 20' W/BAND (15) (2) 36" X 18' CULV (1) 24" X 36' CULV (2) 72" X 33' CULVS (15) (1) 18" X 30' CULV (15) (1) 24" X 30' CULV (1) 18"x35'CULVERT (17) 1107B-1202: (1) 18" X 24' CULV (14) (2) 24" X 20' W/BAND (15) 1202-SH 171: (1) 24" X 25' CULV (08) (1) 60" X 35' CULV (14) (1) 18" X 32' CONCRETE	5 3 5 5 5 5 5 3- 5 3- 3 3				
AA1621	1107B		1205	1107A	1.281	51	3-	1205-1107A: (1) 24" X 24' CULV (1) 18" X 30' CULV (1) 30' X 18' LWC (1) 5' X 24' CULV (1) 36" X 19' CULV (1) 24" X 21' CONCRETE (2) 36" X 28' CULV	3 3 3 3 3 3 3				



**Attachment A**  
**6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1618	1107C		1107A	1200	0.122	51	3	0					
								FM 1434-1242: (1) 24" X 30' CULV (1) 24" X 32' CULV (1) 36" X 32' CULV (1) 24" X 30' CULV (1) 36" X 30' CULV (1) 24" X 30' CULV (1) 36" X 42' CULV 1242-1117: (1) 24" X 32' CULV 1117-FM 916: (1) 18" X 24' CULV (1) 24" X 25' CULV (16) (1) 24" X 25' CULV (16) (1) 18" X 32' CULV (1) 18" X 32' CULV (1) 24" X 32' CONCRETE (2) 24" X 45' CONCRETE (1) 12' X 30' TANKER	3 3 3 3 3 3 3 3 3 4 5 5 4 3 3 3 3				
AA1108	1108		FM 1434	FM 916	4.567	51	4						
AA1109	1109		1209	DEAD END	1.883	32	3	1220-1109: (1) 24" X 24' CULV (3) 36"X47' CULVS LWC ('00) (1) 18X24' CULV (1) 36X24' CULV @ 1109 (11)	3 3 3 5				
AA1594	1109A		SH 174	1219	2.641	51	3-	SH 174-1209: (1) 36" X 44' CULV (1) 18" X 32' CULV (1) 24" X 44' CULV (2) 24" X 36' CULVS (1) 4' X 10' BOX (1) 60' X 45' TANKER CULV (14/15)	3 3 3 3 5 5	AA11-09- 001 (2011)	NOLAN RIVER	7/6	
AA1595	1109B		RIO VISTA CITY LIMIT SOUTH OF CR1109-A	FM 916	1.552	51	3	FM 916-1109A: (1) 18" X 26' CULV (1) 5' X 30' CULV (1) 18" X 26' CULV	3 3 3				
AA2141	1109C		1109B	SH 174	0.178	51	4	(1) 18" X 24' CONCRETE	4				
AA2140	1109D		1109A	SH 174	0.125	51	3	(1) 18" X 28' CONCRETE	4				
AA2142	1109E		1109C	DEAD END	0.173	51	4	(1) 18" X 36' CULV (1) 12" X 25' CONCRETE	4 4				

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1110	1110		1224A	1219	2.731	51	4	1219-1224: (1) 20'X20' LWC (1) 20'X20' LWC (1) 18"x20', (1) 18"x30' (17) (5) 36'X36' LWC (17) (1) 18"x30' CULV (17) 1224-1224A: 1) 18" X 26' CULV (1) 24" X 26' CULV (1) 30" X 26' CULV (2) 5' X 24' CULVS (1) 30" X 30' CULV (1) 36" X 26' CULV (1) 18" X 26' CULV (1) 18" X 42' CULV	2 3 3  3 3 3 4 3 3 3 3				
AA1625	1110A		SH 174	1205	0.719	51	5	174-1205: (1) 24" x 32' CULV (3) 4'x28' LWC	4 3+				
AA1112	1112		1218	FM 1434	1.822	51	3-	FM 1434-1219: (1) 18" X 24' CULV 1219-1218: (2) 4' X 24' CULVS (2) 48X30 CULVS (13)	5  4 5				
AA1115	1115		1224	1225	1.003	51	3	1225-1224: (1) 18" X 32' CULV (1) 18" X 26' CULV (1) 18" X 32' CULV (1) 18" X 21' CULV (1) 18" X 24' CULV	3 3 3 3 3				
AA1116 AA2139 (*y* -1116)	1116		CLEBURNE CITY LIMIT SOUTH OF US 67	1225	1.165	51	4	US67-1225: (3) 24"X30' LWC SUPERDIP (00)	REPLACE @ROBINS ON CRK, US67				

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1117 (2)	1117		FM 1434	1108	6.722	51	4	1117 & 1108-1241: (1) 18" X 32' CULV (1) 18" X 26' CULV (1) 24" X 28' CULV (1) 18" X 24' CULV (17) (4) 4'X27' LWC (1) 24" X 30' CULV (1) 18" X 20' CONCRT 1241-1240: (1) 18" X 24' CULV (1) 24" X 24' CULV (1) 18" X 24' CULV (1) 18" X 24' CULV (1) 18" X 21' CONCRT (1) 32" X 28' CULV (1) 24" X 24' CULV 1240-1117A: (1) 24X30 CULV (15) (1) 24" X 24' CULV 1117 & 1117B-1242: (1) 24" X 24' CULV (1) 18" X 21' CONCRT 1117 & 1242-1240: (1) 18" X 24' CULV (1) 18" X 21' CONCRT 1117 & 1240-1243: (1) 24" X 36' ARCH CULV (11/21) (1) 18" X 30' CULV (1) 18" X 25' CONCRT 1117 & 1243-FM 1434: (1) 24" X 28' CULV (1) 24" X 35' ARCH CULV (2/22)	4 4 4 5 4 4 3 4 4 4 4 3 4 4 4 5 4 4 4 3 4 5 5				
AA1561	1117A		1242	1117	0.454	51	4	1242 & 1117A-1117: (1) 24" X 28' CULV (1) 18" X 28' CULV (1) 36" X 38' CULV	4 4 4				
AA1560	1117B		1240	1117	0.315	51	3	1117 & 1117B-1240: (1) 36" X 28' CULV (1) 24" X 36' CULV	3 3				
AA1118	1118		FM 200	BOSQUE COUNTY LINE	0.963	51	4	FM 200-BRAZOS POINT BRIDGE: (1) 6' X 35' CULV (2) 6' X 35' CULVS (04)	3 4	AA0334-001	BRAZOS RIVER	7/7	
AA1119	1119		US 67	SOMERVELL COUNTY LINE	1.482	51	4	US 67-1234: (1) 36" X 32' CULV 1234-407/SMRV C.L.: (1) 24" X 32' CULV (1) 18" X 26' CULV (1) 7' X 60' CONCRETE BOX (1) 18' X 40' CULV	4 4 4 4 4				



**Attachment A**  
**6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1124	1124		FM 2331	CLEBURNE CITY LIMIT SW OF FM 4	3.105	51	4	FM2331-FM 4: (1) 24X36 CONCR LWC (02) (1) 36" X 58' CULV (1) 24" X 28' CULV (1) 24" X 22' CULV (1) 18" X 30' CULV (12) (1) 18" X 24' CULV (13) (1) 24"X40' CULV (17) (1) 18"X40' CULV (17)	4 5 5 5 5 5 5	AA1124-001	WEST FORK OF NOLAN RIVER	7	
AA1125	1125		CLEBURNE CITY LIMIT AT CR1216	CLEBURNE CITY LIMIT NW OF FM 4	2.093	51	3	FM 4-1217: (1) 18" X 20' CULV (1) 18" X 20' CULV (1) 18" X 30' CULV (1) 36" X 24' CULV FROM 1217-SH 171: (2) 60" X 36' CULVS (1) 36" X 20' CULV	3 3 3 3 5 3				
AA1126	1126		SH 171	CLEBURNE CITY LIMIT SOUTH OF SH 171 (WEST OF CLEBURNE)	3.018	51	5	SH 171-1228: (1) 18"X30' CULV (12) 3) 36" X 24' CULVS (1) 36" X 24' CULV 1228-SH 171: (1) 60" X 24' CULV (1) 18" X 32' CULV & CONCR END (09) LWC (01) (1) 36" X 24' CULV	5 3 3 3 3 5 3	AA0319-001	NOLAN RIVER	7/6	
AA1573	1126A		1229	1228	0.481	51	4+	1229-1228: (1) 30" X 40' CULV (1) 18" X 40' CULV	3 3				
AA1574	1126B		1126	1229	1.781	51	4	1126-1229: (1) 30" X 25' CULV (1) 24" X 24' CULV (1) 36" X 24' CULV (2) 36"x30' CULVS (19) (1) 18" X 30' CULV	4 4 4 5 4				
AA1127 AA1252	1127		1230	1232	2.277	51	5	1232-FM 2331: (1) 18" X 24' CULV (3) 3' X 6' CONCRETE BX (18) FM 2331-1230: (1) 86" X 24' CULV (1) 24" X 20' CULV (1) 18" X 30' CULV	4 5 3 3 3				
AA1128	1128		GODLEY C. LIMITS NEAR SH171	CR1233	1.310	51	3	(1) 24" CULV (1) 36" CULV (1) 36" CULV (1) 24" CULV (4) 54" W/HEADWALL (1) 18" CULV					

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1129	1129		SH171	CR1233	1.160	51	2	(2) 60" CULV					
								FM 4-HOOD C.L.: (1) 36" X 30' CULV (2) 36" x 30' CULVS (1) 36" X 30' CULV (1) 36" X 30' CULV (1) 36" X 30' CULV (1) 36" X 30' CULV (1) 36" X 30' CULV (1) 18" X 30' CULV (1) 72" X 30' CULV	3 3 3 3 3 3 3 3 3				
AA1131	1131		FM 4	HOOD COUNTY LINE	2.362	51	5						
								SH 171-FM 916: (1) 4' X 30' CULV (3) 5' X 24' CULV (1) 24" X 30' CULV (1) 30" X 26' CULV (1) 24" X 26' CULV (1) 5' X 35' CULV (14) 1100A-1100: (1) 18" X 30' CULV (1) 18" X 30' CULV 1100-1102: (2) 36" X 18' CULVS 1102-1104B: (2) 36"X35' CULVS (10) (1) 18" X 28' CULV (1) 12" X 22' CULV (1) 18" X 24' CULV (2) 24" X 20' W/BAND @ 1104B (12)	3 3 3 3 3 5 3 3 3 3 3 5 3 3 3 3 3 3 5				
AA1200 AA1619	1200		SH 171	1100A	4.678	51	3			AA16-19-001	MUSTANG CREEK	6	
								FM 916-1104C: (1) 36" X 21' CULV (2) 4' X 20' CULVS (1) 36" X 20' CULV (1) 36" X 30' CULV (1) 18"X25' CULV (08) FM 916-1107A: (1) 36" X 24' CULV 1107A-SH 171: (1) 24" X 26' CULV (1) 36" X 30' CULV (03)	3 3 3 3 5 3 3 3 4				
AA1202	1202		SH 171	1102	4.391	51	3			AA0488-001	MUSTANG CREEK	8/6	
								1102-1100A: (1) 18" X 24' CULV (1) 18" X 30' CULV (1) 18" X 40' CULV	3 3 3				
AA1203	1203		1102	1100A	0.896	51	3						

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1204	1204		FM 916	HILL COUNTY LINE	2.318	51	3	1100A-1102: (1) 48" X 30' CULV (1) 30" X 30' CULV (1) 30" X 30' CULV 1102-FM 916: (1) 15" X 24' CONCRETE (1) 24" X 30' CULV (16)	3 3 3 3 5				
AA1205	1205		SH 174	HILL COUNTY LINE	6.860	51	3	1102-FM 916: (1) 6' X 32' CULV (1) 36" X 32' CULV FM 916-1107: (3) 48"x60' ARCH LWC (09) (3) 36" X 18' CULVS (1) 15" X 24' CULV (1) 15"X30' CULV (16) (2) 36" X 24' CULVS (3) 60"X35' CULV LWC (09) 1107-1107A: (2) 36" X 21' CULVS (2) 5' X 24' CULVS 310-RR X: (3) 36" X 21' CONCRETE (1) 24" X 66' CULV RR X-1110A: 0 310A-SH 174: (2) 36" X 38' ARCH (19) (1) 12" X 20' CONCRETE	3 3 4 3 3 5 3 4 3 3 3- 3 0 5 3	AA0481-002	BRANCH OF MUSTANG CREEK	8/6	
AA1206	1206		CAPPS ST. RIO VISTA	1102	0.930	51	3+	1105-1102: (1) 5' X 30' CULV (1) 60" X 30' ARCH CULV (18) (1) 24" X 28' CULV	5 5 3	AA0483-001	MUSTANG CREEK	6/6	
AA1208	1208		FM 916	HILL COUNTY LINE	2.334	51	1106- C.L.=3 916- 1106=4	HILL C.L.-1106: (1) 5' X 20' CULV (4) 54" X 40' CULVS (12) (2) 4' X 24' CULVS (1) 24" X 32' CULV (1) 36" X 54' CULV (1) 4' X 34' CULV 1106-FM 916: (1) 4' X 33' CULV (2) 4' X 32' CULVS (1) 36" X 36' CULV (1) 4' X 32' CULV (2) 36" X 32' CULVS (1) 36" X 28' CULVS (2) 36" X 28' CONCRETE	3 5 3 3 3 3 4 4 4 4 4 4 4 4	AA0363-001- TO BE REPLACED	PILOT BRANCH	6/6	

**Attachment A**  
**6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1209	1209		FM 916	1109A	1.653	51	3	FM 916-1109: (1) 24" X 43' CULV (1) 18" X 40' CULV (3) 36" X 40' CULV 1109-1109A: (2) 36" X 32' CULVS (1) 18" X 50' CULV	3 3 3 3 3	AA1209-001	HALEY BRANCH	7/6	
AA1210	1210		1111	DEAD END/LAKE	0.802	51	3	1111-END: (1) 24" X 34' CULV (1) 8' X 30' CULV	3 3				
AA1217	1217		CLEBURNE CITY LIMIT, SOUTH OF SH 171	CLEBURNE CITY LIMIT, NORTH OF US 67	2.912	51	4	SH 171-1125: (1) 24" X 24' CULV (2) 36" X 24' CULVS (1) 36" X 24' CULV 1125-1125B: (1) 36" X 24' CULV	4 4 4 4				
AA1218	1218		1112	HAGLER	0.787	51	3	1112-SHOREVIEW DR: (1) 24" X 46' CULV (1) 36" X 19' CULV (2) 5' X 25' CULVS	3 3 3				
AA1306	1218A		FM 1434	HAGLER	0.277	51	3	(2) 60' X 42' CULVS (13)	0				
AA1219	1219		1112	1109A	2.743	51	4	1109A-1110: (2) 24" X 40' CULVS ASCOT-S. NOLAN RIVER RD: (1) 24" X 30' CULV (1) 18" X 32' CULV (1) 18" X 24' CULV S. NOLAN RIVER RD-1112: (1) 18" X 32' CULV (1) 18" X 32' CULV (1) 18" X 24' CULV (14) (1) 36" X 26' CULV	3 3 3 3 3 3 3 5 3				
AA1220	1220		FM 916	1109	0.670	32	3	FM 916-1109: (1) 5' X 24' CULV 1109-END: (1) 24" X 20' CULV (1) 36" X 17' CULV (1) 18" X 20' CONCRETE (1) 18" X 20' CONCRETE	3 3 3 3 3				1109-(2) CATTLE GUARDS 6' X 15', (1) CATTLE GUARD 6' X 15' Reset 5/18 @ 1109
AA1221	1221		FM 916	1106	0.610	51	5	FM 916-1106: (1) 18" X 28' CULV (1) 32" X 40' CULV	3 3				
AA1222 (2)	1222		1106	HILL COUNTY LINE	1.111	51	3	(1) 4' X 32' CULV	3	AA0358-001	PILOT BRANCH	7/6	





**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1226	1226		FM 2331	PARK ROAD 21	5.587	51	5	PARK RD 21-US 67: 1) 24" X 30' CULV (1) 24" X 30' CULV (1) 24" X 30' CULV (1) 24" X 30' CULV (4) 5' X 28' CULVS (3) 4' X 28' CULVS US 67-FM 2331: (2) 4'X26' & (2) 36"X26' DOUBLES (1) 36" X 28' CULV (2) 36" X 27' CULVS (3) 4' X 28' CULVS (1) 18" X 29' CONCRETE (2) 4' X 44' CULVS (3) 7' X 28' CULVS (1) 36" X 30' CULV (1) 18" X 59' CULV	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3				
AA1580	1226A		US 67	DEAD END	0.506	51	5	(1) 18"X36' CULV (08)	3				
AA1227	1227		CLEBURNE CITY LIMIT S OF FM4	CLEBURNE CITY LIMIT N OF 1121	2.462	51	3	FM4 -1121: (1) 5' X 30' CULV (1) 4' X 30' CULV (1) 36" X 30' CULV (1) 15'X88' W/(1) 4'X11' BOX & (1) 16"X20' CULV LWC (1) 24" X 30' CULV	4 4 4 4	AA12-27- 001	WEST FORK OF NOLAN RIVER	7/6	
AA1228	1228		CLEBURNE CITY LIMIT, NORTH OF FM 4	1126	3.045	51	3	1126-1126A: (1) 60" X 30' CULV (1) 24" X 24' CULV 1126A-FM 4: (1) 18" X 20' CULV (1) 18" X 24' CULV (1) 18" X 24' CULV (1) 24" X 24' CULV (1) 30" X 25' CULV	4 3 3 3 3 3 3 3				
AA1229	1229		CLEBURNE CITY LIMIT, NORTH OF FM 4	1230	4.236	51	3+	FM 2331-1126B: (2) 36" X 24' CULVS (1) 24" X 24' CULV (1) 30" X 25' CULV 1126B-1126A: (1) 36" X 38' CULV (18) (1) 24" X 24' CULV (2) 42" X 20' CULVS (1) 24" X 24' CULV (1) 54" X 36' ARCH (16) 1126A-FM 4: (2) 30" X 30' CULVS (1) 24" X 30' CULV (1) 36" X 40' CULV (2) 30" X 24' CULVS	3 3 3 5 3 3 3 5 3 3 3 3 3 3				

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1575	1229A		1229	FM 2331	0.171	51	5	(1) 24" x 30' CULV					
								FM 2331-1127: (1) 60" X 24' CULV (1) 24" X 24' CULV (1) 24" X 24' CULV (1) 24" X 24' CULV 1127-FM 4: (1) 24" X 24' CULV (1) 24" X 36' CULV (15) (1) 48" X 24' CULV (1) 24" X 36' CULV (16) (1) 24" X 32' CULV (16)	3 3 3 3 4 5 4 5 5				
AA1230 (2)	1230		FM 2331	FM 4	3.756	51	5						
AA1231	1231		FM 2331	FM 2331	0.809	51	4	(1) 36" X 30' CULV (16)	5				
AA1251	1231A		FM 2331	1127	0.246	51	3-	(1) 15"x36' CULV (19)	5				
								1128-1127: (1) 18" X 30' CULV (2) 48" X 26' CULVS (1) 24" X 24' CULV (1) 48" X 24' CULV (1) 72" X 28' CULV 1127-FM 4: (1) 24" X 30' CULV	3 3 3 3 3 3				
AA1232	1232		1128	FM 4	3.148	51	5						
								(2) 24" CULVS (1) 24" CULV (1) 20" CULV (1) 26" CULV (2) 55" CULVS (1) 18" CULV (1) 18" CULV (1) 38" CULV (1) 20" CULV (3) 36" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV (2) 30" CULVS (2) 24" CULVS					
AA1233	1233		SH171	HOOD CO. LINE	5.119	51	4			AA1233-001		7/8	
								1233-FM 4: (1) 24" X 30' CULV (1) 18" X 30' CULV (1) 20'x40' LWC (1) 36" X 30' CULV	4 4 4 4				
AA1570	1233A		1233	FM 4	1.202	51	5						

**Attachment A**  
**6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=POOR, 5=EXCEL	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1234 (2)	1234		1119 AT US 67	SOMERVELL COUNTY LINE	3.477	51 = 2.009 32 = 1.469	4	1234 & 406/SOMERVL C.L.-1119: (1) 24" X 32' CULV (1) 24' X 30' CULV (2) 36" X 40' CULVS (1) 18" X 26' CULV (2) 36" X 32' CULVS (1) 20'X30' LWC (1) 24' X 36' CULV (1) 24' X 30' CULV	3 3 3 3 3 3 3 3				(1) CATTLE GUARD, (1) CATTLE GUARD 8' X 14', (1) CATTLE GUARD 8' X 15', (1) CATTLE GUARD 8' X 13', (1) CATTLE GUARD 6' X 16'
AA0111	1234A		1234	DEAD END	0.267	32	3	0					
AA1235	1235		FM 200	1236	1.027	51	5	FM 200-1236: (1) 24" X 42' CULV (1) 24' X 30' CULV (1) 18' X 48' CULV (00)	3 3 3				
AA1585	1235A		1236	FM 1434	0.376	51	3	1236-FM 1434: (1) 18" X 26' CULV (00) (1) 18" X 67' CULV (00)	3 3				
AA1589	1235B		FM 1434	DEAD END	0.232	51	3	(1) 18" X 26' CULV	3				
AA1236	1236		FM 200	FM 1434	2.319	51	3-	FM 200-1235A: (1) 18" X 30' CULV (2) 18" X 36' CULVS (1) 18" X 24' CULV (1) 18'X30' LWC 1235A & 1236-1235: (2) 36" X 30' CULVS 1235 & 1236-FM 1434: (1) 18" X 36' CULV	3 3 3 3 3 3 3				
AA1237	1237		FM 1434	1118	2.654	51	3	FM 1434-1118: (3) 5' X 30' CULV (1) 36" X 38' CULV (2) 10' X 30' CULV (1) 24" X 36' CULV (1) 5' X 34' CULV (1) 6' X 32' CULV	3 3 3 3 3 3				
AA1586 (2)	1237		FM 200	SOMERVELL COUNTY LINE	0.657	51 = 0.047 32 = 0.61	4	(1) 18" X 15' CULV (1) 15'X30' LWC	3 3-				
AA1238 (2)	1238		FM 1434	DEAD END	1.711	51 = 1.118 32 = 0.593	3-	(4) 4' X 25' CULVS	3				(1) CATTLE GUARD
AA1239	1239		FM 1434	DEAD END	0.884	51	3-	FM 1434-: (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 26' CULV (1) 18" X 30' CULV (1) 12" X 24' CULV	4 4 4 4 4 4				

**Attachment A**  
**6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1240	1240		1117 NORTH END	1117 SOUTH END	1.860	51	4	1117 & 1240-1240A: (1)24" X 24' CULV (1) 24" X 28' CULV (1)36" X 28' CULV 1117B & 1240- 1117: (1) 36" X 29' CULV (1) 24" X 30' CULV (1) 24" X 32' CULV	4 4 4 4 4 4				
AA1591	1240A		1240	DEAD END	0.333	32	3	1240A & 1240: (1)24" X 40' CONCRETE (1) 18" X 24' CONCRETE	3 3				
AA1241	1241		1117	DEAD END	0.584	51	3	(1) 18" X 30' CULV	3				
AA1242	1242		1108	1117	1.061	51	4	1242 & 1108-1117A: (1) 24" X 36' CULV (4) 4' X 20' CULVS LWC 1117A & 1242-1117: (1) 24" X 28' CULV (1)24" X 36' CULV	4 4 4 4				
AA1243	1243		FM 1434	1117	0.586	51	4	1243 & 1117-FM 1434: (2) 24" X 30' CULVS (1) 24" X 30' CULV	4 4				
AA1250	1250		FM 1434	DEAD END	0.800	51	5	FM 1434-END: (2) 24" X 22' CULVS (1) 24" X 30' CULV (15) (1) 18" X 22' CULV (1) 18" X 22' CULV	2 5 2 3				
AA6058	ALSTON CT	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.207	51	4	(1) 15" x 50' CULV					
AA2130	AMOS NORTH	ABS ESTATES	902	ANDY NORTH	0.326	51	3	(1) 18" x 40' CULV					
AA2131	ANDY NORTH	ABS ESTATES	902	AMOS NORTH	0.429	51	3	(2) 18" x 40' CULVS					
AA1608	APACHE TRL	FISHERMAN'S PARADISE	INDIAN TRAIL	DEAD END	0.171	51	3	0					
AA2158	APPLE CT	GORDON'S EDEN	310A	DEAD END	0.403	51	3-	(3) 30" x 40' CULVS					
AA6063	ARCHIE CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.108	51	4	0					
AA1583	ASCOT DR	NOLAN RIVER ESTATES	1219	NOLAN RIVER ROAD S.	0.754	51	3	1219-NOLAN RV RD: (1) 18" X 34' CULV (1) 24" X 55' CULV (1) 18" X 48' & (1) 24" X 48' DOUBLE (1) 18" X 60' & (1) 24" X 60' DOUBLE	3 3 3 3				
AA5950	BAKER ST	PARKER COMMUNITY	1101	OLA	0.251	51	2+	1101-OLA: (1) 18" X 28' CONCRETE (1) 18" X 28' CONCRETE (1) 18" X 22' CONCRETE (1) 18" X 20' CULV	3 3 3 3				

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1321	BENJAMIN BLVD	PARADISE PARK	1017	WILD OAKS BLVD.	0.268	51	3	(1) 36" X 35' CONCRETE CULV					
AA6060	BIRD SONG CT	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.248	51	4	0					
AA6056	BLACK FOREST TRL	CHERRY RIDGE	1010	DEAD END	0.516	51	3	FROM 1010-END: (2) 28" X 50' CULVS (4) 28" X 50' CULVS (6) 36" X 50' CULVS	1 REPAIR LWC				
AA2129	BLACKBURN DR	ABS ESTATES	902	SUNSET MOBILE HOME	0.276	51	3-	0					
AA1577	BONO RD	BONO COMMUNITY	1122	FM 2331	0.493	51	2	(1) 18" X 30' CULV (14)	5				
AA0008	BREEZEWAY DR	CANYON RIDGE ADDITION	WINDRIDGE DR	CANYON RIDGE DR	0.118	51	4	(1) 21" CONCRETE					
AA1722	BRUSHY NOB DR	BRUSHY NOB ADDITION	TIMBER TOP TRAIL	S. OF SOUTHERN OAKS	0.252	51	3	0					
AA1541	BRYANT PLACE	BRUSHY NOB ADDITION	1022	THOUSAND OAKS DRIVE	0.212	51	3	0					
AA0007	CANYON RIDGE DR	CANYON RIDGE ADDITION	CR915	GRASSLAND RD	0.178	51	4	AT CR915: (3) 21" CONCRETE					
AA1715	CARDINAL DR	X-CELL ESTATES	RAVEN RD	END	0.173	51	3	ON WEST END: (1) 24" CULV					
AA1259	CHEROKEE CT	FISHERMAN'S PARADISE	CHEROKEE TRAIL	DEAD END	0.056	51	3	0					
AA1610	CHEROKEE TRL	FISHERMAN'S PARADISE	INDIAN TRAIL	INDIAN TRAIL	0.425	51	3	(1) 5" x 25' CULV (1) 24"X25' CULV	5				
AA1301	CHERRY CT E	GORDON'S EDEN	PEACH LANE	DEAD END	0.126	51	4	(1) 36"x36' ARCH (16)	5				
AA2160	CHERRY CT W	GORDON'S EDEN	PEACH LANE	DEAD END	0.096	51	3	(1) 36" X 30' CULV					
AA6062	CHERRY RIDGE CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.230	51	4	(1) 12" X 30' CULV					
AA6057	CHERRY RIDGE LN	CHERRY RIDGE	1010	DEAD END	0.499	51	4	FROM 1010: (2) 28" X 40' CULVS					
AA1604	CIMMARON TRL	FISHERMAN'S PARADISE	OLD WAGON TRAIL	INDIAN TRAIL	0.157	51	3	0					
AA1576	COKE RD	BONO COMMUNITY	BONO ROAD	WOODARD	0.133	51	3	BONO RD-WOODARD: (1) 18" X 24' CULV (1) 18" X 28' CULV	3 3				
AA1534	COMANCHE DR	COMANCHE HILLS	CR1008	DEAD END	0.883	51	5	1008-1008: (1) 16"X40' (1) 18"X26' (1) 24"X42"X30' ARCH (1) 32"X52"X30' (1) 18"X40'	3 3 3 3 3				
AA1677	CORRAL RD	HILLTOP RANCH ESTATES	FM 917	HORSE SHOE ROAD	0.245	51	2	0					
AA2235	DAVIS CT	NOT SUBDIVISION	CR 1206	DEAD END	0.819	51	3	1206-END: (3) 15" X 32' CULVS (1) 18" X 35' CULV (1) 18"x30' CULV (18) (1) 30" X 36' CULV	3- 3- 5 3-				
AA1024	DON LEE RD	NOT SUBDIVISION	CR1022 TO CLEBURNE CITY LIMIT, EAST OF CTP	CLEBURNE CITY LIMIT, WEST OF CTP TO END	0.400	51	5	1022-1024Z: (1) 15"X70' CULV (15)	5				



**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1678	HORSE SHOE RD	HILLTOP RANCH ESTATES	LARIAT LANE	DEAD END	0.238	51	3	LARIAT LN-END: (1) 18" X 30' CULV (1) 18" X 24' CULV	4 4				
AA1603	INDIAN TRL	FISHERMAN'S PARADISE	CHEROKEE TRAIL	DEAD END	0.501	51	3	0					
AA1706	JAMES ST	WALDEN ESTATES	WALDEN DR	END	0.130	51	3	(1) 14" CULV					
AA1710	JAN LANE	WALDEN ESTATES	JAMES ST	SUZANNE LN	0.213	51	3	(1) 18" CULV					
AA1705	JOHN ST	WALDEN ESTATES	WALDEN DR	END	0.090	51	3	0					
AA1709	JOHN CT	WALDEN ESTATES	JOHN ST	END	0.043	51	3	(1) 16" CULV					
AA1538	JORDAN CT	NOT SUBDIVISION	904	DEAD END	0.293	51	3	(1) 30' X 50' CULV (1) 24" X 45' CULV					
AA1711	KAREN LN	WALDEN ESTATES	SUZANNE LN	JAMES/WALDEN	0.244	51	3	0					
PART OF AA1614	KENNARD AVE	PARKER COMMUNITY	SH 171	CR1102	0.260	51	4						
AA1592	KYLE-BULLARD CEM RD	NOT SUBDIVISION	FM 916	DEAD END	0.964	51	3-	FM 916-END: (1) 24" X 16' RED TILE CULV (2) 24" X 17' CONCRETE (1) 36" X 16' CULV (1) 9' X 20' BOX	2 2 2 2				
AA1601	LAKESIDE DR	FISHERMAN'S PARADISE	OLD WAGON TRAIL	DEAD END	0.042	51	3	0					
AA1588	LAKEVIEW CT - HOH	HILLS OF HOMES	HILLTOP DRIVE	DEAD END	1.037	51	4	FROM LAKEVIEW & HILLTOP- LAKEVIEW/END: (1) 24" X 30' CULV (1) 18" X 40' CULV (1) 18" X 30' CULV (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 18" X 30' CULV (1) 15" X 30' CULV	4 4 4 4 4 4 4 4 4 4				
AA2136	LAKEVIEW DR	LAKEVIEW ESTATES	RIVERSIDE DRIVE	RIVERVIEW DRIVE	0.181	51	3	0					
AA1680	LARIAT LN	HILLTOP RANCH ESTATES	HORSE SHOE DRIVE	DEAD END	0.086	51	4	0					
AA1606	LIVE OAK DR	FISHERMAN'S PARADISE	INDIAN TRAIL	VILLAGE DRIVE	0.160	51	3	0					
AA0013	LONE STAR WAY	LONE STAR ADDITION	FM 917	END	0.350	51	4						



**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA6054	LONGHORN TRL	K-BAR-D RANCH	FM917	END	0.467	51							
AA2126	MARTIN CREEK DR	MARTIN CREEK ADDITION	902	DEAD END	0.338	51	4	902-END: (1) 18" X 30' CULV (1) 24" X 30' CULV (1) 24" X 40' CULV	4 4 4				
AA6059	MCKINNEY LN	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.325	51	4		1 REPAIR LWC				
AA2133	MESA DR	RIVERVIEW ESTATES	OVERHILL	END	0.041	32	4						
AA1609	MOUNTAIN VIEW	FISHERMAN'S PARADISE	DUSTY TRAIL	VALLEY VIEW	0.202	51	3	(1) 24" X 26' CULV					
AA1311	MOUNTAIN VIEW	PARADISE PARK	BENJAMIN BLVD	RUSTIC TRL	0.178	51	3	(1) 18" X 32' CULV					
AA6061	MOYER CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.205	51	4	FROM CHERRY RIDGE LN: (1) 20" X 42' CULV (1) 36" X 42' CULV					
AA1111	NOLAN RIVER RD S (1111)	NOT SUBDIVISION	1219	CITY LIMITS	2.442	51	3	1219-C.L.: (1) 18" X 32' CULV (1) 36" X 28' CULV 18" X 32' CULV (1) 36" X 26' CULV (1) 24" X 34' CULV (1) 24" X 42' CULV	3 3 3 3 3 3	(1) 25' X 100' BRIDGE- 1966 (LEVEL III)	AA0377- 001	6	
AA5952	OLA AVE	PARKER COMMUNITY	SH 171	BAKER STREET	0.149	51	3						
AA2145	OLD FOAMY (1112 E)	NOT SUBDIVISION	CLEBURNE CITY LIMIT WEST OF SH 174	CLEBURNE CITY LIMIT EAST OF NOLAN RIVER RD SOUTH (1111)	1.226	51	4	SH 174-1111: (2) 4' X 21' CULVS (1) 18"X60' BOX (03) (1) 36" X 32' CULV (2) 36" X 18' CULVS	3- 3 3 3				
AA1600	OLD WAGON TRL	FISHERMAN'S PARADISE	FM 916	INDIAN TRAIL	0.416	51	4	(1) 36"X35' ARCH CULV (14) (1) 12" x 38' CONCRETE CULV	5				
AA1578	OVERHILL DR	LAKEVIEW ESTATES	1121	RIVERVIEW DRIVE	0.458	51	3	1121-RIVERVIEW DR: (1) 18" X 36' CONCRETE (1) 4' X 30' CONCRETE (1) 15" X 36' CONCRETE (1) 15" X 48' CONCRETE	3 3 3 3				
AA2157	PEACH LN	GORDON'S EDEN	310A	CHERRY COURT	0.187	51	3						
AA2156	PEAR CT	GORDON'S EDEN	310A	DEAD END	0.188	51	3						
AA2138	PENNINGTON CROSSING	NOT SUBDIVISION	FM 1434	WESTSHORE	0.520	51	5						
AA1300	PLUM COURT E	GORDON'S EDEN	PEACH LANE	DEAD END	0.126	51	3	(1) 12" X 30' CULV					
AA2159	PLUM COURT W	GORDON'S EDEN	PEACH LANE	DEAD END	0.095	51	3	(1) 12" X 30' CULV					
AA2151	PREAKNESS CT	NOLAN RIVER ESTATES	NOLAN RIVER ROAD S.	DEAD END	0.421	51	3	(1) 24" X 42' CULV	3				

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1502	RAVEN RD	SPACE ACRES	CR913	END	0.506	51	3	FROM 913: (1) 22" CULV AT SKYLARK: (3) 48" CULVS (3) 24" CULVS					
AA1719	RESERVOIR RD	PARADISE PARK	MOUNTAIN VIEW	DEAD END	0.266	51	3	0					
AA2134	RIVERVIEW DR	LAKEVIEW ESTATES	OVERHILL	OVERHILL	1.042	51	4	OVERHILL-: (1) 15" X 42' CONCRETE OVERHILL-VALLEYVIEW: (1) 18" X 40' CULV (17) LAKEVIEW-LAKEVIEW: (1) 24" X 38' CULV (1) 30" X 30' CULV (17)	3 5 3 5				
AA1714	ROBIN RD	SPACE ACRES	RAVEN RD	END	0.171	51	3	(1) 24" CULV					
AA1310													
AA1320	RUSTIC TRL	PARADISE PARK	WILD OAKS AVE	DEAD END	0.154	51	3-	0					
NEW ROAD	SABINO CT.	SAGE CREEK ADDITION	SAGE CREEK DR.	END/CUL-DE-SAC	0.170	51	5	(2) 24" x 60' CONCRETE CULVS					
ROAD 9/14/20	SAGE CREEK DR.	SAGE CREEK ADDITION	CR1126	END/CUL-DE-SAC	0.360	51	5	(2) 24" x 60' CONCRETE CULVS					
AA1315	SCENIC VIEW CT	FISHERMAN'S PARADISE	DUSTY TRAIL	DEAD END	0.088	51	3	0					
AA1611	SHINING STAR TRL	FISHERMAN'S PARADISE	MOUNTAIN VIEW	DEAD END	0.193	51	3	MOUNTAIN VIEW-END: (1) 15" X 30' CULV (1) 24" X 26' CULV (1) 18" X 30' CULV (1) 12" X 30' CULV (1) 18" X 30' CULV	3 3 3 3 3				
AA1593	SHOREVIEW DR	SHORE VIEW ADDITION	1218	DEAD END/LAKE	0.495	51	3-	1218-END: (1) 18" X 30' CULV (1) 18" X 21' CONCRETE (1) 18" X 24' CULV (14)	3 3 5				
AA1503	SKYLARK CT	SPACE ACRES	CR913	END	0.253	51	3	(1) 24" CULV (1) 18" CULV					
AA1712	SKYLARK DR	X-CELL ESTATES	RAVEN RD	END	0.510	51	3	AT RAVEN: (2) 54" W/HEADWALL AT STARLING DR: (1) 24" CULV (1) 24" CULV ON WEST END: (1) 36" CULV (1) 36" CULV					
AA1679	SPUR CT	HILLTOP RANCH ESTATES	HORSESHOE ROAD	DEAD END	0.084	51	4	0					

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA2149	ST LEGER DR	NOLAN RIVER ESTATES	ASCOT DRIVE	GOLD CUP DRIVE	1.419	51	3-	ASCOT-GOLD CUP: (2) 36" X 40' CULVS (2) 36" X 40' CULVS (1) 36" X 40' CULV	3 3 3				
AA1501	STARLING DR	X-CELL ESTATES	CR913	FALCON DR	0.436	51	3	0					
AA1508	SUNDANCE CIR E	SPACE ACRES	SUNDANCE CIR W	SUNDANCE DR S	0.743	51	3						
AA1717	SUNDANCE CIR W	SPACE ACRES	SUNDANCE CIR E	SUNDANCE DR S	0.655	51	3						
AA1716	SUNDANCE CT	SPACE ACRES	SUNDANCE DR N	END	0.293	51	3	FROM SUNDANCE DR N: (1) 48" CULV (1) 20" CULV					
AA1505	SUNDANCE DR N	SPACE ACRES	CR913	SUNDANCE CIR	0.703	51	3	FROM 913: (1) 40" CULV (1) 84" W/HEADWALL (1) 18" CULV (1) 24" CULV					
AA1505	SUNDANCE DR S	SPACE ACRES	SUNDANCE CIR	CR911	0.232	51	3						
AA1707	SUZANNE LN	WALDEN ESTATES	JAN LN	KAREN LN	0.197	51	3	(2) 18" CULVS (1) 18" CULV					
AA5951	THOMPSON AVE	PARKER COMMUNITY	SH 171	DEAD END	0.139	51	3	0					
AA1720	THOUSAND OAKS DR	BRUSHY NOB ADDITION	FM 917	TIMBER TOP TRAIL	0.578	51	3	FROM FM917-TIMBER TOP: (1) 24"X 37' CULV (2) 36"X 40' CULVS					
AA1721	TIMBER TOP TRL	BRUSHY NOB ADDITION	THOUSAND OAKS DR.	DEAD END	0.483	51	3	END: (1) 24"X 38' CULV (1) 28"X 40' CULV					
AA1607 (2)	VALLEY VIEW - FISH P	FISHERMAN'S PARADISE	INDIAN TRIAL	DEAD END	0.455	51 = 0.343 32 = 0.112	3	(1) 15" X 38' CULV 12"X10', 15"X10' ('18)					
AA2135	VALLEY VIEW LN	LAKEVIEW ESTATES	RIVERVIEW DRIVE	RIVERVIEW	0.189	51	2	(1) 12" X 44' CONCRETE CULV					
AA1204 (E) of AA2135	VALLEY VIEW LN CUL-D- SAC E	LAKEVIEW ESTATES	VALLEY VIEW LANE	DEAD END	0.037	51	2						
AA0112 (W) of AA2135	VALLEY VIEW LN CUL-D- SAC W	LAKEVIEW ESTATES	VALLEY VIEW LANE	DEAD END	0.037	32	2						
AA1602	VILLAGE DR	FISHERMAN'S PARADISE	INDIAN TRIAL	CIMMARON TRAIL	0.320	51	3	(1) 12" X 38' CONCRETE CULV					
AA1511	WALDEN DR	WALDEN ESTATES	CR913	END(SUZANNE LN)	0.559	51	3	(1) 24" culv (2) 14" culvs (1) 30" culv					

**Attachment A  
6/01/2022**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA2137	WEST LAKE RD	EASDON ADDITION	CLEBURNE CITY LIMIT SE OF US 67	END	0.330	51	4+	US 67-END: (1) 24" X 40' CULV (2) 24" X 40' CULVS (1) 24" X 40' CULV (2) 24" X 40' CULVS	3 3 3 3				
NEW RD ADDED 11/8/21	WEST TRAIL LN	WEST LAKE ESTATES	CR1224	END	0.320	51	5	(1) 15" X 20' CULV (11/21)	5				
AA0155	WESTOVER HILLS DR	WESTOVER HILLS	FM 916 (WEST)	END	0.508	51	4	(3) 36" X 60' CULVS					
AA1309	WILD OAKS AVE	PARADISE PARK	BENJAMIN BLVD	MOUNTAIN VIEW	0.152	51	3	(1) 32" X 34' CONCRETE (3) 24" X 35' CONCRETE					
AA0012	WINDING WAY	CANYON RIDGE ADDITION	WINDRIDGE	BEGINNING OF ADDRESS 8904, APPRX 150 FT	0.036	51	4	(1) 18" CONCRETE					
AA0009	WINDRIDGE DR	CANYON RIDGE ADDITION	BREEZEWAY	CR1005	0.365	51	4	(1) 27" CONCRETE					
					272.319								

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA2155	310		1205	SH 171	1.600	51	3	SH 171-1205: (1) 18" X 25' CULV (2) 4' X 23' CULV (1) 24" X 30' CULV (1) 42" X 40' CULV (15)	3 3 3 5				
AA0310	902		1010	MARTIN CREEK DR	0.450	51	3		4	AA0156-001	MARTIN BRANCH	7/6	
AA1628	903		1022	CLEBURNE CITY LIMITS	1.286	51	2	(1) 30" x 30' CULV (1) 36" x 20' CULV (2) 36" X 24' CULVS					
AA0902	904		JORDAN CT	1010	1.880	51	3	(2) 36"X35'- Ext/bands (08) (1) 48"X26" CULV (4/20)	3- 5				
AA0903	905		1010	1017	1.669	51	5	0					
AA0904	906		1006	1009	0.671	51	5	1009-1006: (4) 48" X 35' ARCH (6/21) (1) 24" X 30' CULV	5 3				
AA0905 (2)	907		GODLEY CITY LIMIT	1006	1.000	51	5	(3) 24" X 20' CULVS (1) 24" X 24' CULV	4 4				
AA0906	911		FM917	CR912	2.353	51	3	(1) 20" CULV (1) 20" CULV (1) 48" CULV					
AA0907	912		CR1008	CR913	3.030	51	3	(2) 36" CULV (2) 36" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV W/HEADWALL					
AA0911	913		913A	CR916	7.700	51	3+	(1) 36" CULV (1) 24" CULV 1008-1006: (1) 5"x30' CULV (2) 18"x30' CULVS ('20) FM2331-1002: (1) 42"x36' CULV 1002-1001: (2) 36"X40' CULV (1) 18"X30' CULV	3 5 3 2 3 3				

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA0912	1000		SH171	CR916	0.660	51	4	FROM 916 TO SH171: (1) 30" CULV (1) 60" CULV					
AA0913	1000		SH171	CRESSON CITY LIMIT	0.480	32	4	(1) 24" CULV (2) 48" W/HEADWALL					
AA1102	1001		913	SH 171/GODLEY CITY LIMIT	0.774	51	5	0					
AA1000	1002		CR913	CR916	1.700	51	3	(1) 24" CULV (1) 24" CULV (1) 24" CULV (1) 20" CULV					
AA1000	1005		CR913	CR915	1.200	51	4	(1) 20" CULV (1) 18" CULV					
AA1001	1006		913	SH 171	3.798	51	4	(1) 24" X 24' CULV (1) 24" X 24' CULV, EXT (08)	3				
AA1002	1008		FM 917	913	1.728	51	4	(3) 30"X40"X36' ARCH (2) 24"X36' CULV (1) 24"X24' CULV	3 3 3				
AA1675	1009		FM 917	1011	1.150	51	3+	1010-SH 171: (1) 24" X 30' CULV (1) 18" X 30' CULV(19)	3 5				
AA1005	1010		SH 171	FM 917	3.431	51	2	904-SH 171: (1) 36" X 24' CULV	3	AA0157-001	MARTIN BRANCH	7/7	

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1006	1011		1010	CLEBURNE CITY LIMIT	0.450	51	3	(1) 5' X 20' CONCRETE BOX					
AA1008	1012		FM917	CR912	0.480			(1) 24" CULV (1) 24" CULV					
AA1009	1017		FM 917	902	3.167	51	3	(1) 24" X 30' ARCH (5/21) (1) 36" x 30' CULV (1) 36"X32' CULV (08) (2) 30" x 25' CULV	5 3 3 3				
AA1010 AA9062	1022		904	(901/VAUGHN) CLEBURNE CITY LIMITS	1.400	51	3	(1) 36" x 30' CULV (5/23) (1) 36"X32' CULV (08)	5 4				
AA1533	1100		SH 171	1200	1.451	51	4	(2) 36" X 22' CULV (1) 15" X 20' CONCRETE	4 4				
AA1011	1101		SH 171	DEAD END	0.249	51	2	(1) 18" X 20' CONCRETE (1) 36X35' ARCH (11)	4 3-				
AA1012	1102		KENNARD AVE	HILL COUNTY LINE	5.526	51	4	(3) 8' X 12' X 32' BOX (1) 18" X 46' CULV	3- 3	001	TRIB OF MUSTANG	7/7	
AA1013 AA1017 AA1535	1103		SH 171	DEAD END	0.781	51	3	SH 171-END: (1) 15" X 26' CULV (2) 18" X 24' CONCRETE	3- 4				
AA1539	1104		1205	1204	0.730	51	3	1204-1205: (1) 18" X 46' CULV (2) 36" X 36' CULV (10)	3 3				
AA2512	1105		1206	SH 174	2.293	51	5	SH 174-1206: (2) 24" X 29' CONCRETE (3) 24" X 42' CULVS	4 4 4				
AA1100	1106		1224A	RIO VISTA CITY LIMIT	4.283	51	3-	(1) 5' X 21' CULV (1) 36" X 25' CULV 1223-1222: (1) 18" X 30' CULV (14) (1) 18" X 24' CONCRETE (1) 18" X 24' CULV (14) (4) 48"X40' -(4) 42"X38' LINERS-	3 5 4 5 5	AA11-06- 001	NOLAN RIVER	6+	

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1616	1107		1205	RIO VISTA CITY LIMIT (E. SIDE OF ADDR 969)	0.550	51	3-	(4) 36"X8" CULV - EXT (08) (2) 24"x25' CULV, Band (16)	4 5				
AA1258	1108		FM 1434	FM 916	4.567	51	4	(1) 24" X 30' CULV (1) 24" X 32' CULV	3 3				
AA1613 AA1614	1109		1209	DEAD END	1.883	32	3	1220-1109: (1) 24" X 24' CULV (3) 36"X47' CULVS LWC ('00) (1) 18X24' CULV (1) 36X24' CULV @ 1109 (11)	3 3 3 5				
AA1103	1110		1224A	1219	2.731	51	4	(1) 20'X20' LWC (1) 20'X20' LWC (1) 18"x20', (1) 18"x30' (17)	2 3 3				
AA2154	1112		1218	FM 1434	1.430	51	3-	(1) 18" X 24' CULV 1219-1218:	5				
AA2153	1115		1224	1225	1.003	51	3	1225-1224: (1) 18" X 32' CULV (1) 18" X 26' CULV	3				
AA1256	1116		CLEBURNE CITY LIMIT SOUTH OF US 67	1225	1.165	51	4	US67-1225: (3) 24"X30' LWC SUPERDIP (00)		@ROBINS ON CRK, US67			
AA2144	1117		FM 1434	1108	6.722	51	4	(1) 18" X 32' CULV					
AA1617	1118		FM 200	BOSQUE COUNTY LINE	0.963	51	4	FM 200-BRAZOS POINT BRIDGE: (1) 6' X 35' CULV (2) 6' X 35' CULVS (04)	3 4	AA0334-001	BRAZOS RIVER	7/7	
AA1257	1119		US 67	SOMERVELL COUNTY LINE	1.482	51	4	US 67-1234: (1) 36" X 32' CULV 1234-407/SMRV C.L.:	4				



**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1105	1121		1227	1226	4.257	51	3	(1) 4' X 18' BOX LWC (1) 4' X 8' X 26' BOX CULV (1) 4' X 4' X 26' BOX (1) 5' X 5' X 26' BOX	3 3 3 3	AA329-001  AA329-002	ROBINSON	6  7/6	
AA1106	1122		1121	1126	1.215	32	3	1121-1126: (1) 18" X 17' CULV (1) 15" X 24' CULV (1) 36" X 24' CULV (1) 18" X 24' CULV	3 3 3 3				
AA1624	1123		CLEBURNE CITY LIMIT NORTH OF US 67	FM 2331	4.937	51	4	FM 2331-WOODARD: (1) 36" X 27' CONCRETE (2) 36" X 25'-(1) CONCR, (1) STL	3 3	AA1123-001	TOWN CREEK	7/6	
AA1620	1124		FM 2331	CLEBURNE CITY LIMIT SW OF FM 4	3.105	51	4	FM2331-FM 4: (1) 24X36 CONCR LWC (02) (1) 36" X 58' CULV (1) 24" X 28' CULV (1) 24" X 22' CULV (1) 18" X 30' CULV (12) (1) 18" X 24' CULV (13) (1) 24"X40' CULV (17) (1) 18"X40' CULV (17)	4 5 5 5 5 5 5 5	AA1124-001	WEST FORK OF NOLAN RIVER	7	
AA1621	1125		CLEBURNE CITY LIMIT AT CR1216	CLEBURNE CITY LIMIT NW OF FM 4	2.093	51	3	FM 4-1217: (1) 18" X 20' CULV (1) 18" X 20' CULV (1) 18" X 30' CULV (1) 36" X 24' CULV FROM 1217-SH 171: (2) 60" X 36' CULVS (1) 36" X 20' CULV	3 3 3 3 5 3				

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1618	1126		SH 171	DELBORNE CRT. LIMIT SOUTH OF SH 171 (WEST)	3.018	51	5	(1) 18"X30' CULV (12)	5	AA0319-001	WOLF RIVER	7/6	
AA1108	1127		1230	1232	2.277	51	5	1232-FM 2331: (1) 18" X 24' CULV (3) 3' X 6' CONCRETE BX (18) FM 2331-1230: (1) 86" X 24' CULV (1) 24" X 20' CULV (1) 18" X 30' CULV	4 5 3 3 3				
AA1109	1128		GODLEY C. LIMITS NEAR SH171	CR1233	1.220	51	3	(1) 36" CULV (1) 36" CULV (1) 24" CULV (4) 54" W/HEADWALL (1) 18" CULV					
AA1594	1129		SH171	CR1233	1.157	51	2	(2) 60" CULV					
AA1595	1131		FM 4	HOOD COUNTY LINE	2.362	51	5	(1) 36" X 30' CULV (2) 36" X 30' CULVS (1) 36" X 30' CULV (1) 36" X 30' CULV	3 3 3 3				
AA2141	1200		SH 171	1100A	4.678	51	3	(1) 4' X 30' CULV FM 916-1104C: (1) 36" X 21' CULV (2) 4' X 20' CULVS (1) 36" X 20' CULV (1) 36" X 30' CULV (1) 18"X25' CULV (08) FM 916-1107A: (1) 36" X 24' CULV 1107A-SH 171: (1) 24" X 26' CULV (1) 36" X 30' CULV (03)	3 3 3 3 3 5 3 3 3 4	AA016-150 001	MUSTANG CREEK	6	
AA2140	1202		SH 171	1102	4.391	51	3	(1) 36" X 30' CULV (03)	4	AA0488-001	MUSTANG CREEK	8/6	

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA2142	1203		1102	1100A	0.896	51	3	1102-1100A: (1) 18" X 24' CULV (1) 18" X 30' CULV	3 3				
AA1110	1204		FM 916	HILL COUNTY LINE	2.318	51	3	1100A-1102: (1) 48" X 30' CULV (1) 30" X 30' CULV (1) 30" X 30' CULV 1102-FM 916: (1) 15" X 24' CONCRETE (1) 24" X 30' CULV (16)	3 3 3 3 5				
AA1625	1205		SH 174	HILL COUNTY LINE	6.860	51	3	1102-FM 916: (1) 6' X 32' CULV (1) 36" X 32' CULV FM 916-1107:	3 3	AA0481-002	BRANCH OF MUSTANG CREEK	8/6	
AA1112	1206		CAPPS ST. RIO VISTA	1102	0.930	51	3+	1105-1102: (1) 5' X 30' CULV (1) 60" X 30' ARCH CULV (18) (1) 24" X 28' CULV	5 5 3	AA0483-001	MUSTANG CREEK	6/6	
AA1115	1208		FM 916	HILL COUNTY LINE	2.334	51	1106- C.L.=3 916- 1106=4	HILL C.L.-1106: (1) 5' X 20' CULV (4) 54" X 40' CULVS (12) (2) 4' X 24' CULVS (1) 24" X 32' CULV (1) 36" X 54' CULV (1) 4' X 34' CULV	3 5 3 3 3 3	AA0363-001- TO BE REPLACED	PILOT BRANCH	6/6	
AA1116 AA2139 ("y" -1116)	1209		FM 916	1109A	1.653	51	3	(1) 24" X 43' CULV (1) 18" X 40' CULV (3) 36" X 40' CULV 1109-1109A:	3 3 3	AA1209-001	HALEY BRANCH	7/6	

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1117 (2)	1210		1111	DEAD END/LAKE	0.802	51	3	1111-END: (1) 24" X 34' CULV (1) 8' X 30' CULV	3 3				
AA1561	1217		CLEBURNE CITY LIMIT, SOUTH OF SH 171	CLEBURNE CITY LIMIT, NORTH OF US 67	2.912	51	4	SH 171-1125: (1) 24" X 24' CULV (2) 36" X 24' CULVS (1) 36" X 24' CULV 1125-1125B:	4 4 4				
AA1560	1218		1112	HAGLER	0.787	51	3	(1) 24" X 46' CULV (1) 36" X 19' CULV (2) 5' X 25' CULVS	3 3 3				
AA1118	1219		1112	1109A	2.743	51	4	(2) 24" X 40' CULVS ASCOT-S. NOLAN RIVER RD: (1) 24" X 30' CULV	3 3				
AA1119	1220		FM 916	1109	0.670	32	3	FM 916-1109: (1) 5' X 24' CULV 1109-END: (1) 24" X 20' CULV (1) 36" X 17' CULV (1) 18" X 20' CONCRETE (1) 18" X 20' CONCRETE	3 3 3 3 3				

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1120	1221		FM 916	1106	0.610	51	5	FM 916-1106: (1) 18" X 28' CULV (1) 32" X 40' CULV	3 3				TO 1120A-(1) CATTLE GUARD 7' X 24', (1) CATTLE GUARD 7' X 16', (1) CATTLE GUARD 8' X 20', (1) CATTLE GUARD 7' X 20', (1) CATTLE GUARD 7' X 14', (1) CATTLE GUARD 7'X32'
AA1579	1222		1106	HILL COUNTY LINE	1.111	51	3	(1) 4' X 32' CULV	3	AA0358-001	PILOT BRANCH	7/6	FR HOOD COUNTY TO 1120-(1) CATTLE GUARD 7' X 20' // FR 1120 TO DEAD END-(1) CATTLE GUARD 7' X 14'
AA1121	1223		FM 916	1106	0.769	51	5	FM 916-1106: (2) 4' X 30' CULVS (1) 36" X 24' W/20' EXT ('19) (2) 36" X 24' CULV (2) 24" X 30' CULV	3 5 3 3				
AA1122	1224		US 67	1110	6.375	51	1434- P21=5 1110- 1434=2	(1) 36" X 28' CULV (3) 36" X 28' CULVS (1) 24" X 28' CULVS (2) 24" X 28' CULVS PARK RD 21-1115:	3 4 3 3				
AA1123	1225		FM 1434	PARK ROAD 21	2.015	51	4	FM 1434-1115: (1) 2' X 6' X 26' CONCR BOX (1) 18" X 32' CULV (1) 18" X 30' CULV (1) 24" X 30' CULV (1) 30" X 28' CULV 1115-1116: (1) 24" X 26' CULV (2) 60"X30' CULV LWC (17)	3 3 3 3 3 3 5				

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1124	1226		FM 2331	PARK ROAD 21	5.587	51	5	1) 24" X 30' CULV (1) 24" X 30' CULV (1) 24" X 30' CULV (1)24" X 30' CULV (4) 5' X 28' CULVS (3) 4' X 28' CULVS US 67-FM 2331: (2) 4'X26' & (2) 36"X26' DOUBLES (1) 36" X 28' CULV (2) 36" X 27' CULVS	3 3 3 3 3 3 3 3				
AA1125	1227		CLEBURNE CITY LIMIT S OF FM4	CLEBURNE CITY LIMIT N OF 1121	2.462	51	3	FM4 -1121: (1) 5' X 30' CULV (1) 4' X 30' CULV (1) 36" X 30' CULV (1) 15'X88' W/(1) 4'X11' BOX & (1) 16"X20' CULV LWC (1) 24" X 30' CULV	4 4 4 4 4	AA12-27-001	WEST FORK OF NOLAN RIVER	7/6	
AA1126	1228		CLEBURNE CITY LIMIT, NORTH OF FM 4	1126	3.045	51	3	1126-1126A: (1) 60" X 30' CULV (1) 24" X 24' CULV 1126A-FM 4: (1) 18" X 20' CULV (1) 18" X 24' CULV (1) 18" X 24' CULV (1) 24' X 24' CULV (1) 30" X 25' CULV	4 3 3 3 3 3 3				
AA1573	1229		CLEBURNE CITY LIMIT, NORTH OF FM 4	1230	4.236	51	3+	(2) 36" X 24' CULVS (1) 24" X 24' CULV (1) 30" X 25' CULV	3 3 3				
AA1574	1230		FM 2331	FM 4	3.756	51	5	(1) 60" X 24' CULV (1) 24" X 24' CULV (1) 24" X 24' CULV (1) 24" X 24' CULV 1127-FM 4: (1) 24" X 24' CULV	3 3 3 3 4				
AA1127 AA1252	1231		FM 2331	FM 2331	0.809	51	4	(1) 36" X 30' CULV (16)	5				
AA1128	1232		1128	FM 4	3.148	51	5	(1) 18" X 30' CULV (2) 48" X 26' CULVS (1) 24" X 24' CULV (1) 48" X 24' CULV (1) 72" X 28' CULV 1127-FM 4: (1) 24" X 30' CULV	3 3 3 3 3 3				

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1129	1233		SH171	HOOD CO. LINE	5.119	51	4	(2) 24" CULVS (1) 24" CULV (1) 20" CULV		AA1233-001		7/8	
AA1131	1234		1119 AT US 67	SOMERVELL COUNTY LINE	3.477	51 = 2.009 32 = 1.469	4	1234 & 406/SOMERVL C.L.-1119: (1) 24" X 32' CULV (1) 24' X 30' CULV (2) 36" X 40' CULVS (1) 18" X 26' CULV (2) 36" X 32' CULVS (1) 20'X30' LWC (1) 24' X 36' CULV (1) 24' X 30' CULV	3 3 3 3 3 3 3 3				
AA1200 AA1619	1235		FM 200	1236	1.027	51	5	FM 200-1236: (1) 24" X 42' CULV (1) 24' X 30' CULV (1) 18" X 48' CULV (00)	3 3 3				
AA1202	1236		FM 200	FM 1434	2.319	51	3-	FM 200-1235A: (1) 18" X 30' CULV (2) 18" X 36' CULVS (1) 18" X 24' CULV (1) 18'X30' LWC 1235A & 1236-1235: (2) 36" X 30' CULVS 1235 & 1236-FM 1434: (1) 18" X 36' CULV	3 3 3 3 3 3 3				
AA1203	1237		FM 1434	1118	2.654	51	3	(3) 5' X 30' CULV (1) 36" X 38' CULV (2) 10' X 30' CULV (1) 24" X 36' CULV	3 3 3 3				

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1204	1237		FM 200	SOMERVELL COUNTY LINE	0.657	51 = 0.047 32 = 0.61	4	(1) 18" X 15' CULV (1) 15'X30' LWC	3 3-				
AA1205	1238		FM 1434	DEAD END	1.711	51 = 1.118 32 = 0.593	3-	(4) 4' X 25' CULVS	3				
AA1206	1239		FM 1434	DEAD END	0.884	51	3-	(1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 26' CULV	4 4 4 4				
AA1208	1240		1117 NORTH END	1117 SOUTH END	1.860	51	4	1117 & 1240-1240A: (1)24" X 24' CULV (1) 24" X 28' CULV (1)36" X 28' CULV 1117B & 1240- 1117: (1) 36" X 29' CULV (1) 24" X 30' CULV (1) 24" X 32' CULV	4 4 4 4 4 4				



**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1209	1241		1117	DEAD END	0.584	51	3	(1) 18" X 30' CULV	3				
AA1210	1242		1108	1117	1.061	51	4	1242 & 1108-1117A: (1) 24" X 36' CULV (4) 4' X 20' CULVS LWC 1117A & 1242-1117:	4 4				
AA1217	1243		FM 1434	1117	0.586	51	4	1243 & 1117-FM 1434: (2) 24" X 30' CULVS (1) 24" X 30' CULV	4 4				
AA1218	1250		FM 1434	DEAD END	0.800	51	5	(2) 24" X 22' CULVS (1) 24" X 30' CULV (15) (1) 18" X 22' CULV (1) 18" X 22' CULV	2 5 2 3				
AA1306	KENNARD AVE	PARKER COMMUNITY	SH 171	CR1102	0.260	51	4						
AA1219	1003A		GODLEY CITY LIMIT N OF FM 917	DEAD END	0.486	51	5	0					
AA1220	1010A		1010	CLEBURNE CITY LIMIT	0.890	51	4	(1) 18" X 24' CULV (1) 18" X 30' CULV	2 2				FROM 510 TO 1109-(2) CATTLE GUARDS 6' X 15', (1) CATTLE GUARD 6' X 15' Reset 5/18 @ 1109
AA1221	1024Z		CLEBURNE CITY LIMIT	END (NORTH FROM DON LEE RD)	0.056	51	4	0					
AA1222 (2)	1100A		1204	HILL COUNTY LINE	1.257	51	4	HILL CO.-1203: (1) 36" X 30' CULV 1203-1204: (1) 18" X 21' CONCRETE (1) 24" X 24' CONCRETE	3 3 3				

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1223	1103A		FM 916	DEAD END	0.383	51	3	FM 916-END: (1) 24" X 18" CULV	3				
AA1224 AA1255	1103B		1103	1102	0.370	51	3	1102-1103: (1) 18" X 26' CULV (1) 24" X 28' CULV	3 3				
AA1581	1104A		E 3rd St	DEAD END	0.236	51	3	0					
AA1225	1104B		1200 SOUTH OF FM 916	DEAD END	0.347	51	2	AT 1200 INTERSECTION: (1) 18" X 26 & 18" X 10' W/BAND CULV (8/21)	4+				

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1226	1104C		1202	DEAD END	0.472	51	2+	(3) 36" X 28' CULVS, 1) 24" X 30' CULV	3 3				
AA1580	1107A		1205	SH 171	2.737	51	3	(2) 24" X 20' W/BAND (15)	5				
AA1227	1107B		1205	1107A	1.281	51	3-	(1) 24" X 24' CULV (1) 18" X 30' CULV (1) 30' X 18' LWC (1) 5' X 24' CULV (1) 36" X 19' CULV (1) 24" X 21' CONCRETE (2) 36" X 28' CULV	3 3 3 3 3 3 3				
AA1228	1107C		1107A	1200	0.122	51	3	0					
AA1229	1109A		SH 174	1219	2.641	51	3-	SH 174-1209: (1) 36" X 44' CULV (1) 18" X 32' CULV (1) 24" X 44' CULV (2) 24" X 36' CULVS (1) 4' X 10' BOX (1) 60' X 45' TANKER CULV (14/15)	3 3 3 3 5 5	AA11-09- 001 (2011)	NOLAN RIVER	7/6	

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1575	1109B		RIO VISTA CITY LIMIT SOUTH OF CR1109-A	FM 916	1.552	51	3	FM 916-1109A: (1) 18" X 26' CULV	3				
AA1230 (2)	1109C		1109B	SH 174	0.178	51	4	(1) 18" X 24' CONCRETE	4				
AA1231	1109D		1109A	SH 174	0.125	51	3	(1) 18" X 28' CONCRETE	4				
AA1251	1109E		1109C	DEAD END	0.173	51	4	(1) 12" X 25' CONCRETE	4				
AA1232	1110A		SH 174	1205	0.719	51	5	174-1205: (1) 24" x 32' CULV (3) 4'x28' LWC	4 3+				
AA1233	1117A		1242	1117	0.454	51	4	1242 & 1117A-1117: (1) 24" X 28' CULV (1) 18" X 28' CULV (1) 36" X 38' CULV	4 4 4				
AA1570	1117B		1240	1117	0.315	51	3	1117 & 1117B-1240: (1) 36" X 28' CULV (1) 24" X 36' CULV	3 3				

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1234 (2)	1120 (GCR)		US 67	HOOD COUNTY LINE	3.606	51	3	(1) 42" X 30' CULV (1) 4' X 30' CULV (3) 48"x35' CULV LWC (16) (2) 36" X 32' CULVS (2) 36" X 32' CULVS (2) 36" X 32' CULVS (2) 24" X 32' CULVS (1) 24" X 32' CULV (1) 18" X 32' CULV (1) 18" X 32' CULV	4 4 5 4 4 4 4 4 4				(1) CATTLE GUARD, (1) CATTLE GUARD 8' X 14', (1) CATTLE GUARD 8' X 15', (1) CATTLE GUARD 8' X 13', (1) CATTLE GUARD 6' X 16'
AA0111	1120A (GCR)		1120	DEAD END	1.568	32	3	HOOD C.L.-1120: (1) 18" X 32' CULV	3				
AA1235	1126A		1229	1228	0.481	51	4+	1229-1228: (1) 30" X 40' CULV (1) 18" X 40' CULV	3 3				
AA1585	1126B		1126	1229	1.781	51	4	(1) 30" X 25' CULV (1) 24" X 24' CULV (1) 36" X 24' CULV	4 4 4				
AA1589	1218A		FM 1434	HAGLER	0.277	51	3	(2) 60' X 42' CULVS (13)	0				
AA1236	1224A		FM 1434	HILL COUNTY LINE	5.885	51	NORTH = 3+ SOUTH = 3+	1106-FM 916: (1) 6' X 32' CULV (1) 18" X 26' CONCRETE (1) 36" X 30' CULV (1) 18" X 28' CONCRETE FM 916-1110: (1) 24" X 30' CULV ('19) (1) 24" X 26' CULV	4 4 4 4 5 3				
AA1237	1226A		US 67	DEAD END	0.506	51	5	(1) 18"x36' CULV (08)	3				
AA1586 (2)	1229A		1229	FM 2331	0.171	51	5	(1) 24" x 30' CULV					
AA1238 (2)	1231A		FM 2331	1127	0.246	51	3-	(1) 15"x36' CULV (19)	5				(1) CATTLE GUARD
AA1239	1233A		1233	FM 4	1.200	51	5	1233-FM 4: (1) 24" X 30' CULV (1) 18" X 30' CULV (1) 20"x40' LWC (1) 36" X 30' CULV	4 4 4 4				

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1240	1234A		1234	DEAD END	0.267	32	3	0					
AA1591	1235A		1236	FM 1434	0.376	51	3	1236-FM 1434: (1) 18" X 26' CULV (00) (1) 18" X 67' CULV (00)	3 3				
AA1241	1235B		FM 1434	DEAD END	0.232	51	3	(1) 18" X 26' CULV	3				
AA1242	1240A		1240	DEAD END	0.333	32	3	1240A & 1240: (1) 24" X 40' CONCRETE (1) 18" X 24' CONCRETE	3 3				
AA1243	305A		SH 171	CEMETERY (FAULKENBERRY)	0.350	51	3	0					
AA1250	310A		1205	SH 171	2.200	51	3	(1) 24"X36' CULV ('19) (1) 24" X 36' CULV (1) 18" X 21' CULV (1) 24" X 30' CULV (1) 15" X 24' CULV	5 3 3 3 3				
AA6058	913B		CR913	CR913A	0.510	51	3	(1) 14" CULV (1) 14" CULV					
AA2130	ALSTON CT	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.207	51	4	(1) 15" x 50' CULV					
AA2131	AMOS NORTH	ABS ESTATES	902	ANDY NORTH	0.326	51	3	(1) 18" x 40' CULV					
RD ADDED 11/14/22	ANDY NORTH	ABS ESTATES	902	AMOS NORTH	0.429	51	3	(2) 18" x 40' CULVS					
AA1608	<b>ANISTON WAY</b>	CHISHOLM TRAIL ESTATES	TUCKER DR	BROGAN CT	0.14	51	4						
AA2158	APACHE TRL	FISHERMAN'S PARADISE	INDIAN TRAIL	DEAD END	0.171	51	3	0					
AA6063	APPLE CT	GORDON'S EDEN	310A	DEAD END	0.403	51	3-	(3) 30" x 40' CULVS					
AA1583	ARCHIE CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.108	51	4	0					

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA5950	ASCOT DR	NOLAN RIVER ESTATES	1219	NOLAN RIVER ROAD S.	0.754	51	3	(1) 18" X 34' CULV (1) 24" X 55' CULV (1) 18" X 48' & (1) 24" X 48' DOUBLE (1) 18" X 60' & (1) 24" X 60'	3 3 3 3				
AA1321	BAKER ST	PARKER COMMUNITY	1101	OLA	0.251	51	2+	1101-OLA: (1) 18" X 28' CONCRETE (1) 18" X 28' CONCRETE (1) 18" X 22' CONCRETE (1) 18" X 20' CULV	3 3 3 3				
AA6060	BENJAMIN BLVD	PARADISE PARK	1017	WILD OAKS BLVD.	0.268	51	3	AT MOUNTAIN VIEW: (2) 36" X 35' CULV [12/22]	5				
AA6056	BERRY PATCH LN	STRAWBERRY RIDGE	SHORTCAKE LN	STRAWBERRY RIDGE LN	0.320	51	3	(1) 24" x 40'	2				
AA2129	BERRY RIDGE LN	BLACKBERRY SPRINGS	CHINABERRY LN	COBBLER LN	0.320	51	1	0					
AA1577	BERRY SPRINGS CT	BLACKBERRY SPRINGS	BLACK SPRINGS LN	END	0.140	51	3	(1) 24" x 40'	4				
AA0008	BIRD SONG CT	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.248	51	4	0					
RD ADDED 11/14/22	BLACK FOREST TRL	CHERRY RIDGE	1010	DEAD END	0.516	51	3	(2) 28" X 50' CULVS (4) 28" X 50' CULVS	1 REPAIR LWC				
RD ADDED 11/14/22	BLACK SPRINGS LN	BLACKBERRY SPRINGS	WILD BERRY TRL	W FM 917	1.010	51	3	(2) 48" x 50' (1) 18" x 40' (2) 36" x 40'	4 4 4				
AA1722	BLACKBURN DR	ABS ESTATES	902	SUNSET MOBILE HOME	0.276	51	3-	0					
AA1541	BLUEBERRY CT	BLACKBERRY SPRINGS	BLACK SPRINGS LN	END	0.080	51	3	(1) 24" x 42'	4				
AA0007	BONO RD	BONO COMMUNITY	1122	FM 2331	0.493	51	2	(1) 18" X 30' CULV (14)	5				
AA1715	BREEZEWAY DR	CANYON RIDGE ADDITION	WINDRIDGE DR	CANYON RIDGE DR	0.118	51	4	(1) 21" CONCRETE					
AA1259	BRICELYN CT	CHISHOLM TRAIL ESTATES	ANISTON WAY	END	0.110	51	4						
AA1610	BROGAN CT	CHISHOLM TRAIL ESTATES	ANISTON WAY	END	0.030	51	4						
AA1301	BROOKCREST ST.	RUSTIC MEADOWS	CR 1005	CREEKSIDE LN	0.630	51	4	(1) 26" X 46" @ CREEKSIDE 18" X 42" @ CR 1005 24" x 34'	(1) 4 (1) 4 4				
AA2160	BRUSHY NOB DR	BRUSHY NOB ADDITION	TIMBER TOP TRAIL	S. OF SOUTHERN OAKS	0.252	51	3	0					
AA6062	BRYANT PLACE	BRUSHY NOB ADDITION	1022	THOUSAND OAKS DRIVE	0.212	51	3	0					
AA6057	CANYON RIDGE DR	CANYON RIDGE ADDITION	CR915	GRASSLAND RD	0.178	51	4	AT CR915: (3) 21" CONCRETE					
AA1604	CARDINAL DR	X-CELL ESTATES	RAVEN RD	END	0.173	51	3	ON WEST END: (1) 24" CULV					
AA1576	CHEROKEE CT	FISHERMAN'S PARADISE	CHEROKEE TRAIL	DEAD END	0.056	51	3	0					

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1534	CHEROKEE TRL	FISHERMAN'S PARADISE	INDIAN TRAIL	INDIAN TRAIL	0.425	51	3	(1) 5" x 25' CULV (1) 24"x25' CULV	5				
AA1677	CHERRY CT E	GORDON'S EDEN	PEACH LANE	DEAD END	0.126	51	4	(1) 36"x36' ARCH (16)	5				
AA2235	CHERRY CT W	GORDON'S EDEN	PEACH LANE	DEAD END	0.096	51	3	(1) 36" X 30' CULV					
AA1024	CHERRY RIDGE CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.230	51	4	(1) 12" X 30' CULV					
AA1314 (2)	CHERRY RIDGE LN	CHERRY RIDGE	1010	DEAD END	0.499	51	4	FROM 1010: (2) 28" X 40' CULVS					
AA1312	CHINABERRY LN	BLACKBERRY SPRINGS	COBBLER LN	BERRY RIDGE LN	0.510	51	2	(6) 36" x 62' (6) 18" x 40'	4 4				
AA1713	CIMMARON TRL	FISHERMAN'S PARADISE	OLD WAGON TRAIL	INDIAN TRAIL	0.157	51	3	0					
AA2234	COBBLER LN	BLACKBERRY SPRINGS	CR 911	CR 912	0.950	51	2	(5) 36" x 62' (4) 36" x 48' @ CR 911 (1) 60' CULV COLLAPSED	4 4 1				
AA0532	COKE RD	BONO COMMUNITY	BONO ROAD	WOODARD	0.133	51	3	(1) 18" X 24' CULV	3				
AA2233	COMANCHE DR	COMANCHE HILLS	CR1008	DEAD END	0.883	51	5	(1) 16"x40'	3				
AA2150	CORRAL RD	HILLTOP RANCH ESTATES	FM 917	HORSE SHOE ROAD	0.245	51	2	0					
AA0011	CREEKSIDE LN	RUSTIC MEADOWS	BROOKCREST ST	RUSTIC EDGE ST	0.180	51	4	0					
AA2152	DAVIS CT	NOT SUBDIVISION	CR 1206	DEAD END	0.819	51	3	1206-END: (3) 15" X 32' CULVS (1) 18" X 35' CULV (1) 18"x30' CULV (18) (1) 30" X 36' CULV	3- 3- 5 3-				
AA2143	DEWBERRY LN	BLACKBERRY SPRINGS	CHINABERRY LN	COBBLER LN	0.310	51	2	(6) 36" x 62'	4				
AA1587	DON LEE RD	NOT SUBDIVISION	CR1022 TO CLEBURNE CITY LIMIT, EAST OF CTP	CLEBURNE CITY LIMIT, WEST OF CTP TO END	0.400	51	5	1022-1024Z: (1) 15"x70' CULV (15)	5				
AA1605	DUSTY TRL	FISHERMAN'S PARADISE	SHINING STAR TR.	DEAD END	0.425	51 = 0.355 32 = 0.070	4	SHINING STAR TRL-END: (1) 12"x12' (1) 12"x20' CULVS W/BAND (11)	3 5				
AA0010	EAGLES NEST CT	FISHERMAN'S PARADISE	SHINING STAR TR.	DEAD END	0.061	32	4	0					
AA1678	ELDERBERRY CT	BLACKBERRY SPRINGS	ELDERBERRY LN	END	0.140	51	3	0					



**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1603	ELDERBERRY LN	BLACKBERRY SPRINGS	BLACK SPRINGS LN	WILD BERRY TRL	0.380	51	2	(2) 24" x 40" (1) 24" x 40" (1) 24" x 40' @ BLACK SPRINGS LN	4 2 2				
AA1706	FALCON DR	X-CELL ESTATES	RAVEN RD	END	0.508	51	3	(2) 54" CULV ('15) TO END: (2) 20" CULVS					
AA1710	FOX CT	FOX RUN ADDITION	FOX RUN ROAD	DEAD END	0.334	51	3	0					
AA1705	FOX RUN RD	FOX RUN ADDITION	SH 174	DEAD END	0.641	51	3	0					
AA1709	FOX ST	NOT SUBDIVISION	FOX RUN ROAD	DEAD END	0.293	51	3	0					
AA1538	GOLD CUP DR	NOLAN RIVER ESTATES	NOLAN RIVER ROAD S.	ST LEGER DRIVE	0.370	51	2	(1) 18" X 48' CULV (3) 36" X 40' CULVS	3 3				
AA1711	GRASSLAND RD	CANYON RIDGE ADDITION	AT CANYON RIDGE DR INTERSECTION	EAST - 0.02, WEST - 0.06 MILE	0.080	51	4	(1) 21" CONCRETE					
PART OF AA1614	HIGHLAND RD	HIGHLAND ESTATES	SH 174	DEAD END	0.564	51	3-	0					
AA1592	HILL CT	NOT SUBDIVISION	OFF 1107	DEAD END	0.497	51	3	0					
AA1601	HILLTOP DR - HOH	HILLS OF HOMES	PARK ROAD 21	DEAD END	3.005	51	4+	PARK RD 21-VALLEY VIEW DR. (1) 16" X 26' CULV (1) 18" X 30' CULV	4 4				
AA1588	HILLTOP ST - FISH P	FISHERMAN'S PARADISE	VILLAGE DR	VALLEY VIEW DRIVE	0.102	51	3	VILLAGE DR-VALLEY VIEW DR: (2) 15"x20' W/BAND (12)	5				
AA2136	HILLVIEW DR	CANYON RIDGE ADDITION	WINDRIDGE	BEGINNING OF ADDRESS 7901, APPRX 300 FT	0.120	51	4	(1) 27" CONCRETE					
AA1680	HORSE SHOE RD	HILLTOP RANCH ESTATES	LARIAT LANE	DEAD END	0.238	51	3	LARIAT LN-END: (1) 18" X 30' CULV (1) 18" X 24' CULV	4 4				
AA1606	HUCKLEBERRY LN	BLACKBERRY SPRINGS	CHINABERRY LN	COBBLER LN	0.320	32	1	(1) 30" x 25' CONCRETE	4				
AA0013	INDIAN TRL	FISHERMAN'S PARADISE	CHEROKEE TRAIL	DEAD END	0.501	51	3	0					
AA6054	JAMES ST	WALDEN ESTATES	WALDEN DR	END	0.130	51	3	(1) 14" CULV					

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA2126	JAN LANE	WALDEN ESTATES	JAMES ST	SUZANNE LN	0.213	51	3	(1) 18" CULV					
AA6059	JOHN CT	WALDEN ESTATES	JOHN ST	END	0.043	51	3	(1) 16" CULV					
AA2133	JOHN ST	WALDEN ESTATES	WALDEN DR	END	0.090	51	3	0					
AA1609	JORDAN CT	NOT SUBDIVISION	904	DEAD END	0.210	51	3	(1) 30" X 50' CULV (1) 24" X 45' CULV					
AA1311	KAREN LN	WALDEN ESTATES	SUZANNE LN	JAMES/WALDEN	0.244	51	3	0					
AA6061	KYLE-BULLARD CEM RD	NOT SUBDIVISION	FM 916	DEAD END	0.964	51	3-	FM 916-END: (1) 24" X 16' RED TILE CULV (2) 24" X 17' CONCRETE (1) 36" X 16' CULV (1) 9' X 20' BOX	2 2 2 2				
AA1111	LAKESIDE DR	FISHERMAN'S PARADISE	OLD WAGON TRAIL	DEAD END	0.042	51	3	0					
AA5952	LAKEVIEW CT - HOH	HILLS OF HOMES	HILLTOP DRIVE	DEAD END	1.037	51	4	FROM LAKEVIEW & HILLTOP- LAKEVIEW/END:					
AA2145	LAKEVIEW DR	LAKEVIEW ESTATES	RIVERSIDE DRIVE	RIVERVIEW DRIVE	0.181	51	3	0					
AA1600	LARIAT LN	HILLTOP RANCH ESTATES	HORSE SHOE DRIVE	DEAD END	0.086	51	4	0					
AA1578	LIVE OAK DR	FISHERMAN'S PARADISE	INDIAN TRAIL	VILLAGE DRIVE	0.160	51	3	0					
AA2157	LONE STAR WAY	LONE STAR ADDITION	FM 917	END	0.350	51	4						
AA2156	LONGHORN TRL	K-BAR-D RANCH	FM917	END	0.467	51		0					
AA2138	MARTIN CREEK DR	MARTIN CREEK ADDITION	902	DEAD END	0.338	51	4	902-END: (1) 18" X 30' CULV (1) 24" X 30' CULV (1) 24" X 40' CULV	4 4 4				
AA1300	MCKINNEY LN	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.325	51	4	0	1 REPAIR LWC				
AA2159	MESA DR	RIVERVIEW ESTATES	OVERHILL	END	0.041	32	4						

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA2151	MOUNTAIN VIEW	FISHERMAN'S PARADISE	DUSTY TRAIL	VALLEY VIEW	0.202	51	3	(1) 24" X 26' CULV					
AA1502	MOUNTAIN VIEW	PARADISE PARK	BENJAMIN BLVD	RUSTIC TRL	0.178	51	3	(1) 18" X 42' CULV [1/23]	5				
AA1719	MOYER CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.205	51	4	(1) 20" X 42' CULV (1) 36" X 42' CULV					
AA2134	NOLAN RIVER RD S (1111)	NOT SUBDIVISION	1219	CITY LIMITS	2.442	51	3	1219-C.L.: (1) 18" X 32' CULV (1) 36" X 28' CULV 18" X 32' CULV (1) 36" X 26' CULV (1) 24" X 34' CULV (1) 24" X 42' CULV	3 3 3 3 3	(1) 25' X 100' BRIDGE- 1966 (LEVEL III)	AA0377- 001	6	
AA1714	OLA AVE	PARKER COMMUNITY	SH 171	BAKER STREET	0.149	51	3	0					
AA1310 AA1320	OLD FOAMY (1112 E)	NOT SUBDIVISION	CLEBURNE CITY LIMIT WEST OF SH 174	CLEBURNE CITY LIMIT EAST OF NOLAN RIVER RD SOUTH (1111)	1.080	51	4	SH 174-1111: (2) 4' X 21' CULVS (1) 18"X60' BOX (03) (1) 36" X 32' CULV (2) 36" X 18' CULVS	3- 3 3 3				
NEW ROAD 9/14/20	OLD WAGON TRL	FISHERMAN'S PARADISE	FM 916	INDIAN TRAIL	0.416	51	4	(1) 36"X35' ARCH CULV (14) (1) 12" x 38' CONCRETE CULV	5				
AA1315	PEACH LN	GORDON'S EDEN	310A	CHERRY COURT	0.187	51	3	(1) 18" X 36' CONCRETE (1) 4' X 30' CONCRETE	3 3				
AA1611	PEAR CT	GORDON'S EDEN	310A	DEAD END	0.188	51	3	0					
AA1593	PENNINGTON CROSSING	NOT SUBDIVISION	FM 1434	WESTSHORE	0.520	51	5	0					
AA1503	PLUM COURT E	GORDON'S EDEN	PEACH LANE	DEAD END	0.126	51	3	(1) 12" X 30' CULV					
AA1712	PLUM COURT W	GORDON'S EDEN	PEACH LANE	DEAD END	0.095	51	3	(1) 12" X 30' CULV					

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1679	PREAKNESS CT	NOLAN RIVER ESTATES	NOLAN RIVER ROAD S.	DEAD END	0.421	51	3	(1) 24" X 42' CULV	3				
AA2149	RASPBERRY LN	BLACKBERRY SPRINGS	CHINABERRY LN	COBBLER LN	0.320	51	1	(1) 32' COLLAPSED	1				
AA1501	RAVEN RD	SPACE ACRES	CR913	END	0.506	51	3	(1) 22" CULV AT SKYLARK:					
AA1508	RESERVOIR RD	PARADISE PARK	MOUNTAIN VIEW	DEAD END	0.266	51	3	0					
AA1717	RHODEN AVE	RUSTIC MEADOWS	TRENTON WAY	CREEKSIDE LN	0.540	51	4	(2) 24" x 32' @ CREEKSIDE LN (2) 30" x 32'	4 4				
AA1716	RIVERVIEW DR	LAKEVIEW ESTATES	OVERHILL	OVERHILL	1.042	51	4	OVERHILL-: (1) 15" X 42' CONCRETE OVERHILL-VALLEYVIEW:	3 5				
AA1505	ROBIN RD	SPACE ACRES	RAVEN RD	END	0.171	51	3	(1) 24" CULV					
AA1505	RUSTIC EDGE ST	RUSTIC MEADOWS	CR 1005	CREEKSIDE LN	0.630	51	3	(1) 18" X 36' @ CR 1005 (2) 36" X 44'	4 4				
AA1707	RUSTIC TRL	PARADISE PARK	WILD OAKS AVE	DEAD END	0.154	51	3-	0					
AA5951	SABINO CT.	SAGE CREEK ADDITION	SAGE CREEK DR.	END/CUL-DE-SAC	0.170	51	5	(2) 24" x 60' CONCRETE CULVS					
AA1720	SAGE CREEK DR.	SAGE CREEK ADDITION	CR1126	END/CUL-DE-SAC	0.360	51	5	(2) 24" x 60' CONCRETE CULVS					
AA1721	SCENIC VIEW CT	FISHERMAN'S PARADISE	DUSTY TRAIL	DEAD END	0.088	51	3	0					
RD ADDED 11/14/22	SHINING STAR TRL	FISHERMAN'S PARADISE	MOUNTAIN VIEW	DEAD END	0.193	51	3	(1) 15" X 30' CULV (1) 24" X 26' CULV	3 3				
AA1607 (2)	SHOREVIEW DR	SHORE VIEW ADDITION	1218	DEAD END/LAKE	0.495	51	3-	1218-END: (1) 18" X 30' CULV (1) 18" X 21' CONCRETE	3 3				
AA2135	SHORTCAKE LN	STRAWBERRY RIDGE	CR 911	BERRY PATCH LN	0.410	51	3	(3) 44" x 40'					
AA1204 (E) of AA2135	SKYLARK CT	SPACE ACRES	CR913	END	0.253	51	3	(1) 24" CULV (1) 18" CULV					
AA0112 (W) of AA2135	SKYLARK DR	X-CELL ESTATES	RAVEN RD	END	0.510	51	3	AT RAVEN: (2) 54" W/HEADWALL AT STARLING DR:					
AA1602	SPUR CT	HILLTOP RANCH ESTATES	HORSESHOE ROAD	DEAD END	0.084	51	4	0					

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1511	ST LEGER DR	NOLAN RIVER ESTATES	ASCOT DRIVE	GOLD CUP DRIVE	1.419	51	3-	(2) 36" X 40' CULVS (2) 36" X 40' CULVS (1) 36" X 40' CULV	3 3 3				
AA2137	STARLING DR	X-CELL ESTATES	CR913	FALCON DR	0.436	51	3	0					
NEW RD ADDED 11/8/21	STRAWBERRY RIDGE LN	STRAWBERRY RIDGE	BERRY PATCH LN	CR 911	0.220	51	3						
AA0155	SUNDANCE CIR E	SPACE ACRES	SUNDANCE CIR W	SUNDANCE DR S	0.743	51	3						
AA1309	SUNDANCE CIR W	SPACE ACRES	SUNDANCE CIR E	SUNDANCE DR S	0.655	51	3						
AA0012	SUNDANCE CT	SPACE ACRES	SUNDANCE DR N	END	0.293	51	3	FROM SUNDANCE DR N: (1) 48" CULV (1) 20" CULV					
AA0009	SUNDANCE DR N	SPACE ACRES	CR913	SUNDANCE CIR	0.703	51	3	FROM 913: (1) 40" CULV (1) 84" W/HEADWALL					
	SUNDANCE DR S	SPACE ACRES	SUNDANCE CIR	CR911	0.232	51	3						
	SUZANNE LN	WALDEN ESTATES	JAN LN	KAREN LN	0.197	51	3	(2) 18" CULVS (1) 18" CULV					
	THOMPSON AVE	PARKER COMMUNITY	SH 171	DEAD END	0.139	51	3	0					
	THOUSAND OAKS DR	BRUSHY NOB ADDITION	FM 917	TIMBER TOP TRAIL	0.578	51	3	FROM FM917-TIMBER TOP: (1) 24"X 37' CULV (2) 36"X 40' CULVS					
	TIMBER TOP TRL	BRUSHY NOB ADDITION	THOUSAND OAKS DR.	DEAD END	0.550	51	3	FROM THOUSAND OAKS- END: (1) 24"X 38' CULV					
	TRENTON WAY	RUSTIC MEADOWS	BROOKCREST ST	RUSTIC EDGE ST	0.180	51	4	(1) 24" x 32' @ RHODEN AVE (1) 30" x 32' @ RUSTIC EDGE ST	4 4				
	TUCKER DR	CHISHOLM TRAIL ESTATES	CR1126B	ANISTON WAY	0.330	51	4						
	VALLEY VIEW - FISH P	FISHERMAN'S PARADISE	INDIAN TRIAL	DEAD END	0.455	51 = 0.343 32 = 0.112	3	(1) 15" X 38' CULV 12"X10', 15"X10' ('18)					
	VALLEY VIEW LN	LAKEVIEW ESTATES	RIVERVIEW DRIVE	RIVERVIEW	0.189	51	2	(1) 12" X 44' CONCRETE CULV					
	VALLEY VIEW LN CUL-D- SAC E	LAKEVIEW ESTATES	VALLEY VIEW LANE	DEAD END	0.037	51	2						

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
	VALLEY VIEW LN CUL-D- SAC W	LAKEVIEW ESTATES	VALLEY VIEW LANE	DEAD END	0.037	32	2						
	VILLAGE DR	FISHERMAN'S PARADISE	INDIAN TRAIL	CIMMARON TRAIL	0.320	51	3	(1) 12" X 38' CONCRETE CULV					
	WALDEN DR	WALDEN ESTATES	CR913	END(SUZANNE LN)	0.559	51	3	(1) 24" culv (2) 14" culvs (1) 30" culv US 67-END.					
	WEST LAKE RD	EASDON ADDITION	CLEBURNE CITY LIMIT SE OF US 67	END	0.330	51	4+	(1) 24" X 40' CULV (2) 24" X 40' CULVS	3 3				
	WEST TRAIL LN	WEST LAKE ESTATES	CR1224	END	0.320	51	5	(1) 15" X 20' CULV (11/21)	5				
	WESTOVER HILLS DR	WESTOVER HILLS	FM 916 (WEST)	END	0.508	51	4	(3) 36" X 60' CULVS					
	WILD BERRY CT	STRAWBERRY RIDGE	WILD BERRY LN	END	0.130	51	2						
	WILD BERRY LN	STRAWBERRY RIDGE	STRAWBERRY RIDGE LN	SHORTCAKE LN	0.320	51	3						
	WILD BERRY TRL	BLACKBERRY SPRINGS	CR 911	W FM 917	0.780	51	2	(4) 40" x 50' @ CR 911	4				
	WILD OAKS AVE	PARADISE PARK	BENJAMIN BLVD	MOUNTAIN VIEW BEGINNING OF	0.152	51	3	(1) 32" X 34' CONCRETE (3) 24" X 35' CONCRETE					
	WINDING WAY	CANYON RIDGE ADDITION	WINDRIDGE	ADDRESS 8904, APPRX 150 FT	0.036	51	4	(1) 18" CONCRETE					
	WINDRIDGE DR	CANYON RIDGE ADDITION	BREEZEWAY	CR1005	0.365 280.940	51	4	(1) 27" CONCRETE					

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA2155	305A		SH 171	CEMETERY (FAULKENBERRY)	0.350	51	3	0					
AA0310	310		1205	SH 171	1.600	51	3	SH 171-1205: (1) 18" X 25' CULV (2) 4' X 23' CULV (1) 24" X 30' CULV (1) 42" X 40' CULV (15)	3 3 3 5				
AA1628	310A		1205	SH 171	2.200	51	3	1205-SH 171: (1) 24"X36' CULV (*19) (1) 24" X 36' CULV (1) 18" X 21' CULV (1) 24" X 30' CULV (1) 15" X 24' CULV	5 3 3 3 3				
AA0902	902		1010	MARTIN CREEK DR	0.450	51	3		4	AA0156-001	MARTIN BRANCH	7/6	
AA0903	903		1022	CLEBURNE CITY LIMITS	1.286	51	2	(1) 30" x 30' CULV (1) 36" x 20' CULV (2) 36" X 24' CULVS					
AA0904	904		JORDAN CT	1010	1.880	51	3	1010-1022: (2) 36"X35'- Ext/bands (08) (1) 48"X26" CULV (4/20)	3- 5				
AA0905 (2)	905		1010	1017	1.669	51	5	0					
AA0906	906		1006	1009	0.671	51	5	1009-1006: (4) 48" X 35' ARCH (6/21) (1) 24" X 30' CULV	5 3				
AA0907	907		GODLEY CITY LIMIT	1006	1.000	51	5	1003A-1006: (3) 24" X 20' CULVS (1) 24" X 24' CULV (1) 18" X 24' CULV (2) 36" X 24' CULVS (3) 48" X 36' ARCH & (2) 36"X20' W/BAND/CONCRETE (12)	4 4 4 4 4				
AA0911	911		FM917	CR912	2.353	51	3	FROM FM917-S SUNDANCE: (1) 20" CULV (1) 20" CULV (1) 48" CULV FROM S SUNDANCE-WILDBERRY: (1) 20" CULV (4) 24" CULV FROM WILDBERRY-912: (2) 36" CULV					

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA0912	912		CR1008	CR913	3.030	51	3	FROM 913: (2) 36" CULV (2) 36" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV W/HEADWALL FROM 911-1008: (1) 36" CULV (1) 150' CULV					
AA0913	913		913A	CR916	7.700	51	3+	913A-913B: (1) 36" CULV (1) 24" CULV 1008-1006: (1) 5"x30' CULV (2) 18"x30' CULVS ("20) FM2331-1002: (1) 42"x36' CULV 1002-1001: (2) 36"X40' CULV (1) 18"X30' CULV (1) 24"X30' CULV 1001-916: (1) 22" CULV (1) 18" CULV (1) 50" W/HEADWALL (1)48" W/HEADWALL	3 5 3 2 3 3				
AA1102	913B		CR913	CR913A	0.510	51	3	(1) 14: CULV (1) 14" CULV					
AA1000	1000		SH171	CR916	0.660	51	4	FROM 916 TO SH171: (1) 30" CULV (1) 60" CULV					
AA1000	1000		SH171	CRESSON CITY LIMIT	0.480	32	4	(1) 24" CULV (2) 48" W/HEADWALL					
AA1001	1001		913	SH 171/GODLEY CITY LIMIT	0.774	51	5	0					
AA1002	1002		CR913	CR916	1.700	51	3	(1) 24" CULV (1) 24" CULV (1) 24" CULV					
AA1675	1003A		GODLEY CITY LIMIT N OF FM 917	DEAD END	0.486	51	5	0					
AA1005	1005		CR913	CR915	1.200	51	4	(1) 20" CULV (1) 20" CULV (1) 18" CULV (1) 24" CULV					



**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1006	1006		913	SH 171	3.798	51	4	SH 171-FM917: (1) 24" X 24' CULV (1) 24" X 24' CULV, EXT (08) FM917-913: (2) 24"X30' CULV (1) 18"X30' CULV (1) 18"X30' CULV	3 3 3 3 3				
AA1008	1008		FM 917	913	1.728	51	4	FM917-912: (3) 30"X40"X36' ARCH (2) 24"X36' CULV (1) 24"X24' CULV At 912: (1) 30"X30' CULV	3 3 3 3 3				
AA1009	1009		FM 917	1011	1.150	51	3+	1010-SH 171: (1) 24" X 30' CULV (1) 18" X 30' CULV(19)	3 5				
AA1010 AA9062	1010		SH 171	FM 917	3.431	51	2	904-SH 171: (1) 36" X 24' CULV	3	AA0157-001	MARTIN BRANCH	7/7	
AA1533	1010A		1010	CLEBURNE CITY LIMIT	0.890	51	4	(1) 18" X 24' CULV (1) 18" X 30' CULV	2 2				
AA1011	1011		1010	CLEBURNE CITY LIMIT	0.450	51	3	(1) 5' X 20' CONCRETE BOX					
AA1012	1012		FM917	CR912	0.480			(1) 24" CULV (1) 24" CULV					
AA1013 AA1017 AA1535	1017		FM 917	902	3.167	51	3	(1) 24" X 30' ARCH (5/21) (1) 36" x 30' CULV (1) 36"X32' CULV (08) (2) 30" x 25' CULV (2) 15X20" CULVS (11)	5 3 3 3 3				
AA1539	1022		904	(901/VAUGHN) CLEBURNE CITY LIMITS	1.400	51	3	(1) 24" X 30' ARCH (5/21) (1) 36" x 30' CULV (5/23) (1) 36"X32' CULV (08) (2) 30" x 25' CULV (2) 15X20" CULVS (11)	5 5 4 4 4				
AA2512	1024Z		CLEBURNE CITY LIMIT	END (NORTH FROM DON LEE RD)	0.056	51	4	0					
AA1100	1100		SH 171	1200	1.451	51	4	SH 171-1200: (2) 36" X 22' CULV (1) 15" X 20' CONCRETE (1) 7' X 43' CULV (1) 24" X 33' CULV (1) 18" X 26' CONCRETE (1) 18" X 26' CULV	4 4 4 4 4 4				

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1616	1100A		1204	HILL COUNTY LINE	1.257	51	4	HILL CO.-1203: (1) 36" X 30' CULV 1203-1204: (1) 18" X 21' CONCRETE (1) 24" X 24' CONCRETE	3 3 3				
AA1258	1101		SH 171	DEAD END	0.249	51	2	(1) 18" X 20' CONCRETE (1) 36X35' ARCH (11)	4 3-				
AA1613 AA1614	1102		KENNARD AVE	HILL COUNTY LINE	5.526	51	4	FM 2488 H.C.L.-1206: (3) 8' X 12' X 32' BOX (1) 18" X 46' CULV 1206-1205 (1) 36" X 23' CULV (1) 12" X 33' CULV (3) 36" X 20' CULVS (1) 8' X 18' X 22' BOX (2) 18" X 32' CONCRETE 1205-1204: (2) 36" X 29' CONCRETE (1) 24" X 42' CONCRETE (2) 36" X 20' CULVS (1) 48" X 35' CULV (16) (2) CULVS 36"X30' (13) 1203-1202: (1) 24" X 24' CULV (1) 36" X 30' CULV (1) 4' X 26' CULV (1) 36" X 27' CULV (1) 36" X 27' CULV 1200-KENNARD AVE. (1) 36" X 29' CONCRETE (1) 5' X 24' CULV	3- 3 4 4 4 3 4 4 4 4 4 4 4 4 4 5 3 3 3 3 3 4 4	*AA0482-001 **AA482-002 ***AA482-003	7/7 7/7 7/6		
AA1103	1103		SH 171	DEAD END	0.781	51	3	SH 171-END: (1) 15" X 26' CULV (2) 18" X 24' CONCRETE	3- 4				
AA2154	1103A		FM 916	DEAD END	0.383	51	3	FM 916-END: (1) 24" X 18" CULV	3				
AA2153	1103B		1103	1102	0.370	51	3	1102-1103: (1) 18" X 26' CULV (1) 24" X 28' CULV	3 3				
AA1256	1104		1205	1204	0.730	51	3	1204-1205: (1) 18" X 46' CULV (2) 36" X 36' CULV (10)	3 3				
AA2144	1104A		E 3rd St	DEAD END	0.236	51	3	0					
AA1617	1104B		1200 SOUTH OF FM 916	DEAD END	0.347	51	2	AT 1200 INTERSECTION: (1) 18" X 26 & 18" X 10' W/BAND CULV (8/21)	4+				
AA1257	1104C		1202	DEAD END	0.472	51	2+	(3) 36" X 28' CULVS, 1) 24" X 30' CULV	3 3				

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1105	1105		1206	SH 174	2.293	51	5	SH 174-1206: (2) 24" X 29' CONCRETE (3) 24" X 42' CULVS (1) 18" X 37' CULV	4 4 4				
AA1106	1106		1224A	RIO VISTA CITY LIMIT	4.283	51	3-	1224A-1223: (1) 5' X 21' CULV (1) 36" X 25' CULV 1223-1222: (1) 18" X 30' CULV (14) (1) 18" X 24' CONCRETE (1) 18" X 24' CULV (14) (4) 48"X40' -(4) 42"X38' LINERS- LWC (15) (2) 4' X 21' CULVS (2) 36" X 26' CULVS (2) 24" X 34' CULVS 1222-1221: (1) 4' X 26' CULV 1221-1208: 18" X 50' W/BAND CULV (14) 1208-SH 174: (1) 36" X 36' CULV (5) 36" X 26' CULVS (5) 18" X 25' CONCRETE	3 3 5 4 5 5 3 3 3 5 5 4 4 4	AA11-06- 001	NOLAN RIVER	6+	
AA1624	1107		1205	RIO VISTA CITY LIMIT (E. SIDE OF ADDR 969)	0.550	51	3-	(4) 36"X8" CULV - EXT (08) (2) 24"x25' CULV, Band (16)	4 5				
AA1620	1107A		1205	SH 171	2.737	51	3	1205-1107B: (2) 24" X 20' W/BAND (15) (2) 36" X 18' CULV (1) 24" X 36' CULV (2) 72" X 33' CULVS (15) (1) 18" X 30' CULV (15) (1) 24" X 30' CULV (1) 18"x35'CULVERT (17) 1107B-1202: (1) 18" X 24' CULV (14) (2) 24" X 20' W/BAND (15) 1202-SH 171: (1) 24" X 25' CULV (08) (1) 60" X 35' CULV (14) (1) 18" X 32' CONCRETE	5 3 5 5 5 5 5 3- 5 3- 3 3				
AA1621	1107B		1205	1107A	1.281	51	3-	1205-1107A: (1) 24" X 24' CULV (1) 18" X 30' CULV (1) 30' X 18' LWC (1) 5' X 24' CULV (1) 36" X 19' CULV (1) 24" X 21' CONCRETE (2) 36" X 28' CULV	3 3 3 3 3 3 3				

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1618	1107C		1107A	1200	0.122	51	3	0					
								FM 1434-1242: (1) 24" X 30' CULV (1) 24" X 32' CULV (1) 36" X 32' CULV (1) 24" X 30' CULV (1) 36" X 30' CULV (1) 24" X 30' CULV (1) 36" X 42' CULV 1242-1117: (1) 24" X 32' CULV 1117-FM 916: (1) 18" X 24' CULV (1) 24" X 25' CULV (16) (1) 24" X 25' CULV (16) (1) 18" X 32' CULV (1) 18" X 32' CULV (1) 24" X 32' CONCRETE (2) 24" X 45' CONCRETE (1) 12' X 30' TANKER	3 3 3 3 3 3 3 3 3 4 5 5 4 3 3 3 3				
AA1108	1108		FM 1434	FM 916	4.567	51	4						
AA1109	1109		1209	DEAD END	1.883	32	3	1220-1109: (1) 24" X 24' CULV (3) 36"X47' CULVS LWC ('00) (1) 18X24' CULV (1) 36X24' CULV @ 1109 (11)	3 3 3 5				
AA1594	1109A		SH 174	1219	2.641	51	3-	SH 174-1209: (1) 36" X 44' CULV (1) 18" X 32' CULV (1) 24" X 44' CULV (2) 24" X 36' CULVS (1) 4' X 10' BOX (1) 60' X 45' TANKER CULV (14/15)	3 3 3 3 5 5	AA11-09- 001 (2011)	NOLAN RIVER	7/6	
AA1595	1109B		RIO VISTA CITY LIMIT SOUTH OF CR1109-A	FM 916	1.552	51	3	FM 916-1109A: (1) 18" X 26' CULV (1) 5' X 30' CULV (1) 18" X 26' CULV	3 3 3				
AA2141	1109C		1109B	SH 174	0.178	51	4	(1) 18" X 24' CONCRETE	4				
AA2140	1109D		1109A	SH 174	0.125	51	3	(1) 18" X 28' CONCRETE	4				
AA2142	1109E		1109C	DEAD END	0.173	51	4	(1) 18" X 36' CULV (1) 12" X 25' CONCRETE	4 4				

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1110	1110		1224A	1219	2.731	51	4	1219-1224: (1) 20'X20' LWC (1) 20'X20' LWC (1) 18"x20', (1) 18"x30' (17) (5) 36'X36' LWC (17) (1) 18"x30' CULV (17) 1224-1224A: 1) 18" X 26' CULV (1) 24" X 26' CULV (1) 30" X 26' CULV (2) 5' X 24' CULVS (1) 30" X 30' CULV (1) 36" X 26' CULV (1) 18" X 26' CULV (1) 18" X 42' CULV	2 3 3 3 3 3 3 3 3 3				
AA1625	1110A		SH 174	1205	0.719	51	5	174-1205: (1) 24" x 32' CULV (3) 4'x28' LWC	4 3+				
AA1112	1112		1218	FM 1434	1.430	51	3-	FM 1434-1219: (1) 18" X 24' CULV 1219-1218: (2) 4' X 24' CULVS (2) 48X30 CULVS (13)	5 4 5				
AA1115	1115		1224	1225	1.003	51	3	1225-1224: (1) 18" X 32' CULV (1) 18" X 26' CULV (1) 18" X 32' CULV (1) 18" X 21' CULV (1) 18" X 24' CULV	3 3 3 3 3				
AA1116 AA2139 (*y* -1116)	1116		CLEBURNE CITY LIMIT SOUTH OF US 67	1225	1.165	51	4	US67-1225: (3) 24"X30' LWC SUPERDIP (00)	REPLACE @ROBINS ON CRK, US67				

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1117 (2)	1117		FM 1434	1108	6.722	51	4	1117 & 1108-1241: (1) 18" X 32' CULV (1) 18" X 26' CULV (1) 24" X 28' CULV (1) 18" X 24' CULV (17) (4) 4'X27' LWC (1) 24" X 30' CULV (1) 18" X 20' CONCRT 1241-1240: (1) 18" X 24' CULV (1) 24" X 24' CULV (1) 18" X 24' CULV (1) 18" X 24' CULV (1) 18" X 21' CONCRT (1) 32" X 28' CULV (1) 24" X 24' CULV 1240-1117A: (1) 24X30 CULV (15) (1) 24" X 24' CULV 1117 & 1117B-1242: (1) 24" X 24' CULV (1) 18" X 21' CONCRT 1117 & 1242-1240: (1) 18" X 24' CULV (1) 18" X 21' CONCRT 1117 & 1240-1243: (1) 24" X 36' ARCH CULV (11/21) (1) 18" X 30' CULV (1) 18" X 25' CONCRT 1117 & 1243-FM 1434: (1) 24" X 28' CULV (1) 24" X 35' ARCH CULV (2/22)	4 4 4 5 4 4 3 4 4 4 4 3 4 4 4 4 5 4 4 4 3 4 5 4 4 4 5 5				
AA1561	1117A		1242	1117	0.454	51	4	1242 & 1117A-1117: (1) 24" X 28' CULV (1) 18" X 28' CULV (1) 36" X 38' CULV	4 4 4				
AA1560	1117B		1240	1117	0.315	51	3	1117 & 1117B-1240: (1) 36" X 28' CULV (1) 24" X 36' CULV	3 3				
AA1118	1118		FM 200	BOSQUE COUNTY LINE	0.963	51	4	FM 200-BRAZOS POINT BRIDGE: (1) 6' X 35' CULV (2) 6' X 35' CULVS (04)	3 4	AA0334-001	BRAZOS RIVER	7/7	
AA1119	1119		US 67	SOMERVELL COUNTY LINE	1.482	51	4	US 67-1234: (1) 36" X 32' CULV 1234-407/SMRV C.L.: (1) 24" X 32' CULV (1) 18" X 26' CULV (1) 7' X 60' CONCRETE BOX (1) 18' X 40' CULV	4 4 4 4 4				



**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1124	1124		FM 2331	CLEBURNE CITY LIMIT SW OF FM 4	3.105	51	4	FM2331-FM 4: (1) 24X36 CONCR LWC ('02) (1) 36" X 58' CULV (1) 24" X 28' CULV (1) 24" X 22' CULV (1) 18" X 30' CULV (12) (1) 18" X 24' CULV (13) (1) 24"X40' CULV (17) (1) 18"X40' CULV (17)	4 5 5 5 5 5 5	AA1124-001	WEST FORK OF NOLAN RIVER	7	
AA1125	1125		CLEBURNE CITY LIMIT AT CR1216	CLEBURNE CITY LIMIT NW OF FM 4	2.093	51	3	FM 4-1217: (1) 18" X 20' CULV (1) 18" X 20' CULV (1) 18" X 30' CULV (1) 36" X 24' CULV FROM 1217-SH 171: (2) 60" X 36' CULVS (1) 36" X 20' CULV	3 3 3 3 5 3				
AA1126	1126		SH 171	CLEBURNE CITY LIMIT SOUTH OF SH 171 (WEST OF CLEBURNE)	3.018	51	5	SH 171-1228: (1) 18"X30' CULV (12) 3) 36" X 24' CULVS (1) 36" X 24' CULV 1228-SH 171: (1) 60" X 24' CULV (1) 18" X 32' CULV & CONCR END (09) LWC (01) (1) 36" X 24' CULV	5 3 3 3 5 3 3	AA0319-001	NOLAN RIVER	7/6	
AA1573	1126A		1229	1228	0.481	51	4+	1229-1228: (1) 30" X 40' CULV (1) 18" X 40' CULV	3 3				
AA1574	1126B		1126	1229	1.781	51	4	1126-1229: (1) 30" X 25' CULV (1) 24" X 24' CULV (1) 36" X 24' CULV (2) 36"x30' CULVS (19) (1) 18" X 30' CULV	4 4 4 5 4				
AA1127 AA1252	1127		1230	1232	2.277	51	5	1232-FM 2331: (1) 18" X 24' CULV (3) 3' X 6' CONCRETE BX (18) FM 2331-1230: (1) 86" X 24' CULV (1) 24" X 20' CULV (1) 18" X 30' CULV	4 5 3 3 3				
AA1128	1128		GODLEY C. LIMITS NEAR SH171	CR1233	<b>1.220</b>	51	3	(1) 24" CULV (1) 36" CULV (1) 36" CULV (1) 24" CULV (4) 54" W/HEADWALL (1) 18" CULV					



**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1129	1129		SH171	CR1233	1.157	51	2	(2) 60" CULV					
								FM 4-HOOD C.L.: (1) 36" X 30' CULV (2) 36" x 30' CULVS (1) 36" X 30' CULV (1) 36" X 30' CULV (1) 36" X 30' CULV (1) 36" X 30' CULV (1) 36" X 30' CULV (1) 18" X 30' CULV (1) 72" X 30' CULV	3 3 3 3 3 3 3 3 3				
AA1131	1131		FM 4	HOOD COUNTY LINE	2.362	51	5						
								SH 171-FM 916: (1) 4' X 30' CULV (3) 5' X 24' CULV (1) 24" X 30' CULV (1) 30" X 26' CULV (1) 24" X 26' CULV (1) 5' X 35' CULV (14) 1100A-1100: (1) 18" X 30' CULV (1) 18" X 30' CULV 1100-1102: (2) 36" X 18' CULVS 1102-1104B: (2) 36"X35' CULVS (10) (1) 18" X 28' CULV (1) 12" X 22' CULV (1) 18" X 24' CULV (2) 24" X 20' W/BAND @ 1104B (12)	3 3 3 3 3 5 3 3 3 3 3 5 3 3 3 3 3 3 5				
AA1200 AA1619	1200		SH 171	1100A	4.678	51	3			AA16-19-001	MUSTANG CREEK	6	
								FM 916-1104C: (1) 36" X 21' CULV (2) 4' X 20' CULVS (1) 36" X 20' CULV (1) 36" X 30' CULV (1) 18"X25' CULV (08) FM 916-1107A: (1) 36" X 24' CULV 1107A-SH 171: (1) 24" X 26' CULV (1) 36" X 30' CULV (03)	3 3 3 3 5 3 3 3 3 4				
AA1202	1202		SH 171	1102	4.391	51	3			AA0488-001	MUSTANG CREEK	8/6	
								1102-1100A: (1) 18" X 24' CULV (1) 18" X 30' CULV (1) 18" X 40' CULV	3 3 3				
AA1203	1203		1102	1100A	0.896	51	3						

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS	
AA1204	1204		FM 916	HILL COUNTY LINE	2.318	51	3	1100A-1102: (1) 48" X 30' CULV (1) 30" X 30' CULV (1) 30" X 30' CULV 1102-FM 916: (1) 15" X 24' CONCRETE (1) 24" X 30' CULV (16)	3 3 3 3 5					
AA1205	1205		SH 174	HILL COUNTY LINE	6.860	51	3	1102-FM 916: (1) 6' X 32' CULV (1) 36" X 32' CULV FM 916-1107: (3) 48"x60' ARCH LWC (09) (3) 36" X 18' CULVS (1) 15" X 24' CULV (1) 15"X30' CULV (16) (2) 36" X 24' CULVS (3) 60"X35' CULV LWC (09) 1107-1107A: (2) 36" X 21' CULVS (2) 5' X 24' CULVS 310-RR X: (3) 36" X 21' CONCRETE (1) 24" X 66' CULV RR X-1110A: 0 310A-SH 174: (2) 36" X 38' ARCH ('19) (1) 12" X 20' CONCRETE	3 3 4 3 3 5 3 4 3 3 3- 3 0 5 3		BRANCH OF MUSTANG CREEK	8/6	AA0481-002	
AA1206	1206		CAPPS ST. RIO VISTA	1102	0.930	51	3+	1105-1102: (1) 5' X 30' CULV (1) 60" X 30' ARCH CULV (18) (1) 24" X 28' CULV	5 5 3		MUSTANG CREEK	6/6	AA0483-001	
AA1208	1208		FM 916	HILL COUNTY LINE	2.334	51	1106- C.L.=3 916- 1106=4	HILL C.L.-1106: (1) 5' X 20' CULV (4) 54" X 40' CULVS (12) (2) 4' X 24' CULVS (1) 24" X 32' CULV (1) 36" X 54' CULV (1) 4' X 34' CULV 1106-FM 916: (1) 4' X 33' CULV (2) 4' X 32' CULVS (1) 36" X 36' CULV (1) 4' X 32' CULV (2) 36" X 32' CULVS (1) 36" X 28' CULVS (2) 36" X 28' CONCRETE	3 5 3 3 3 3 4 4 4 4 4 4 4 4		PILOT BRANCH	6/6	AA0363-001- TO BE REPLACED	

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1209	1209		FM 916	1109A	1.653	51	3	FM 916-1109: (1) 24" X 43' CULV (1) 18" X 40' CULV (3) 36" X 40' CULV 1109-1109A: (2) 36" X 32' CULVS (1) 18" X 50' CULV	3 3 3 3 3	AA1209-001	HALEY BRANCH	7/6	
AA1210	1210		1111	DEAD END/LAKE	0.802	51	3	1111-END: (1) 24" X 34' CULV (1) 8' X 30' CULV	3 3				
AA1217	1217		CLEBURNE CITY LIMIT, SOUTH OF SH 171	CLEBURNE CITY LIMIT, NORTH OF US 67	2.912	51	4	SH 171-1125: (1) 24" X 24' CULV (2) 36" X 24' CULVS (1) 36" X 24' CULV 1125-1125B: (1) 36" X 24' CULV	4 4 4 4				
AA1218	1218		1112	HAGLER	0.787	51	3	1112-SHOREVIEW DR: (1) 24" X 46' CULV (1) 36" X 19' CULV (2) 5' X 25' CULVS	3 3 3				
AA1306	1218A		FM 1434	HAGLER	0.277	51	3	(2) 60' X 42' CULVS (13)	0				
AA1219	1219		1112	1109A	2.743	51	4	1109A-1110: (2) 24" X 40' CULVS ASCOT-S. NOLAN RIVER RD: (1) 24" X 30' CULV (1) 18" X 32' CULV (1) 18" X 24' CULV S. NOLAN RIVER RD-1112: (1) 18" X 32' CULV (1) 18" X 32' CULV (1) 18" X 24' CULV (14) (1) 36" X 26' CULV	3 3 3 3 3 3 3 5 3				
AA1220	1220		FM 916	1109	0.670	32	3	FM 916-1109: (1) 5' X 24' CULV 1109-END: (1) 24" X 20' CULV (1) 36" X 17' CULV (1) 18" X 20' CONCRETE (1) 18" X 20' CONCRETE	3 3 3 3 3				1109-(2) CATTLE GUARDS 6' X 15', (1) CATTLE GUARD 6' X 15' Reset 5/18 @ 1109
AA1221	1221		FM 916	1106	0.610	51	5	FM 916-1106: (1) 18" X 28' CULV (1) 32" X 40' CULV	3 3				
AA1222 (2)	1222		1106	HILL COUNTY LINE	1.111	51	3	(1) 4' X 32' CULV	3	AA0358-001	PILOT BRANCH	7/6	



**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1226	1226		FM 2331	PARK ROAD 21	5.587	51	5	PARK RD 21-US 67: 1) 24" X 30' CULV (1) 24" X 30' CULV (1) 24" X 30' CULV (1) 24" X 30' CULV (4) 5' X 28' CULVS (3) 4' X 28' CULVS US 67-FM 2331: (2) 4'X26' & (2) 36"X26' DOUBLES (1) 36" X 28' CULV (2) 36" X 27' CULVS (3) 4' X 28' CULVS (1) 18" X 29' CONCRETE (2) 4' X 44' CULVS (3) 7' X 28' CULVS (1) 36" X 30' CULV (1) 18" X 59' CULV	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3				
AA1580	1226A		US 67	DEAD END	0.506	51	5	(1) 18"X36' CULV (08)	3				
AA1227	1227		CLEBURNE CITY LIMIT S OF FM4	CLEBURNE CITY LIMIT N OF 1121	2.462	51	3	FM4 -1121: (1) 5' X 30' CULV (1) 4' X 30' CULV (1) 36" X 30' CULV (1) 15'X88' W/(1) 4'X11' BOX & (1) 16"X20' CULV LWC (1) 24" X 30' CULV	4 4 4 4	AA12-27- 001	WEST FORK OF NOLAN RIVER	7/6	
AA1228	1228		CLEBURNE CITY LIMIT, NORTH OF FM 4	1126	3.045	51	3	1126-1126A: (1) 60" X 30' CULV (1) 24" X 24' CULV 1126A-FM 4: (1) 18" X 20' CULV (1) 18" X 24' CULV (1) 18" X 24' CULV (1) 24' X 24' CULV (1) 30" X 25' CULV	4 3 3 3 3 3 3				
AA1229	1229		CLEBURNE CITY LIMIT, NORTH OF FM 4	1230	4.236	51	3+	FM 2331-1126B: (2) 36" X 24' CULVS (1) 24" X 24' CULV (1) 30" X 25' CULV 1126B-1126A: (1) 36" X 38' CULV (18) (1) 24" X 24' CULV (2) 42" X 20' CULVS (1) 24" X 24' CULV (1) 54" X 36' ARCH (16) 1126A-FM 4: (2) 30" X 30' CULVS (1) 24" X 30' CULV (1) 36" X 40' CULV (2) 30" X 24' CULVS	3 3 3 5 3 3 3 5 3 3 3 3				

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1575	1229A		1229	FM 2331	0.171	51	5	(1) 24" x 30' CULV					
								FM 2331-1127: (1) 60" X 24' CULV (1) 24" X 24' CULV (1) 24" X 24' CULV (1) 24" X 24' CULV 1127-FM 4: (1) 24" X 24' CULV (1) 24" X 36' CULV (15) (1) 48" X 24' CULV (1) 24" X 36' CULV (16) (1) 24" X 32' CULV (16)	3 3 3 3 4 5 4 5 5				
AA1230 (2)	1230		FM 2331	FM 4	3.756	51	5						
AA1231	1231		FM 2331	FM 2331	0.809	51	4	(1) 36" X 30' CULV (16)	5				
AA1251	1231A		FM 2331	1127	0.246	51	3-	(1) 15"x36' CULV (19)	5				
								1128-1127: (1) 18" X 30' CULV (2) 48" X 26' CULVS (1) 24" X 24' CULV (1) 48" X 24' CULV (1) 72" X 28' CULV 1127-FM 4: (1) 24" X 30' CULV	3 3 3 3 3 3				
AA1232	1232		1128	FM 4	3.148	51	5						
								(2) 24" CULVS (1) 24" CULV (1) 20" CULV (1) 26" CULV (2) 55" CULVS (1) 18" CULV (1) 18" CULV (1) 38" CULV (1) 20" CULV (3) 36" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV (2) 30" CULVS (2) 24" CULVS					
AA1233	1233		SH171	HOOD CO. LINE	5.119	51	4			AA1233-001		7/8	
								1233-FM 4: (1) 24" X 30' CULV (1) 18" X 30' CULV (1) 20'x40' LWC (1) 36" X 30' CULV	4 4 4 4				
AA1570	1233A		1233	FM 4	1.200	51	5						

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITION	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1234 (2)	1234		1119 AT US 67	SOMERVELL COUNTY LINE	3.477	51 = 2.009 32 = 1.469	4	1234 & 406/SOMERVL C.L.-1119: (1) 24" X 32' CULV (1) 24' X 30' CULV (2) 36" X 40' CULVS (1) 18" X 26' CULV (2) 36" X 32' CULVS (1) 20'X30' LWC (1) 24' X 36' CULV (1) 24' X 30' CULV	3 3 3 3 3 3 3 3				(1) CATTLE GUARD, (1) CATTLE GUARD 8' X 14', (1) CATTLE GUARD 8' X 15', (1) CATTLE GUARD 8' X 13', (1) CATTLE GUARD 6' X 16'
AA0111	1234A		1234	DEAD END	0.267	32	3	0					
AA1235	1235		FM 200	1236	1.027	51	5	FM 200-1236: (1) 24" X 42' CULV (1) 24' X 30' CULV (1) 18' X 48' CULV (00)	3 3 3				
AA1585	1235A		1236	FM 1434	0.376	51	3	1236-FM 1434: (1) 18" X 26' CULV (00) (1) 18" X 67' CULV (00)	3 3				
AA1589	1235B		FM 1434	DEAD END	0.232	51	3	(1) 18" X 26' CULV	3				
AA1236	1236		FM 200	FM 1434	2.319	51	3-	FM 200-1235A: (1) 18" X 30' CULV (2) 18" X 36' CULVS (1) 18" X 24' CULV (1) 18'X30' LWC 1235A & 1236-1235: (2) 36" X 30' CULVS 1235 & 1236-FM 1434: (1) 18" X 36' CULV	3 3 3 3 3 3 3				
AA1237	1237		FM 1434	1118	2.654	51	3	FM 1434-1118: (3) 5' X 30' CULV (1) 36" X 38' CULV (2) 10' X 30' CULV (1) 24" X 36' CULV (1) 5' X 34' CULV (1) 6' X 32' CULV	3 3 3 3 3 3				
AA1586 (2)	1237		FM 200	SOMERVELL COUNTY LINE	0.657	51 = 0.047 32 = 0.61	4	(1) 18" X 15' CULV (1) 15'X30' LWC	3 3-				
AA1238 (2)	1238		FM 1434	DEAD END	1.711	51 = 1.118 32 = 0.593	3-	(4) 4' X 25' CULVS	3				(1) CATTLE GUARD
AA1239	1239		FM 1434	DEAD END	0.884	51	3-	FM 1434-: (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 26' CULV (1) 18" X 30' CULV (1) 12" X 24' CULV	4 4 4 4 4 4				

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1240	1240		1117 NORTH END	1117 SOUTH END	1.860	51	4	1117 & 1240-1240A: (1)24" X 24' CULV (1) 24" X 28' CULV (1)36" X 28' CULV 1117B & 1240- 1117: (1) 36" X 29' CULV (1) 24" X 30' CULV (1) 24" X 32' CULV	4 4 4 4 4 4				
AA1591	1240A		1240	DEAD END	0.333	32	3	1240A & 1240: (1)24" X 40' CONCRETE (1) 18" X 24' CONCRETE	3 3				
AA1241	1241		1117	DEAD END	0.584	51	3	(1) 18" X 30' CULV	3				
AA1242	1242		1108	1117	1.061	51	4	1242 & 1108-1117A: (1) 24" X 36' CULV (4) 4' X 20' CULVS LWC 1117A & 1242-1117: (1) 24" X 28' CULV (1)24" X 36' CULV	4 4 4 4				
AA1243	1243		FM 1434	1117	0.586	51	4	1243 & 1117-FM 1434: (2) 24" X 30' CULVS (1) 24" X 30' CULV	4 4				
AA1250	1250		FM 1434	DEAD END	0.800	51	5	FM 1434-END: (2) 24" X 22' CULVS (1) 24" X 30' CULV (15) (1) 18" X 22' CULV (1) 18" X 22' CULV	2 5 2 3				
AA6058	ALSTON CT	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.207	51	4	(1) 15" x 50' CULV					
AA2130	AMOS NORTH	ABS ESTATES	902	ANDY NORTH	0.326	51	3	(1) 18" x 40' CULV					
AA2131	ANDY NORTH	ABS ESTATES	902	AMOS NORTH	0.429	51	3	(2) 18" x 40' CULVS					
RD ADDED 11/14/22	<b>ANISTON WAY</b>	CHISHOLM TRAIL ESTATES	TUCKER DR	BROGAN CT	0.14	51	4						
AA1608	APACHE TRL	FISHERMAN'S PARADISE	INDIAN TRAIL	DEAD END	0.171	51	3	0					
AA2158	APPLE CT	GORDON'S EDEN	310A	DEAD END	0.403	51	3-	(3) 30" x 40' CULVS					
AA6063	ARCHIE CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.108	51	4	0					
AA1583	ASCOT DR	NOLAN RIVER ESTATES	1219	NOLAN RIVER ROAD S.	0.754	51	3	1219-NOLAN RV RD: (1) 18" X 34' CULV (1) 24" X 55' CULV (1) 18" X 48' & (1) 24" X 48' DOUBLE (1) 18" X 60' & (1) 24" X 60' DOUBLE	3 3 3 3				



**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA5950	BAKER ST	PARKER COMMUNITY	1101	OLA	0.251	51	2+	1101-OLA: (1) 18" X 28' CONCRETE (1) 18" X 28' CONCRETE (1) 18" X 22' CONCRETE (1) 18" X 20' CULV	3 3 3 3				
AA1321	BENJAMIN BLVD	PARADISE PARK	1017	WILD OAKS BLVD.	0.268	51	3	AT MOUNTAIN VIEW: (2) 36" X 35' CULV [12/22]	5				
AA6060	BIRD SONG CT	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.248	51	4	0					
AA6056	BLACK FOREST TRL	CHERRY RIDGE	1010	DEAD END	0.516	51	3	FROM 1010-END: (2) 28" X 50' CULVS (4) 28" X 50' CULVS (6) 36" X 50' CULVS	1 REPAIR LWC				
AA2129	BLACKBURN DR	ABS ESTATES	902	SUNSET MOBILE HOME	0.276	51	3-	0					
AA1577	BONO RD	BONO COMMUNITY	1122	FM 2331	0.493	51	2	(1) 18" X 30' CULV (14)	5				
AA0008	BREEZEWAY DR	CANYON RIDGE ADDITION	WINDRIDGE DR	CANYON RIDGE DR	0.118	51	4	(1) 21" CONCRETE					
RD ADDED 11/14/22	<b>BRICELYN CT</b>	CHISHOLM TRAIL ESTATES	ANISTON WAY	END	0.110	51	4						
RD ADDED 11/14/22	<b>BROGAN CT</b>	CHISHOLM TRAIL ESTATES	ANISTON WAY	END	0.030	51	4						
AA1722	BRUSHY NOB DR	BRUSHY NOB ADDITION	TIMBER TOP TRAIL	S. OF SOUTHERN OAKS	0.252	51	3	0					
AA1541	BRYANT PLACE	BRUSHY NOB ADDITION	1022	THOUSAND OAKS DRIVE	0.212	51	3	0					
AA0007	CANYON RIDGE DR	CANYON RIDGE ADDITION	CR915	GRASSLAND RD	0.178	51	4	AT CR915: (3) 21" CONCRETE					
AA1715	CARDINAL DR	X-CELL ESTATES	RAVEN RD	END	0.173	51	3	ON WEST END: (1) 24" CULV					
AA1259	CHEROKEE CT	FISHERMAN'S PARADISE	CHEROKEE TRAIL	DEAD END	0.056	51	3	0					
AA1610	CHEROKEE TRL	FISHERMAN'S PARADISE	INDIAN TRAIL	INDIAN TRAIL	0.425	51	3	(1) 5" x 25' CULV (1) 24"X25' CULV	5				
AA1301	CHERRY CT E	GORDON'S EDEN	PEACH LANE	DEAD END	0.126	51	4	(1) 36"x36' ARCH (16)	5				
AA2160	CHERRY CT W	GORDON'S EDEN	PEACH LANE	DEAD END	0.096	51	3	(1) 36" X 30' CULV					
AA6062	CHERRY RIDGE CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.230	51	4	(1) 12" X 30' CULV					
AA6057	CHERRY RIDGE LN	CHERRY RIDGE	1010	DEAD END	0.499	51	4	FROM 1010: (2) 28" X 40' CULVS					
AA1604	CIMMARON TRL	FISHERMAN'S PARADISE	OLD WAGON TRAIL	INDIAN TRAIL	0.157	51	3	0					
AA1576	COKE RD	BONO COMMUNITY	BONO ROAD	WOODARD	0.133	51	3	BONO RD-WOODARD: (1) 18" X 24' CULV (1) 18" X 28' CULV	3 3				

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1534	COMANCHE DR	COMANCHE HILLS	CR1008	DEAD END	0.883	51	5	1008-1008: (1) 16"X40' (1) 18"X26' (1) 24"X42"X30' ARCH (1) 32"X52"X30' (1) 18"X40'	3 3 3 3 3				
AA1677	CORRAL RD	HILLTOP RANCH ESTATES	FM 917	HORSE SHOE ROAD	0.245	51	2	0					
AA2235	DAVIS CT	NOT SUBDIVISION	CR 1206	DEAD END	0.819	51	3	1206-END: (3) 15" X 32' CULVS (1) 18" X 35' CULV (1) 18"x30' CULV (18) (1) 30" X 36' CULV	3- 3- 5 3-				
AA1024	DON LEE RD	NOT SUBDIVISION	CR1022 TO CLEBURNE CITY LIMIT, EAST OF CTP	CLEBURNE CITY LIMIT, WEST OF CTP TO END	0.400	51	5	1022-1024Z: (1) 15"X70' CULV (15)	5				
AA1314 (2)	DUSTY TRL	FISHERMAN'S PARADISE	SHINING STAR TR.	DEAD END	0.425	51 = 0.355 32 = 0.070	4	SHINING STAR TRL-END: (1) 12"x12' (1) 12"x20' CULVS W/BAND (11)	3 5				
AA1312	EAGLES NEST CT	FISHERMAN'S PARADISE	SHINING STAR TR.	DEAD END	0.061	32	4	0					
AA1713	FALCON DR	X-CELL ESTATES	RAVEN RD	END	0.508	51	3	AT RAVEN: (2) 54" CULV (*15) TO END: (2) 20" CULVS (1) 36" CULV					
AA2234	FOX CT	FOX RUN ADDITION	FOX RUN ROAD	DEAD END	0.334	51	3	0					
AA0532	FOX ST	NOT SUBDIVISION	FOX RUN ROAD	DEAD END	0.293	51	3	0					
AA2233	FOX RUN RD	FOX RUN ADDITION	SH 174	DEAD END	0.641	51	3	0					
AA2150	GOLD CUP DR	NOLAN RIVER ESTATES	NOLAN RIVER ROAD S.	ST LEGER DRIVE	0.370	51	2	NOLAN RV RD S.-ST. LEGER: (1) 18" X 48' CULV (3) 36" X 40' CULVS (2) 36" X 40' CULVS	3 3 3				
AA0011	GRASSLAND RD	CANYON RIDGE ADDITION	AT CANYON RIDGE DR INTERSECTION	EAST - 0.02, WEST - 0.06 MILE	0.080	51	4	(1) 21" CONCRETE					
AA2152	HIGHLAND RD	HIGHLAND ESTATES	SH 174	DEAD END	0.564	51	3-	0					
AA2143	HILL CT	NOT SUBDIVISION	OFF 1107	DEAD END	0.497	51	3	0					



**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1601	LAKESIDE DR	FISHERMAN'S PARADISE	OLD WAGON TRAIL	DEAD END	0.042	51	3	0					
								FROM LAKEVIEW & HILLTOP- LAKEVIEW/END: (1) 24" X 30' CULV (1) 18" X 40' CULV (1) 18" X 30' CULV (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 18" X 30' CULV (1) 15" X 30' CULV	4 4 4 4 4 4 4 4 4 4				
AA1588	LAKEVIEW CT - HOH	HILLS OF HOMES	HILLTOP DRIVE	DEAD END	1.037	51	4						
AA2136	LAKEVIEW DR	LAKEVIEW ESTATES	RIVERSIDE DRIVE	RIVERVIEW DRIVE	0.181	51	3	0					
AA1680	LARIAT LN	HILLTOP RANCH ESTATES	HORSE SHOE DRIVE	DEAD END	0.086	51	4	0					
AA1606	LIVE OAK DR	FISHERMAN'S PARADISE	INDIAN TRAIL	VILLAGE DRIVE	0.160	51	3	0					
AA0013	LONE STAR WAY	LONE STAR ADDITION	FM 917	END	0.350	51	4						
AA6054	LONGHORN TRL	K-BAR-D RANCH	FM917	END	0.467	51		0					
AA2126	MARTIN CREEK DR	MARTIN CREEK ADDITION	902	DEAD END	0.338	51	4	902-END: (1) 18" X 30' CULV (1) 24" X 30' CULV (1) 24" X 40' CULV	4 4 4				
AA6059	MCKINNEY LN	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.325	51	4	0		1 REPAIR LWC			
AA2133	MESA DR	RIVERVIEW ESTATES	OVERHILL	END	0.041	32	4						
AA1609	MOUNTAIN VIEW	FISHERMAN'S PARADISE	DUSTY TRAIL	VALLEY VIEW	0.202	51	3	(1) 24" X 26' CULV					
AA1311	MOUNTAIN VIEW	PARADISE PARK	BENJAMIN BLVD	RUSTIC TRL	0.178	51	3	(1) 18" X 42' CULV [1/23]	5				
AA6061	MOYER CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.205	51	4	FROM CHERRY RIDGE LN: (1) 20" X 42' CULV (1) 36" X 42' CULV					
AA1111	NOLAN RIVER RD S (1111)	NOT SUBDIVISION	1219	CITY LIMITS	2.442	51	3	1219-C.L.: (1) 18" X 32' CULV (1) 36" X 28' CULV 18" X 32' CULV (1) 36" X 26' CULV (1) 24" X 34' CULV (1) 24" X 42' CULV	3 3 3 3 3 3	(1) 25' X 100' BRIDGE- 1966 (LEVEL III)	AA0377- 001	6	
AA5952	OLA AVE	PARKER COMMUNITY	SH 171	BAKER STREET	0.149	51	3	0					

**Attachment A**  
**6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA2145	OLD FOAMY (1112 E)	NOT SUBDIVISION	CLEBURNE CITY LIMIT WEST OF SH 174	CLEBURNE CITY LIMIT EAST OF NOLAN RIVER RD SOUTH (1111)	1.080	51	4	SH 174-1111: (2) 4' X 21' CULVS (1) 18"X60' BOX (03) (1) 36" X 32' CULV (2) 36" X 18' CULVS	3- 3 3 3				
AA1600	OLD WAGON TRL	FISHERMAN'S PARADISE	FM 916	INDIAN TRAIL	0.416	51	4	(1) 36"X35' ARCH CULV (14) (1) 12" x 38' CONCRETE CULV	5				
AA1578	OVERHILL DR	LAKEVIEW ESTATES	1121	RIVERVIEW DRIVE	0.458	51	3	1121-RIVERVIEW DR: (1) 18" X 36' CONCRETE (1) 4' X 30' CONCRETE (1) 15" X 36' CONCRETE (1) 15" X 48' CONCRETE	3 3 3 3				
AA2157	PEACH LN	GORDON'S EDEN	310A	CHERRY COURT	0.187	51	3	0					
AA2156	PEAR CT	GORDON'S EDEN	310A	DEAD END	0.188	51	3	0					
AA2138	PENNINGTON CROSSING	NOT SUBDIVISION	FM 1434	WESTSHORE	0.520	51	5	0					
AA1300	PLUM COURT E	GORDON'S EDEN	PEACH LANE	DEAD END	0.126	51	3	(1) 12" X 30' CULV					
AA2159	PLUM COURT W	GORDON'S EDEN	PEACH LANE	DEAD END	0.095	51	3	(1) 12" X 30' CULV					
AA2151	PREAKNESS CT	NOLAN RIVER ESTATES	NOLAN RIVER ROAD S.	DEAD END	0.421	51	3	(1) 24" X 42' CULV	3				
AA1502	RAVEN RD	SPACE ACRES	CR913	END	0.506	51	3	FROM 913: (1) 22" CULV AT SKYLARK: (3) 48" CULVS (3) 24" CULVS					
AA1719	RESERVOIR RD	PARADISE PARK	MOUNTAIN VIEW	DEAD END	0.266	51	3	0					
AA2134	RIVERVIEW DR	LAKEVIEW ESTATES	OVERHILL	OVERHILL	1.042	51	4	OVERHILL-: (1) 15" X 42' CONCRETE OVERHILL-VALLEYVIEW: (1) 18" X 40' CULV (17) LAKEVIEW-LAKEVIEW: (1) 24" X 38' CULV (1) 30" X 30' CULV (17)	3 5 3 5				
AA1714	ROBIN RD	SPACE ACRES	RAVEN RD	END	0.171	51	3	(1) 24" CULV					
AA1310	RUSTIC TRL	PARADISE PARK	WILD OAKS AVE	DEAD END	0.154	51	3-	0					
NEW ROAD 9/14/20	SABINO CT.	SAGE CREEK ADDITION	SAGE CREEK DR.	END/CUL-DE-SAC	0.170	51	5	(2) 24" x 60' CONCRETE CULVS					
ROAD 9/14/20	SAGE CREEK DR.	SAGE CREEK ADDITION	CR1126	END/CUL-DE-SAC	0.360	51	5	(2) 24" x 60' CONCRETE CULVS					
AA1315	SCENIC VIEW CT	FISHERMAN'S PARADISE	DUSTY TRAIL	DEAD END	0.088	51	3	0					

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1611	SHINING STAR TRL	FISHERMAN'S PARADISE	MOUNTAIN VIEW	DEAD END	0.193	51	3	MOUNTAIN VIEW-END: (1) 15" X 30' CULV (1) 24" X 26' CULV (1) 18" X 30' CULV (1) 12" X 30' CULV (1) 18" X 30' CULV	3 3 3 3 3				
AA1593	SHOREVIEW DR	SHORE VIEW ADDITION	1218	DEAD END/LAKE	0.495	51	3-	1218-END: (1) 18" X 30' CULV (1) 18" X 21' CONCRETE (1) 18"X24' CULV (14)	3 3 5				
AA1503	SKYLARK CT	SPACE ACRES	CR913	END	0.253	51	3	(1) 24" CULV (1) 18" CULV					
AA1712	SKYLARK DR	X-CELL ESTATES	RAVEN RD	END	0.510	51	3	AT RAVEN: (2) 54" W/HEADWALL AT STARLING DR: (1) 24" CULV (1) 24" CULV ON WEST END: (1) 36" CULV (1) 36" CULV					
AA1679	SPUR CT	HILLTOP RANCH ESTATES	HORSESHOE ROAD	DEAD END	0.084	51	4	0					
AA2149	ST LEGER DR	NOLAN RIVER ESTATES	ASCOT DRIVE	GOLD CUP DRIVE	1.419	51	3-	ASCOT-GOLD CUP: (2) 36" X 40' CULVS (2) 36" X 40' CULVS (1) 36" X 40' CULV	3 3 3				
AA1501	STARLING DR	X-CELL ESTATES	CR913	FALCON DR	0.436	51	3	0					
AA1508	SUNDANCE CIR E	SPACE ACRES	SUNDANCE CIR W	SUNDANCE DR S	0.743	51	3						
AA1717	SUNDANCE CIR W	SPACE ACRES	SUNDANCE CIR E	SUNDANCE DR S	0.655	51	3						
AA1716	SUNDANCE CT	SPACE ACRES	SUNDANCE DR N	END	0.293	51	3	FROM SUNDANCE DR N: (1) 48" CULV (1) 20" CULV					
AA1505	SUNDANCE DR N	SPACE ACRES	CR913	SUNDANCE CIR	0.703	51	3	FROM 913: (1) 40" CULV (1) 84" W/HEADWALL (1) 18" CULV (1) 24" CULV					
AA1505	SUNDANCE DR S	SPACE ACRES	SUNDANCE CIR	CR911	0.232	51	3						
AA1707	SUZANNE LN	WALDEN ESTATES	JAN LN	KAREN LN	0.197	51	3	(2) 18" CULVS (1) 18" CULV					
AA5951	THOMPSON AVE	PARKER COMMUNITY	SH 171	DEAD END	0.139	51	3	0					

**Attachment A  
6/01/2023**

TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1=P OOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
AA1720	THOUSAND OAKS DR	BRUSHY NOB ADDITION	FM 917	TIMBER TOP TRAIL	0.578	51	3	FROM FM917-TIMBER TOP: (1) 24"X 37' CULV (2) 36"X 40' CULVS					
AA1721	TIMBER TOP TRL	BRUSHY NOB ADDITION	THOUSAND OAKS DR.	DEAD END	0.550	51	3	END: (1) 24"X 38' CULV (1) 28"X 40' CULV					
RD ADDED 11/14/22	<b>TUCKER DR</b>	CHISHOLM TRAIL ESTATES	CR1126B	ANISTON WAY	0.330	51	4						
AA1607 (2)	VALLEY VIEW - FISH P	FISHERMAN'S PARADISE	INDIAN TRIAL	DEAD END	0.455	51 = 0.343 32 = 0.112	3	(1) 15" X 38' CULV 12"X10', 15"X10' ('18)					
AA2135	VALLEY VIEW LN	LAKEVIEW ESTATES	RIVERVIEW DRIVE	RIVERVIEW	0.189	51	2	(1) 12" X 44' CONCRETE CULV					
AA1204 (E) of AA2135	VALLEY VIEW LN CUL-D- SAC E	LAKEVIEW ESTATES	VALLEY VIEW LANE	DEAD END	0.037	51	2						
AA0112 (W) of AA2135	VALLEY VIEW LN CUL-D- SAC W	LAKEVIEW ESTATES	VALLEY VIEW LANE	DEAD END	0.037	32	2						
AA1602	VILLAGE DR	FISHERMAN'S PARADISE	INDIAN TRIAL	CIMMARON TRAIL	0.320	51	3	(1) 12" X 38' CONCRETE CULV					
AA1511	WALDEN DR	WALDEN ESTATES	CR913	END(SUZANNE LN)	0.559	51	3	(1) 24" culv (2) 14" culvs (1) 30" culv					
AA2137	WEST LAKE RD	EASDON ADDITION	CLEBURNE CITY LIMIT SE OF US 67	END	0.330	51	4+	US 67-END: (1) 24" X 40' CULV (2) 24" X 40' CULVS (1) 24" X 40' CULV (2) 24" X 40' CULVS	3 3 3 3				
NEW RD ADDED 11/8/21	WEST TRAIL LN	WEST LAKE ESTATES	CR1224	END	0.320	51	5	(1) 15" X 20' CULV (11/21)	5				
AA0155	WESTOVER HILLS DR	WESTOVER HILLS	FM 916 (WEST)	END	0.508	51	4	(3) 36" X 60' CULVS					
AA1309	WILD OAKS AVE	PARADISE PARK	BENJAMIN BLVD	MOUNTAIN VIEW BEGINNING OF ADDRESS 8904, APPRX 150 FT	0.152	51	3	(1) 32" X 34' CONCRETE (3) 24" X 35' CONCRETE					
AA0012	WINDING WAY	CANYON RIDGE ADDITION	WINDRIDGE		0.036	51	4	(1) 18" CONCRETE					
AA0009	WINDRIDGE DR	CANYON RIDGE ADDITION	BREEZEWAY	CR1005	0.365	51	4	(1) 27" CONCRETE					
					272.120								