

AGENDA PLACEMENT FORM
(Submission Deadline – Monday, 5:00 PM before Regular Court Meetings)

Date: 8-13-24	Court Decision: This section to be completed by County Judge's Office
Meeting Date: <u>8-26-24</u>	
Submitted By: Linda Ownbey	Salmson County
Department: Precinct 3	(*(APPROVED)*)
Signature of Elected Official/Department Head:	August 26, 2024
Description:	
purchase of 140 Caterpillar Motor Grader	
(May attach additional	sheets if necessary)
Person to Present: Mike White	
(Presenter must be present for the item unl	ess the item is on the Consent Agenda)
	PUBLIC
(PUBLIC documentation may be made available)	lable to the public prior to the Meeting)
Estimated Length of Presentation: 3 minu	tes
Session Requested: (check one)	
Action Item Consent Workshop	Executive Other
Check All Departments That Have Been Notified	:
☐ County Attorney ☐ IT	□ Purchasing □ Auditor
☐ Personnel ☐ Public Wor	
Other Department/Official (list)	

Please List All External Persons Who Need a Copy of Signed Documents In Your Submission Email



DATE: Aug 15, 2024 QUOTE #:344103-01

JOHNSON COUNTY PCT 3 SEAN RATLIFF Hinojosa, Ryan 817-692-8102

10420 FM 917 ALVARADO, TEXAS 76009-5171

One (1) New Caterpillar Inc Model: 140 JOY Motor Graders

STOCK NUMBER: HL2001370

SERIAL NUMBER: 0EB201239

YEAR: 2024

HOURS: 9

Sourcewell Contract 011723-CAT 30%	\$559,008.00 (\$167,702.00)
Additional Holt Discount	(\$48,316.00
*	\$342,990.0

WARRANTY

Standard Warranty:

12 Month/Unlimited Hours Total Machine

Extended Warranty:

140-84 MO/5000 HR POWERTRAIN + HYDRAULICS + TECH

DATE: Aug 15, 2024QUOTE #:Quote 344103-01

MACHINE SPECIFICATIONS

STOCK NUMBER: HL2001370	SERIAL NUMBER: 0EB201239	YEAR: 2024	HOURS: 9
	DESCRIPTION		REF.#
140 15A MOTOR GRADER		577-3021	
ENGINE, TIER IV		567-4685	
MOLDBOARD, 14' PLUS		349-3048	
RIPPER/SCARIFIER		324-0889	
WEATHER, STANDARD		353-3316	
ACCUMULATORS, BLADE LIFT		358-9338	
PRECLEANER, NON SY-KLONE		380-6774	
DRAIN, GRAVITY, ENGINE OIL		324-5328	
BASE + 1 (RIP)		385-8094	
STARTER, ELEC, EXTREME DUT	1	395-3547	

DESCRIPTION	REF.#
LIGHTS, ARM, FOLD DOWN	536-9969
HEADLIGHTS,FRONT, LOW, HALOGEN	308-9370
LIGHTS, ROADING, HALOGEN	421-7810
CAB, PLUS (STANDARD GLASS)	385-9554
CAB, PLUS (INTERIOR)	397-7457
SEAT BELT	394-1492
PRODUCT LINK, CELLULAR PLE742	464-6442
CAT GRADE READY	583-6974
CONTROL, AUTO ARTICULATION-DEMO	483-2354
JOYSTICK CONTROLS, ADVANCED	458-8701
TIRES, 17.5R25 BS VKT * D2A MP	252-0775
GUARD GP, HITCH	323-6970
TANK, FUEL, STANDARD	540-2373
FAN, STANDARD, TND	542-4660
LIGHTS, WORKING, PLUS, HALOGEN	395-1967
TRANSMISSION, AUTOSHIFT	396-3515
CAMERA, REAR VISION	396-3921
MIRRORS, OUTSIDE MOUNTED	233-3295
GUARD, TRANSMISSION	366-2459
PUSH PLATE, COUNTERWEIGHT HD	367-6842
TOOTH, STRAIGHT	8J-1434
CIRCLE SAVER	521-3250
COOLANT, 50/50, -35C (-31F)	469-8157
FUEL ANTIFREEZE, -25C (-13F)	0P-3978
140 CPM	646-7612
T	
*	

STANDARD EQUIPMENT

POWERTRAIN

Air cleaner, dual stage dry type radial seal with service indicator and automatic dust ejector
Air-to-air after cooler (ATAAC)
Belt, serpentine, automatic tensioner
Brakes, oil disc, four-wheel, hydraulic
Demand fan, hydraulic
Differential, lock/unlock, Automatic
Drain, engine oil, ecology

Electronic over-speed protection
Parking brake, multi-disc, sealed and
oil cooled.
Sediment drain, fuel tank.
Transmission, 8 speed forward and
6 speed reverse, power shift, direct
drive
VHP Plus (Variable Horse Power Plus)

ELECTRICAL

Alarm, back-up
Alternator, 150 ampere, sealed
Batteries, maintenance free, heavy
duty, 1125 CCA
Breaker panel, ground accessible
Electrical hydraulic valves
Electrical system, 24V

Grade Control Ready (Cab hamess, software, electrical hydraulic valves, bosses and brackets)
Lights, reversing
Lights, roading, roof-mounted, stop and tail, LED
Starter, electric

OPERATOR ENVIRONMENT

Air Conditioning with heater Articulation, automatic return to center Centershift pin indicator Display, digital speed and gear Doors, left and right side with wiper Gauge, machine level Gauges (analog) inside the cab (includes fuel, articulation, engine coolant temp, engine RPM, and hydraulic oil temp, DEF/AdBlue) Joystick, adjustable armrests Joystick gear selection, hydraulic power steering hydraulic controls (right/left, blade lift w/ float position, blade sideshift and tip. circle drive, centershift, front wheel lean and articulation and steering) Lights, night time cab

Messenger operator information system Meter, hour, digital Mirror, inside rearview, wide angle Power port, 12V Radio ready, entertainment ROPS cab, sound suppressed - 69dB(A) - ISO 6394 Seat, cloth-covered, comfort suspension Storage area for cooler/lunchbox Throttle control, electronic Windows laminated glass: -Fixed front with intermittent wiper -Door with intermittent wipers (3) Windows tempered: -Left and right side wipers -Rear with intermittent wiper Cab storage

SAFETY AND SECURITY

Clutch, circle drive slip
Doors, 2 engine compartment, (two left
hand, two right hand) locking
Doors, 2 service, left and right locking
Ground level engine shutdown

Horn, electric Lockout, hydraulic implement (for roading and servicing) Seat belt, retractable 76.2 (3") Secondary steering Hammer (emergency exit)

TIRES, RIMS, AND WHEELS

A partial allowance for tires on 254mm x 609.6mm (10" x 24") multi-piece

FLUIDS

Antifreeze

OTHER STANDARD EQUIPMENT

Accumulators -brake -dual certified
Drawbar,6 shoe w/replaceable wear strips
Fluid check, ground level
Fuel tank, 398 liters (105 gallon)
Ground level fueling
DEF/AdBlue Tank, 21 liters (5.5 gallon)
Hydraulic lines for base functions
Pump, hydrailic, high capacity

Tandem walkway/guards

rims is included in the base machine price and weight.

Extended life coolant -35C/-30F

(98cc / 15 cu in)
Radiator, cleanout access
(both sides with swing doors)
SOS ports - engine -hydraulic
-transmission -coolant -fuel
Tool box
Debris guard

