

## AGENDA PLACEMENT FORM

(Submission Deadline – Monday, 5:00 PM before Regular Court Meetings)

**Date:** 06/12/2025

**Meeting Date:** 06/23/2025

**Submitted By:** Dep. Brian Cornelius

**Department:** Sheriff's Office

**Signature of Elected Official/Department Head:**

Adam King

**Description:**

<b>Court Decision:</b> <small>This section to be completed by County Judge's Office</small>
 <div style="color: red; font-weight: bold; font-size: 1.2em;">6-23-25</div>

The Johnson County Sheriff's Office is requesting the courts approval to apply for grant funding to allow the purchase of the below equipment for the SWAT and SRT Teams.

Firehouse Subs Foundation- Peltor VI Communications Headset x 4, PVS-14 Night Vision Monocular x 4, FLIR Scout Thermal Monocular x 1, Streamlight Protac HL Rifle Light x 22, Tactical Enforcement Communication System x 22, EMT Training Course x 2

Spirit of the Blue Foundation- PEQ 15 IR Aiming Laser x 4

(May attach additional sheets if necessary)

**Person to Present:** Sheriff Adam King

(Presenter must be present for the item unless the item is on the Consent Agenda)

**Supporting Documentation:** (check one)      ☒ PUBLIC      ☐ CONFIDENTIAL

(PUBLIC documentation may be made available to the public prior to the Meeting)

**Estimated Length of Presentation:** 10 minutes

**Session Requested:** (check one)

☒ Action Item    ☐ Consent    ☐ Workshop    ☐ Executive    ☐ Other \_\_\_\_\_

**Check All Departments That Have Been Notified:**

☒ County Attorney      ☐ IT      ☐ Purchasing      ☒ Auditor

☐ Personnel      ☐ Public Works      ☐ Facilities Management

Other Department/Official (list) \_\_\_\_\_

**Please List All External Persons Who Need a Copy of Signed Documents  
In Your Submission Email**

Approved in CC on 9/11/2023

## **Spirit of Blue Safety Grant Program – Summary**

### **Program Purpose and Focus**

The Spirit of Blue Safety Grant Program provides critical safety equipment and, in some cases, training to municipal, county, and state law enforcement agencies. The program is designed exclusively for sworn, armed peace officers (including arson investigators). Fire departments and EMS agencies are not eligible.

The program supports officer safety through three main categories:

1. **Protecting Life** – Items like ballistic vests, medical kits, hearing protection, traffic safety gear, and safety training.
2. **Projecting Force** – Includes lethal and less-lethal weapons, targeting systems, lights, and firearms accessories.
3. **Creating Advantage** – Tools such as uniforms, operational gear, communications systems, and intelligence/security equipment.

### **Grant Funding and Delivery**

- Grants are typically 100% funded.
- Spirit of Blue procures the items directly; no funds are given to agencies.
- Agencies receive equipment or training, not money.
- Once a grant is awarded, agencies receive an official award letter and must follow internal approval procedures.
- Agencies must wait two years after receiving a grant before applying again.

### **Application Process and Timeline**

- Applications are accepted year-round and are kept on file if not selected immediately.
- The 2025 application cycle is currently open, with awards beginning July 1, 2025.
- Unselected applications roll into consideration for 2026.
- Agencies must confirm they have the authority to apply and clearly explain how the request enhances officer safety.
- There is no required reporting, but agencies are encouraged to submit a photo upon equipment delivery.

### **Eligibility Criteria**

- Only sworn, armed peace officer agencies are eligible (including arson investigators).
- Fire departments and EMS agencies are not eligible.
- Requested items must directly improve officer safety.
- Agencies that received a grant within the last two years are not eligible to reapply yet.

### **Fulfillment Process**

- Spirit of Blue works directly with vendors to provide the awarded items.

- Delivery can take from a few weeks up to 12–18 months, depending on internal approvals.
- Grants expire if not accepted within 24 months of being awarded.

### **Program Importance**

The program helps address safety needs for over 900,000 U.S. law enforcement officers. With limited municipal budgets and high risks in the field (over 125 officer deaths and 15,000 injuries annually), the grant program fills critical gaps in officer protection.

### **Grant Application Responsibilities**

Deputy Cornelius will be responsible for the grant application preparation, obtaining necessary quotes and program follow-up. These efforts will be reviewed by the Sheriff's Office administration and the county auditor's office to insure compliance.

### **Summary**

The Spirit of Blue Safety Grant Program:

- Delivers fully funded safety gear and training.
- Focuses on demonstrable impact on officer safety.
- Accepts applications year-round.
- Handles all procurement directly to reduce administrative burden on agencies.

## Firehouse Subs Public Safety Foundation Grant Program – Summary

### Program Purpose

The program provides funding for **life-saving equipment** and **public safety education tools** to a wide range of public safety organizations. Eligible applicants include:

- Fire departments
- EMS organizations
- Law enforcement agencies
- Public safety agencies
- Nonprofits
- Schools

### What Is Not Funded

The program does **not** fund:

- Firearms, tasers, or any use-of-force equipment
- Body cameras, drones, riot gear, exercise or fitness equipment
- Recording devices, stop sticks, security systems, or patented/refurbished products
- Equipment already purchased (no reimbursements)

### Grant Amounts

- You can request up to **\$50,000**.
- Most grants awarded are between **\$15,000 and \$35,000**.
- No matching funds are required.
- Partial funding may be awarded if other funding is already secured.

### Application Timeline

- Grants are reviewed **quarterly**.
- Only **600 applications** are accepted per quarter.
- Decisions are typically made within **two months** of each quarterly deadline.
- Do **not contact** Firehouse Subs restaurants or their call center to inquire about your application.

### Reapplication Policy

- An organization can **only submit one application per quarter**.
- If awarded a grant, you must **wait two years** before applying again.

### Required Attachments for Application

1. **Background/History** – Description of your organization and how the grant will help your community.



2. **Vendor Quote** – Must be itemized, from one vendor, dated within 6 months, and include taxes/shipping.
3. **Financial Documents** – Balance sheet, profit & loss statement, budget, or IRS Form 990 within the past month.
4. **Equipment Inventory** – For first responder agencies. If you have none, you must state that.
5. **IRS W-9 Form** – Completed within the past year and signed.

### **Common Application Mistakes**

- Missing or non-itemized quotes
- Financials that are outdated or don't show both revenue and expenses
- Using the same person for both the main and alternate contact
- Incomplete or unsigned W-9
- Financial or inventory documents missing your agency's name

### **Grant Application Responsibilities**

Deputy Cornelius will be responsible for the grant application preparation, obtaining necessary quotes and program follow-up. These efforts will be reviewed by the Sheriff's Office administration and the county auditor's office to insure compliance.

### **How Grants Are Fulfilled**

- Firehouse Subs Foundation may either:
  - Purchase the equipment directly and send it to you, or
  - Reimburse you via ACH after you sign a Memorandum of Understanding (MOU) and submit proof of purchase and delivery.

---

### **Summary**

The Firehouse Subs Public Safety Foundation provides up to \$50,000 in funding per grant for life-saving equipment and education to qualified public safety agencies. Applications are accepted quarterly with clear documentation requirements, and awards are based on demonstrated need and community impact.

SAMPLE- Visit [FirehouseSubsFoundation.org](http://FirehouseSubsFoundation.org) to apply online.



Firehouse Subs Public Safety Foundation  
Grant Application

SAMPLE

SAMPLE- Visit [FirehouseSubsFoundation.org](http://FirehouseSubsFoundation.org) to apply online.

**Congratulations! Your organization has met Firehouse Subs Public Safety Foundation's pre-qualification criteria to be considered for a grant.**

***STOP HERE & PRINT THIS PAGE.***

*You will not be able to return to this page.*

Thank you for your interest in Firehouse Subs Public Safety Foundation, where we are committed to giving back to communities by supporting first responders and public safety organizations with lifesaving equipment and funding resources.

**PLEASE APPLY EARLY**

**IMPORTANT: A maximum of 600 grant applications are accepted on a quarterly basis. Once the maximum number of applications is met, the site will close for the remainder of the quarter.**

- *Applications are considered on a quarterly basis ALL approvals and denials will be emailed to applicants within two months after the grant deadline. Please do not email our Foundation regarding the status of your application.*
- **DO NOT** send email inquiries to the Firehouse Subs Care Center or through the Firehouse Subs EMS survey.
- **DO NOT** phone the Firehouse Subs main office or Firehouse Subs restaurants with grant inquiries.

*The grant process is a partnership. We greatly appreciate your cooperation and compliance.*

## APPLICATION GUIDELINES AND REQUIRED ATTACHMENTS

**STOP HERE & PRINT THIS PAGE.**

*You will not be able to return to this page.*

Please prepare the following attachments before you continue. We cannot consider your application if any of the required information is missing.

- **Background/History**

- Brief history of your department or organization, and how this grant will benefit your community

- **Vendor Equipment Quote/Bid**

*You must provide an official vendor quote with the following information for your grant request to be considered. Submitted quotes **MUST** meet the requirements below, please read carefully:*

- Vendor sales representative first and last name must be included on quote
- Vendor email address must be included on quote
- The name & physical address of your organization must be included
- The first and last name of a contact person from your organization must be included
- Only one vendor quote can be submitted. Your application will not be considered if more than one quote is submitted.
- Quotes must be itemized
- Online quotes will not be accepted
- Must be dated within six months of the application deadline
- Must contain *only* the item(s) pertaining to your grant request
- The total dollar amount and equipment quantities in the vendor quote **MUST MATCH** the total that your department is requesting on the application
- Include sales tax and freight charges, if applicable. Firehouse Subs Public Safety Foundation will not be responsible for additional shipping costs or tax not included in the quote.
- Maintenance plans and extended warranties are not permissible
- Firehouse Subs Public Safety Foundation will not be responsible for restocking fees or costs related to errors within your quote

**Note:** When requesting a quote/bid from a vendor, please share our quote requirements and notify them that you are applying for a grant from our Foundation.

### **Most Recent Financial Information**

*Financials must show revenue and expenses and list the name of your organization, city or county.*

*One of the following options must be submitted:*

- A recent - within one month - Balance Sheet which consists of Assets and Liabilities
- A recent - within one month - Profit & Loss Statement also called an Income Statement
- A current year annual budget showing projected income and expenses
- A previous year audit or 990

- **Equipment Inventory**

*Inventory documentation must list the name of your organization.*

- Equipment inventory is required for first responder organizations only. If your organization does not have apparatus, vehicles or specialized equipment, please attach a document noting that the organization does not have any applicable inventory.

SAMPLE- Visit [FirehouseSubsFoundation.org](http://FirehouseSubsFoundation.org) to apply online.

- First Responder Organizations: Please include a list of apparatus, vehicles and other specialized equipment. The lists we receive vary in length depending on the size and type of organization. (For example, include items such as vehicles, extrication equipment, breathing devices, and personal protective equipment/PPE)
- **Internal Revenue Service Form W-9 (Rev. October 2018)** ○ *Please contact your accounting department or treasurer to obtain a completed W-9 form. Your application will not be considered if any of the following sections of your W-9 are missing.*
  - Name as shown on your income tax return
  - Entity Name, *if different from line 1*
  - Federal Tax Classification (including Other explanation if required) ▪ Exempt payee code (if any)
  - Address
  - City, State & Zip Code
  - Employer ID Number (EIN)
  - Signed by an official of the organization
  - Dated no more than one year from the submission date of this application

**CLICK HERE to preview samples of completed W-9 forms.**

## FREQUENTLY ASKED QUESTIONS & TIPS

*STOP HERE & PRINT THIS PAGE. You  
will not be able to return to this page.*

**Please Apply Early. A maximum of 600 applications are accepted on a quarterly basis.** Please **do not** contact area restaurants or Firehouse Subs Care center with grants questions.

### **What does the Firehouse Subs Public Safety Foundation support?**

Our Mission is to impact the lifesaving capabilities, and the lives of local heroes and their communities by providing lifesaving equipment and prevention education tools to first responders, non-profits and public safety organizations. All requests must fall within our funding guidelines via [firehousesubsfoundation.org/about-us/funding-areas](http://firehousesubsfoundation.org/about-us/funding-areas).

### **Are there items that your Foundation does not support?**

All requests must fall within our funding guidelines found on our website via [firehousesubsfoundation.org/about-us/funding-areas](http://firehousesubsfoundation.org/about-us/funding-areas). Examples of items that are not supported by our board of directors include:

- body cameras
- building exhaust removal systems
- crash data boxes
- dash cams
- drones and drone accessories
- exercise equipment
- guns/firearms/use of force equipment, riot gear, laser pointers (designators) & tasers
- inflatable bounce houses
- license plate readers
- Narcan & TruNar analyzers
- Cardiac Science Powerheart G3 AEDs & Philips FR3 AEDs
- Polar Breeze thermal rehabilitation systems

**SAMPLE- Visit [FirehouseSubsFoundation.org](http://FirehouseSubsFoundation.org) to apply online.**

- portable message signs
- power load stretchers
- promotional items including apparel, costumes & Pluggie the fire plug/Sparky the Fire Dog robots
- radar detectors
- recording devices
- refurbished equipment
- security systems & surveillance equipment
- stop sticks
- throw bots
- traffic road barriers

**Who can apply for this grant?**

Fire Departments, law enforcement, EMS, municipal & state organizations, public safety organizations, nonprofits and schools are encouraged to apply for lifesaving equipment.

**If my organization has received a grant award from Firehouse Subs Public Safety Foundation in the past, when can we reapply?**

We ask that grant recipients wait a minimum of two years from the date of approval before reapplying.

**Does the Foundation provide reimbursements for purchased equipment?**

No. If your organization has already purchased the equipment and is seeking reimbursement, please do not apply.

**What are the most common reasons a grant application is marked incomplete?**

- Quote is missing the required contact information and/or is not itemized
- Financials are outdated and/or do not include both revenues and expenses
- Alternate contact information is the same contact information as the main contact information
- The name of the organization is missing on the inventory and/or financials • W9 form is missing the required information

**Can my organization submit multiple grant applications?**

The Foundation does not accept more than one grant request per organization each quarter. If your organization receives a grant, please wait a minimum of two years from the date of approval to apply again.

**Is the Firehouse Subs Public Safety Foundation grant a matching grant?** There are no matching funds involved in our organization's grants program.

**If my request is more or less than \$20,000 will it be considered?**

\$15,000-\$25,000 is a guideline. Requests exceeding \$50,000 will be denied.

**What financial information should we provide?**

*Financials must show revenue and expenses and list the name of your organization, city or county. One of the following options must be submitted:* ○ A recent - within one month - Balance Sheet which consists of Assets and Liabilities ○ A recent - within one month - Profit & Loss Statement also called an Income Statement ○ A current year annual budget showing projected income and expenses ○ A previous year audit or 990

SAMPLE- Visit [FirehouseSubsFoundation.org](http://FirehouseSubsFoundation.org) to apply online.

**What is needed for the required vendor quote/bid attachment?**

*You must provide an official vendor quote with the following information for your grant request to be considered. Submitted quotes MUST meet the requirements below, please read carefully:*

- Vendor sales representative first and last name must be included on quote ○ Vendor email address must be included on quote
- The name & *physical* address of your organization must be included
- The first & last name of a contact person from your organization must be included ○ Only one vendor quote can be submitted. Your application will be marked incomplete if more than one quote is submitted.
- Quote must be itemized ○ Online quotes will not be accepted
- Must be dated within six months of the application deadline ○ Must contain *only* the item(s) pertaining to your grant request
- The total dollar amount and equipment quantities in the vendor quote **MUST MATCH** the total that your department is requesting on the application
- Include sales tax if applicable and freight charges, if applicable. Firehouse Subs Public Safety Foundation will not be responsible for additional shipping costs or sales tax not included in the submitted quote.
- The cost of maintenance plans and extended warranties are not permissible
- Firehouse Subs Public Safety Foundation will not be responsible for restocking fees or costs related to errors within your quote

Note: When requesting a quote/bid from a vendor, please share our quote requirements and notify the vendor that you are applying for a grant from our Foundation.

**What inventory information should I provide?**

Equipment inventory is required for first responder organizations only. If your organization does not have apparatus, vehicles or specialized equipment, please attach a document noting that the organization does not have any applicable inventory, and include the name of your organization on the document.

For first responders: The inventory documentation must list the name of your organization. Please include a list of apparatus, vehicles and other specialized equipment, if applicable. The lists we receive vary in length depending on the size and type of organization. (For example, include items such as vehicles, extrication equipment, breathing devices, and personal protective equipment/PPE).

**If my department is located more than 60 miles from a Firehouse Subs restaurant, should I still apply?**

Our Foundation focuses its resources in areas served by Firehouse Subs restaurants, however, we recognize the need of rural and volunteer departments throughout the country, and will consider applications outside of the 60-mile guideline.

**When can we expect to find out if our grant has been approved or denied?**

Grant award notifications will be emailed to ALL applicants within two months after the grant deadline. Please do not contact the Foundation, restaurants or the Firehouse Subs Care Center with questions regarding your grant status.

**Does Firehouse Subs Public Safety Foundation fund requests for "use of force"?**

Firehouse Subs Public Safety Foundation does not accept grant requests for "use of force" items such as guns, tasers, riot gear, or firearm simulators.



SAMPLE- Visit [FirehouseSubsFoundation.org](http://FirehouseSubsFoundation.org) to apply online.

**Does the Foundation only work with specific equipment vendors?**

No, the Firehouse Subs Public Safety Foundation does not endorse any specific equipment vendor or brand. Our goal is to provide the equipment that best fits the needs of our recipients, at the best possible price, to enable us to help more organizations.

**Does the Foundation fund requests for refurbished equipment? We**

do not accept grant requests for refurbished or pre-owned equipment.

**Does the Foundation fund requests for patent-pending equipment? We**

do not accept grant requests for patent-pending products.

**Does the Foundation accept requests for partial funding?**

We will consider requests for partial funding, however, the balance of funds must be secured and outlined within your grant request. Documentation of partial funding must be included as part of your background/history attachment.

**We are unable to provide any additional assistance due to the volume of applications received daily. For technical questions, please email [Foundation@FirehouseSubs.com](mailto:Foundation@FirehouseSubs.com).**

**Firehouse Subs Public Safety Foundation Scholarships Program FAQs**

**How can an individual apply for a Firehouse Subs Public Safety Foundation scholarship?**

The scholarship program is open to community members as well as Firehouse Subs employees planning to enroll in a part-time or full-time firefighter, law enforcement or emergency medical (paramedic or EMT) program at an accredited two- or four-year college, university or vocational technical school for the upcoming academic year. Click [here](#) to learn more.

**How can accredited schools apply for scholarship funding?**

Accredited schools can apply for scholarship funding in support of firefighter, law enforcement or emergency medical (paramedic or EMT) programs by completing the online grant applications via [grants.firehousesubs.com](http://grants.firehousesubs.com).

**We are unable to provide any additional assistance due to the volume of applications received daily. For technical questions, please email [Foundation@FirehouseSubs.com](mailto:Foundation@FirehouseSubs.com).**



SAMPLE- Visit FirehouseSubsFoundation.org to apply online.

## ACCOUNT REGISTRATION

Applicant First Name\* \_\_\_\_\_

Applicant Last Name\* \_\_\_\_\_

Applicant Title\* \_\_\_\_\_

Email\* \_\_\_\_\_ (we prefer an official email address for your organization/department)

Applicant Cell Phone Number \* \_\_\_\_\_

\*Please note, this information cannot be edited once submitted.

## APPLICANT and DEPARTMENT INFORMATION

**Firehouse Subs Public Safety Foundation**

**Grant Application**

Organization/Department: (this must be your organization's official name) \_\_\_\_\_

Department Tax ID # (xx-xxxxxxx): \_\_\_\_\_

Mailing Address 1: \_\_\_\_\_

Mailing Address 2: \_\_\_\_\_

City, State & Zip Code: \_\_\_\_\_

Shipping Address: \_\_\_\_\_

Organization Phone Number: \_\_\_\_\_ Organization

Phone Extension: \_\_\_\_\_

Applicant Cell Phone Number: \_\_\_\_\_

Secondary Applicant\* First and Last Name: (must be different from main applicant first & last name)

\_\_\_\_\_

Secondary Applicant\* Cell Phone Number: (must be different from main applicant phone number)

\_\_\_\_\_

\_\_\_\_\_

Secondary Applicant\* Extension: \_\_\_\_\_

Secondary Applicant\* Email Address: (must be different from main applicant email) \_\_\_\_\_

\* Contact information for **two separate individuals** must be included in order for your application to be considered.

SAMPLE- Visit FirehouseSubsFoundation.org to apply online.

Communities Served: \_\_\_\_\_

Population: \_\_\_\_\_

Number of Runs/Calls for Service per Year (for fire, EMS and police only): \_\_\_\_\_

**Local Approval Pre-Qualifications** (Select the option that applies to your department/organization) ☐ As required by our community, this request has been presented and approved by our local government as part of our process when applying for external funding. ☐ Our jurisdiction requires approval from local officials once the award is granted.

☐ Our jurisdiction does not require pre-approval from local officials.

SAMPLE

SAMPLE- Visit [FirehouseSubsFoundation.org](http://FirehouseSubsFoundation.org) to apply online.

## **APPLICATION REQUEST INFORMATION**

*Please select the type of grant you are requesting:*

**Equipment Donation/Prevention Education Items**

**Scholarships/Continuing Education**

- Please note, our Foundation only reviews scholarship/continuing education grants connected with accredited schools
- For all-terrain wheelchair grant applications, email [foundation@firehousesubs.com](mailto:foundation@firehousesubs.com) to request a paper allterrain wheelchair grant application, and please title the email All-Terrain Wheelchair Grant Request

### **EQUIPMENT DONATION/PREVENTION EDUCATION ITEMS**

**The Foundation will determine the procurement method if your grant is approved. The equipment purchase will be implemented in one of two ways:**

**1) The Foundation Team will purchase the requested equipment on your behalf**, and the vendor will ship it directly to your organization. Upon delivery, you must email a *signed & dated* copy of the packing slip to the Foundation.

OR

**2) You will receive a Memo of Understanding from the Foundation.** Once it is signed by both parties, you will receive funding via ACH Transfer to make your purchase according to the approved vendor quote. After you receive your equipment, you must email *signed and dated* copies of all invoices to the Foundation within one week of delivery.

What Equipment are you requesting? Please include the quantity of each item. \_\_\_\_\_

\_\_\_\_\_

Vendor company name: \_\_\_\_\_

Sales representative first and last name: \_\_\_\_\_

Sales representative email address: \_\_\_\_\_

What is the TOTAL cost of the equipment?

Include sales tax and shipping, where applicable. Requests exceeding \$50,000 will not be accepted.

\_\_\_\_\_

☐ I understand that in order to be considered for funding, the total dollar amount and equipment quantities listed on the submitted quote/bid must match the total above.

Has your department applied for this specific request in the past and been denied?

\_\_\_\_ Yes \_\_\_\_ No

If yes, how many times, prior to this application, has this request been submitted? \_\_\_\_\_

SAMPLE- Visit [FirehouseSubsFoundation.org](http://FirehouseSubsFoundation.org) to apply online.

Briefly explain how the equipment will benefit your community and your department.

---

This would have a direct impact on more than \_\_\_\_\_ children and \_\_\_\_\_ senior citizens in our community. (For prevention education items.)

### **COMMUNITY IMPACT**

Have you unsuccessfully reached out to the city for funds to purchase the equipment?

---

Was there a particular instance where a life would have been positively impacted if you would have had the equipment available?

---

---

What positive effects will the equipment specifically have? Please describe how the requested equipment or funding would benefit your local community. We ask that you do not cite national statistics.

---

### **SCHOLARSHIPS/CONTINUED EDUCATION REQUESTS**

**Please note:**

Our Foundation only reviews scholarships/continuing education grants connected with accredited schools.

For all-terrain wheelchair grant applications, please email [foundation@firehousesubs.com](mailto:foundation@firehousesubs.com) to request a paper All-Terrain Wheelchair Grant Request.

If you are requesting funds for scholarships or continued education:

How do you plan to use the funds requested? \_\_\_\_\_

---

What is the amount of funding you are requesting? \_\_\_\_\_

How many scholarships would the requested funding provide? \_\_\_\_\_

**SAMPLE- Visit FirehouseSubsFoundation.org to apply online.**

Please describe the selection and distribution process for the requested scholarship funding. \_\_\_\_\_

Has your department applied for this specific request in the past and been denied? Yes \_\_\_\_ No \_\_\_\_

If yes, how many times, prior to this application, has this request been submitted? \_\_\_\_\_

Please provide a detailed description of how the funding will assist your organization:

### **COMMUNITY IMPACT**

What positive effects will the funds specifically have? Please describe how the requested funding would benefit your local community. We ask that you do not cite national statistics.

### **FIREHOUSE SUBS RELATIONSHIP**

Address of Firehouse Subs location nearest you:

How far is this location from your department? \_\_\_\_\_ Miles

How did you hear about our organization? \_\_\_\_\_

Has your department received funding from Firehouse Subs Public Safety Foundation in the past two years?

This information will be verified, if submitted incorrectly it will result in an automatic denial. ☒ Yes ☐ No

It is strongly recommended and greatly appreciated that your organization acknowledges the donation by displaying our Foundation logo on donated items/equipment whenever possible. Please note that the artwork will need to be approved by our Foundation team before being displayed.

If approved for funding we may facilitate a media presentation/press event at a local Firehouse Subs restaurant to demonstrate the equipment and acknowledge the donation. It may take up to a year depending

SAMPLE- Visit FirehouseSubsFoundation.org to apply online.

on location and donation delivery timeframe. In the meantime, we ask that any immediate media announcements regarding the grant award be approved by the Foundation.

By applying, you grant Firehouse Subs Public Safety Foundation (the "Foundation") permission to use your organization's name and identifying trademarks in connection with this application and in connection with the Foundation's solicitations for support.

\_\_\_\_\_  
Initial Acceptance

PIO (Public Information Officer) Name: \_\_\_\_\_

(If you do not have a PIO, please list a contact for event planning and publicity. This individual will need to be readily available by email and phone.)

PIO e-mail: \_\_\_\_\_ PIO phone number: \_\_\_\_\_

SAMPLE- Visit FirehouseSubsFoundation.org to apply online.

**FIREHOUSE SUBS PUBLIC SAFETY FOUNDATION**  
**PRINT/VIDEO RELEASE**

Applicant First and Last Name: \_\_\_\_\_

Applicant Organization: \_\_\_\_\_

Date: \_\_\_\_\_

The organization listed above, and its affiliates, hereby grant Firehouse Subs Public Safety Foundation, Inc., Firehouse Restaurant Group, Inc. (including its subsidiaries and affiliates) and its officers, directors, nominees, designees, successors, and assigns (hereinafter called "Producer"), permission to use, assign, convey, reproduce, copyright, and publish images or visual likenesses, names, and/or voices ("Personal Information") in any video, photograph, sound or other recording, and/or other media for commercial, informational, educational, advertising, or promotional purposes.

The organization hereby waives any right to inspect or approve the finished product or the advertising copy which may be used in connection therewith, or the use to which it may be applied.

The organization hereby releases, discharges, and agrees to hold harmless Producer from any liability of any nature or description by virtue of any use whatsoever of Personal Information, whether intentional or otherwise, including but not limited to any change that may occur or be produced in the taking of said pictures or images or in the recording of any sound, or in any processing in connection with the completion of the finished product.

☐ By checking this box, the organization listed above, and its affiliates, agree to the terms of the print/video release.

## APPLICATION CHECKLIST

**Before submitting, please check that your application has been submitted completely by reviewing the checklist below. Your application will not be considered if any of information requested throughout the application is missing.**

### Applicant & Alternate Contact Information

- Main applicant contact information must differ from alternate contact information
  - First and last name, email address and phone number must differ

### Background/History Attachment

- Has the following documentation been submitted?
- Background/History- Brief history of your department or organization, and how this grant will benefit your community

### Vendor Equipment Quote/Bid

- Does the submitted vendor equipment quote/bid include the following information?
  - Vendor sales representative first and last name
  - Vendor email address
  - The name & *physical* address of your organization
  - The first & last name of a contact person from your organization
  - Only one vendor quote has been submitted
  - The quote must be itemized
  - The quote is dated within six months of the application deadline
  - The quote *only* includes item(s) pertaining to your grant request
  - The total dollar amount and equipment quantities in the vendor quote **MATCH** the total that your department is requesting
  - Include sales tax if applicable and freight charges, if applicable. Firehouse Subs Public Safety Foundation will not be responsible for additional shipping costs or sales tax not included in the submitted quote.
  - Sales tax and freight charges are included, if applicable

**Please note: The cost of maintenance plans and extended warranties are not permissible and should not be included in submitted quotes.**

### Most Recent Financial Information

- Does the submitted financial information include the following information?
  - The organization, city or county name
  - Both revenue and expenses
  - One of the following:
    - A recent - within one month - Balance Sheet which consists of Assets and Liabilities
    - A recent - within one month - Profit & Loss Statement also called an Income Statement
    - A current year annual budget showing projected income and expenses
    - A previous year audit or 990



SAMPLE- Visit [FirehouseSubsFoundation.org](http://FirehouseSubsFoundation.org) to apply online.

### **Equipment Inventory**

- Does the submitted equipment inventory include the following information?
  - Organization name
  - A list of your organization's apparatus, vehicles and other specialized equipment

NOTE: Equipment inventory is only required for first responder organizations. If your organization does not have apparatus, vehicles or specialized equipment, please ensure a document is attached noting the organization does not have any applicable inventory.

### **Internal Revenue Service Form W-9 (Rev. October 2018) •**

Does the submitted W-9 include the following requirements?

- Name as shown on your income tax return
- Entity Name, *if different from line 1*
- Federal Tax Classification (including Other explanation if required)
- Exempt payee code (if any)
- Address
- City, State & Zip Code
- Employer ID Number
- Signed by an official of the organization
- Dated no more than one year from the submission date of this application



## Safety Grant Program

Spirit of Blue's primary initiative is the granting of safety equipment and training to municipal, county and state law enforcement agencies in an effort to protect their sworn personnel.

Most grants are 100% funded, meaning that no match is required. In the majority of cases, Spirit of Blue conducts the procurement of the goods or services being granted so that the recipient agency isn't burdened with having to negotiate prices, place orders or track delivery. Rarely, if ever, does Spirit of Blue provide cash awards. Once selected, Spirit of Blue will provide the recipient agency with an official grant award letter outlining everything that is contained in the award. The recipient agency must gain acceptance of the grant, whether on the authority of their agency head or by working with their local governing authority as their policy may dictate. There are no reporting requirements after the award of the grant, but agencies are asked to submit a photo to be used in the announcement of their grant.

### ✚ GRANT FAQ

Spirit of Blue has identified 15 categories of focus, arranged into three major groups. These categories represent areas of products and services that deliver on the Foundation's mission of enhancing officer safety:

## Protecting Life

There is risk and peril at every turn for an officer, deputy or agent – while responding to a call, arriving on scene or dealing with any number of dynamic and uncontrollable situations in the course of a shift. Some threats can never be avoided, and so passive protection must be available to defend at any time. Other threats can be prevented, or at least minimized, with a combination of the proper equipment and training. These categories of products and services represent the highest order in the continuum of officer safety and longevity.

## Projecting Force

Once a threat to life or personal injury has been identified, be it toward the officer, deputy or agent or to the general public itself, it is incumbent upon professional law enforcement officers to respond in a swift, powerful and appropriate manner. Access to the right tools and equipment are critical to enable the professional to neutralize threats according to the guidelines of the force continuum and to achieve the ultimate end result – protection of life, preservation of

## SUBSCRIPTION

Get our monthly newsletter with grant announcements, news, upcoming events and more.

[SIGN UP](#)

## OUR MISSION

We are dedicated to the enhancement of officer safety and vitality throughout the law enforcement community by promoting public awareness for their protection and fulfilling safety equipment and training needs.

[LEARN MORE](#)


## THE NEED

Over 900,000 law enforcement officers honorably serve the population of the United States - that equates to 1 officer for every 350 citizens. On average, 125 officers are lost and another 15,000 are injured in the line of duty each year. Yet funding for safety equipment and training is dwindling as tax revenues decline. The need for supplemental funding to protect these officers has never been greater.

[DONATE TODAY](#)

<b>Item</b>	<b>Cost</b>	<b>Quantity</b>	<b>Ext Cost</b>
TECS	626	22	13772
Protac HL	110	22	2420
FLIR Scout Pro Thermal	2096	1	2096
TNVC PVS 14 w mount	3750	4	15000
Peltor VI ? PAG	1134	4	4536
EMT Course	1400	2	2800
<b>Total Cost</b>			<b>40624</b>





## Hearing as a sensor

A Warfighters' hearing is arguably their most sophisticated battlefield sensor. With normal hearing sensitivity, sounds can notify us of an approaching aircraft or vehicle, long before it can be seen. We can hear through obstacles such as doors and walls. We can process large amounts of auditory information that can significantly affect lethality and survivability. Our hearing can awaken us from a deep sleep when something sounds out of place. Warfighters' know this instinctually.

The 3M™ PELTOR™ ComTac™ VI platform, when launched in 1998, introduced the world to an environmental listening function – a capability designed to help provide auditory situational awareness, while still helping provide protection from hazardous noise.





## Environmental listening

The environmental listening feature, also known as “talk-through” is a means of allowing safe audio sounds to bypass the individual hearing protection electronically while still helping protect against harmful noises. This is accomplished with 3M’s proprietary digital audio circuit integrated into the headset.

A microphone receives the sounds outside of the headset and transmits them to a speaker inside of the headset. The level-dependent digital audio circuit senses noise levels above the desired threshold and compresses them to a safe decibel level or amplifies weak sounds to an audible level.

**Sound detection.**


**Sound identification.**

**Sound localization.**

**Speech communications.**

**All important components of auditory  
situational awareness, impacting  
Warfighter efficiency and safety.**



A tactical team in a dark, industrial environment. The team is wearing helmets and carrying equipment. One person is in the foreground, looking down. Others are in the background, one is walking away. The scene is dimly lit with a bright light source in the distance.

3M™ PELTOR™ ComTac™ VI NIB and SWAT-TAC™ VI NIB  
Tactical Communication and Hearing Protection Headsets

## Hearing is believing.

3M™ PELTOR™ ComTac™ VI environmental listening function has been greatly improved by incorporating new omni-directional microphones and high fidelity speakers that can pick up sounds with great sensitivity and help replicate sound more clearly and accurately.

Additionally, the new digital signal processing circuitry and new transmit microphone help improve speech intelligibility and the environmental listening function's ability to detect and locate sound from previous generations of the platform.



## Mission Audio Profiles (MAP)

The 3M™ PELTOR™ ComTac™ VI offers a new way to adjust the auditory settings of your headset for your mission. Traditionally, a headset has a set frequency response, and the operator can only increase or decrease the volume.

The MAP function provides new advanced ambient listening modes that allow access to a variety of gain settings, but with frequency shaping, to enhance auditory performance in five conditions. The MAP Profiles have been designed with a variety of combat and combat support operations in mind.





## Mission Audio Profile 1: Observation

Highest volume and widest frequency response to maximize hearing when the user is still (overwatch, hide spot, stop to listen, etc).





## Mission Audio Profile 2: Patrol

High volume with reduced high frequencies to limit sounds such as footsteps on gravel, grass moving under feet, equipment moving on body.





## Mission Audio Profile 3: Conversation

Maximizes the frequencies important for face-to-face communications while lowering the frequencies outside of the average speech band.





## **Mission Audio Profile 4: Comfort**

Low volume and narrow frequency response to be used when in noise for long periods of time (tactical vehicle, air transport) where environmental listening is not prioritized over communications and overall comfort.

## **Mission Audio Profile 5: Environmental listening off**

ComTac™ VI features the capability to turn the environmental listening function off, while not powering down the headset. This may be beneficial in high noise environments where the least amount of outside sound is desired to help with communications.



## Natural Interaction Behavior (NIB)

NIB enables short-range, headset-to-headset communication in high noise environments, without the use of an external communications radio.

The NIB function allows for 4 team members to speak simultaneously, and over 60 people within a 10 meter radius to listen at any given time.


Audio transmit is activated by either a voice activated switch (VOX) for hands free operations or by push-to-talk.

The VOX switch is adaptive, meaning the threshold to activate will adjust automatically to the noise environment.

To help reduce user burden, a tactile button has been added to the left ear cup that allows the user to easily turn on or off the function / and switch from VOX to PTT settings.



## Clear communications in critical operations



### NIB VOX Function Activation at 80dB

The NIB function is easy to use. Team members in proximity of each other (10 Meters) will be automatically connected (when the NIB function is on) with full duplex communications.

When the VOX mode is enabled, as the noise environment gets louder (levels 80db and above) hands free communications is enabled. PTT mode can also be set if the operator wants to manually control the voice transmit.

## Optimized design

For tactical operations, many additional considerations have been factored into the design of the ComTAC™ ear cup to ensure compatibility with a variety of warfighter systems.

The ear cup has been designed to help provide the maximum amount of attenuation while limiting the thickness of the cup to a ½ inch at the top (for compatibility with mid and full cut ballistic helmets).

At the bottom, the ear cup is contoured to help cheek-to-stock weld for weapons sighting and a second microphone port is provided for connection to oxygen systems (HAHO/HALO operations) and 3M Scott FRR Respirator.



### Gel ear cushions

For end users where comfort is paramount, 3M™ PELTOR™ provides gel ear cushions that are for long term wear and use with eye protection.





# Integrated helmet & communications

## Removed pressure points

By attaching to the accessory rail the attachment eliminates potential “hot spots”.

## Easy donning/doffing

In the “open” position, the operator can easily don/doff the helmet/headset, and adjust for proper fit.

## Heat relief

The ability to have an “open” position of the headset allows the user to ventilate in high-heat environments but can still monitor communications in low-noise environments.



## Location

Connecting to the top rail allows for even distribution of ear muff compression for optimized hearing protection and reduces the chance of accidental opening during free fall operations.

## Stability & balance

In the “closed” position, the ear cups will compress against the head providing additional stability for full head movement.

## Transition band

3M has upgraded its headband with a new rubberized transition band to accommodate end user demand for the ability to convert rail mounted systems to a headband. The new headband also offers additional padding for comfort and stronger performance in maritime environments.



## New telescope boom

The new transmit microphone has been redesigned with a new microphone element and embedded with patented 3M closed cell foam. Delivers improved noise cancelling transmission in high noise and wind while also improving dust and water ingress protection.

The new design addresses the need to accommodate both left handed and right handed shooters without the need to relocate the microphone to opposite side of the headset.

The telescope boom can adjust its length and both vertical and horizontal orientation. The end is angled for optimal position in front of your mouth, and designed to help stay secure in its position.



## Configuration options

### 1. Band style



Headband & ARC Attachment



Back Band

---

### 2. Radio communications



Defender



Single COMM



Dual COMM

---

### 3. Color



Coyote Brown



O.D. Green



Black (SWAT-TAC)





## Multi-COMM Capability

3M offers a single download headset with a 5-pin connector to support connection to Dual and Multi COMM Communication Control Units (CCUs).

The headset is specially configured to route left and right audio to each ear while helping prevent cross-talk of communications channels.

For more information about this unique configuration headset, please contact a 3M™ PELTOR™ specialist.

Technical Service: 1-800-665-2942

## Push-To-Talk Adapters

### 3M™ PELTOR™ FL4040-02, NATO Wired 6-Pin PTT Adapter

- Switching mechanism to prevent cross-talk
- Swivel, Molle Clip
- MIL-C-55116 6-Pin Connector
- PTT's are designed to fit the size and shape of either hand
- PTT's can be used with a gloved hand
- U-174 Headset Connection serves as a break-away connector for removal in emergency situations
- Tested for cross-talk in DUAL COMM Configuration



---

### 3M™ PELTOR™ Push-To-Talk (PTT) Adapter Military Radio FL5601-02, with 6-PIN MIL-C-55116

- PTT's are designed to fit the size and shape of either hand
- PTT's can be used with a gloved hand
- Designed to reduce accidental activation
- U-174 Headset Connection serves as a break-away connector for removal in emergency situations
- Tested for cross-talk in DUAL COMM Configuration
- Also Available for Motorola APX and XTS Series Radios



---

### 3M™ PELTOR™ Push-To-Talk (PTT) Adapter FL5601-09 with AP-107 Break Away Connector

- The 3M Ground Vehicle Military PTT Headset comes off-the-shelf with a Large Center PTT and an A/B Toggle for Radio/ICS Switching with AP-107 Break Away Vehicle Adapter Connector
- This configuration provides an additional capability for ground vehicle users over the older 3 Position Toggle Position by allowing to Rx/Tx over the long range radio or over the intercom without having to switch out of ICS
- When Toggled to ICS the operator speaks Hot Mic/Vox over the ICS, when the PTT is pressed the ICS Tx is switched to Tx over the radio




## Communications interface


Single and Dual COMM configurations are available for streamline cable management.  
In Dual COMM configuration, the downloads separate left and right audio traffic.




Each download terminates in a standard U/174 NATO wired "Quick Disconnect" plug.



The U/174 Plug is a standard military aviation plug and will plug directly into most military aviation intercom systems.



PTT adapters terminates in a 6-pin MIL-C-55166, which will interface to the vast majority of industry radios and intercoms (i.e. AN/PRC-148 MBITR, PRC-152 Falcon).




PTT adapter terminates in a 7-pin Bail-out, which will interface to the majority of mobility platform intercom systems (i.e. AN/VIC-3).



## Know your protection



To be effective, a hearing protector should be used 100% of the time in noisy environments. Even taking it off for a short time dramatically reduces its effectiveness and greatly increases the risk of hearing damage.



## Noise attenuation performance

### MT20H682FB-\*\*N\*\* Folding Band - Gel Cushions

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000	NRR*	CSA Class
Mean Attenuation (db)	11.4	15.7	21.7	28.9	33.1	40.8	38.8	37.3	37.3	20	B
Standard Deviation (db)	2.8	2.7	2.0	2.7	1.9	3.5	3.7	2.5	3.5		

NOTE: 3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to factors including variation in earplug fit, and earplug fitting skill and motivation of the user. If the NRR is used to estimate typical workplace protection, 3M recommends that the NRR be reduced by 50% or in accordance with applicable regulations.

3M™ PELTOR™ ComTac™ VI is offered in several configuration options, that may result in a different NRR. Test results have shown a range of ratings between 20-23. Individual configuration attenuation performance is provided in the user instructions.

## Impulse Noise Protection

- Tested at 168dB in accordance to ANSI S12.42-2010

Test Level	Peak Level dB SPL	Peak Insertion Loss dB (PIL)
	132	16.7
	150	23.6
	168	32.2

The 3M™ PELTOR™ ComTac™ VI meets the single hearing protection requirement listed in DA PAM 40 501 Army Hearing Conservation Program 2015 for both steady-state and impulse noise

When worn according to the User Instructions, hearing protector help reduce exposure to both continuous noises, such as industrial noises and noises from vehicles the required and/or actual hearing protection obtained during exposure to impulse use of hearing protection, proper care of hearing protection, and other variables will hearing problem, your hearing may be at risk. To learn more about hearing protection for impulse noise, visit [www.3M.com/hearing](http://www.3M.com/hearing).



## Earplug mode

In military environments, steady state noise levels of 120 dB or higher, are easily achieved. In steady-state high noise environments exceeding 103db, dual hearing protection may be required not only for protection, but to maintain clear communications.

The 3M™ E-A-R™ Classic™ Ear Plug has an NRR of 29 dB\*. When used in conjunction with 3M™ PELTOR™ ComTac™ VI, an additional 5dB may be added to the NRR value.

The 3M™ PELTOR™ ComTac™ VI offers a “Ear Plug mode.” In this mode, the headset volume is boosted by approx. 6 dB to help compensate for the additional attenuation provided by the ear plug.

NOTE: 3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to factors including variation in earplug fit, and earplug fitting skill and motivation of the user. If the NRR is used to estimate typical workplace protection, 3M recommends that the NRR be reduced by 50% or in accordance with applicable regulations.

# Performance Specifications

Environmental Performance: Tested in accordance with MIL- STD-810G					
Altitude	High Temp / Low Temp	Solar Radiation	Temp Shock	Humidity	Blowing Rain
Salt/ Fog	Shock / Drop	Vibration	Sand / Dust	Fungus	Explosive Atmosphere

## Electromagnetic Interference: Tested in accordance to MIL STD 461G

Department of Defense Interface Standard, Requirements for the Control of Electromagnetic Interference Characteristics of Subsystems and Equipment – CS114, RE101, RE-102-4, RS101, and RS103 requirements

## RF Environmental Effects On Systems: Tested in accordance with MIL-STD-464

Hazards of Electromagnetic Radiation to Ordnance (HERO), Personnel (HERP), and Fuel (HERF)

### Weight

Headband with HY80A:	379g
Back band with HY80A:	352g

### Power

Battery type:	2xAAA batteries
Operating time:	Environmental listening: 50 h Environmental listening + NIB: 30 h
Fail Safe	External communications and Environmental Listening functions are independent for Rx/Tx fail safe. In the unlikely event of electronic failure or battery depletion, external device communications will continue to function

### NIB Function

Frequency band:	864Mhz and 915Mhz
Operation mode:	Full Duplex
Range:	0~5m: Optimal for communication 5~10m: Fade in and fade out
Modulation:	TDMA protocol
Microphone type:	Dynamic (MT73), (IP68)
Operating temperature:	-4 °F to 131 °F

### Immersion Specification

Fresh Water:	-1 meter at 1 hours. Fresh water -6 meter, 10 sec (down and up), 2 cycles
Salt Water:	-2 meter at 30 min. (Salt water: 5%)

# Ordering Information

3M SAP ID	Part Number	Description
7100202850	MT20H682FB-09N GN	3M™ PELTOR™ COMTAC VI NIB - O.D. Green Headset - Headband + ARC - Hearing Defender - Includes Gel Ear Cushions
7100202849	MT20H682FB-09N SV	3M™ PELTOR™ SWAT-TAC VI VI NIB - Black Headset - Headband + ARC - Hearing Defender - Includes Gel Ear Cushions
7100202848	MT20H682FB-09N CY	3M™ PELTOR™ COMTAC VI NIB - Coyote Brown Headset - Headband + ARC - Hearing Defender - Includes Gel Ear Cushions
7100202855	MT20H682FB-47N GN	3M™ PELTOR™ COMTAC VI NIB - O.D. Green Headset - Headband + ARC - SINGLE COMM - Includes Gel Ear Cushions
7100202862	MT20H682FB-47N SV	3M™ PELTOR™ SWAT-TAC VI VI NIB - Black Headset - Headband + ARC - SINGLE COMM - Includes Gel Ear Cushions
7100202863	MT20H682FB-47N CY	3M™ PELTOR™ COMTAC VI NIB - Coyote Brown Headset - Headband + ARC - SINGLE COMM - Includes Gel Ear Cushions
7100202859	MT20H682FB-19N GN	3M™ PELTOR™ COMTAC VI NIB - O.D. Green Headset - Headband + ARC - DUAL COMM - Includes Gel Ear Cushions
7100202858	MT20H682FB-19N SV	3M™ PELTOR™ SWAT-TAC VI VI NIB - Black Headset - Headband + ARC - DUAL COMM - Includes Gel Ear Cushions
7100202857	MT20H682FB-19N CY	3M™ PELTOR™ COMTAC VI NIB - Coyote Brown Headset - Headband + ARC - DUAL COMM - Includes Gel Ear Cushions
7100202847	MT20H682BB-09N GN	3M™ PELTOR™ COMTAC VI NIB - O.D. Green Headset - Back Band - Hearing Defender - Includes Gel Ear Cushions
7100202856	MT20H682BB-09N SV	3M™ PELTOR™ SWAT-TAC VI VI NIB - Black Headset - Back Band - Hearing Defender - Includes Gel Ear Cushions
7100202846	MT20H682BB-09N CY	3M™ PELTOR™ COMTAC VI NIB - Coyote Brown Headset - Back Band - Hearing Defender - Includes Gel Ear Cushions
7100202861	MT20H682BB-47N GN	3M™ PELTOR™ COMTAC VI NIB - O.D. Green Headset - Back Band - SINGLE COMM - Includes Gel Ear Cushions
7100202860	MT20H682BB-47N SV	3M™ PELTOR™ SWAT-TAC VI VI NIB - Black Headset - Back Band - SINGLE COMM - Includes Gel Ear Cushions
7100202854	MT20H682BB-47N CY	3M™ PELTOR™ COMTAC VI NIB - Coyote Brown Headset - Back Band - SINGLE COMM - Includes Gel Ear Cushions
7100202853	MT20H682BB-19N GN	3M™ PELTOR™ COMTAC VI NIB - O.D. Green Headset - Back Band - DUAL COMM - Includes Gel Ear Cushions
7100202852	MT20H682BB-19N SV	3M™ PELTOR™ SWAT-TAC VI VI NIB - Black Headset - Back Band - DUAL COMM - Includes Gel Ear Cushions
7100202851	MT20H682BB-19N CY	3M™ PELTOR™ COMTAC VI NIB - Coyote Brown Headset - Back Band - DUAL COMM - Includes Gel Ear Cushions

For More information  
[3M.com/PELTORtactical](http://3M.com/PELTORtactical)  
 Technical Service 1-800-665-2942  
 Customer Service 1-800-328-1667



## WARNING

### Hearing Protection Products

These hearing protectors help reduce exposure to hazardous noise and other loud sounds. Misuse or failure to wear hearing protectors at all times that you are exposed to noise may result in hearing loss or injury. For correct use, consult supervisor and User Instructions, or call 3M PSD Technical Service in the USA at 1-800-665-2942. If there is any drainage from your ear or you have an ear infection, consult with your physician before wearing earplugs. Failure to do so may result in hearing loss or injury.

### CAUTION:

When worn according to these User Instructions, these hearing protectors help reduce exposure to both continuous noises, such as industrial noises and noises from vehicles and aircraft, as well as very loud impulse noises, such as gunfire. It is difficult to predict the required and/or actual hearing protection obtained during exposure to impulse noises. For gunfire, the weapon type, number of rounds fired, proper selection, fit and use of hearing protection, proper care of hearing protection, and other variables will impact performance.

To learn more about hearing protection for impulse noise, visit [www.3M.com/hearing](http://www.3M.com/hearing).

**NOTE:** 3M strongly recommends fit testing of hearing protectors. Research suggests that many users will receive less noise reduction than indicated by the NRR due to factors including variation in earplug fit, and earplug fitting skill and motivation of the user. If the NRR is used to estimate typical workplace protection, 3M recommends that the NRR be reduced by 50% or in accordance with applicable regulations.

When additional personal protective equipment is necessary (e.g. safety glasses, respirators, etc.), select flexible, low profile temples or straps to minimize interference with the earmuff cushion. Remove all other unnecessary articles (e.g. hair, hats, jewelry, headphones, hygiene covers, etc.) that could interfere with the seal of the earmuff cushion and reduce the protection of the earmuff.



3M Personal Safety Division  
3M Center, Building 235-2NW-70  
St. Paul, MN 55144-1000  
[3M.com/PELTOR](http://3M.com/PELTOR)

For More information  
Technical Service 1-800-665-2942  
Customer Service 1-800-328-1667

3M Personal Safety Division products are for occupational use only. 3M, PELTOR and all other trademarks of 3M Company are a trademarks of 3M Svenska AB, used under license in Canada. 3M 2019. All rights reserved. Please recycle. Printed in U.S.A.





# SCOUT PRO™

## Thermal Imaging Monocular for Law Enforcement



### Key Features:

- See people in the dark from up to 500 m away
- Wide 32° field of view for maximum coverage and faster area sweeps
- Rugged and reliable with IP67 rating and 2 m drop protection
- Easy-to-use menu, requiring minimal training
- Wireless video streaming through Scout Pro App (iOS only)

### Main Applications:

- Active pursuit
- Search and rescue
- Surveillance
- Evidence gathering

[www.FLIR.com/scout-pro](http://www.FLIR.com/scout-pro)

### SPECIFICATIONS

General	
Field of View (FOV)	32°
Focal length	19 mm
F-number	f/1.0
Focus	Fixed focus
Human detection range	500 m (540 yards)
Minimum focus distance	4 m (13 ft)
Detector frame rate	30 Hz
Display frame rate	60 Hz
Spectral range	7.5 µm - 13.5 µm
Pixel pitch	17 µm
Thermal sensitivity, NETD	<38 mK @ 30°C (86°F)
Resolution	640 × 480, vox microbolometer
Image processing	FLIR proprietary Digital Detail Enhancement™
Color (housing)	Black
Drop rating	2 m (6 ft 7 in)
IP rating	IP67
User Interface	
Zoom	2x, 4x, 6x, 8x
Modes	White Hot, Black Hot, Sepia, Heat
Disable radio and Wi-Fi	Physical On/Off switch
Image presentation	
Built-in display	XGA 1024 × 768
Video	XGA 1024 × 768
Power	
Battery life	Up to 6 hours
Battery type	Internal Li-Ion cell
Charging time	2 h at 80%

Physical	
Size (L x W x H)	19.2 cm × 6.4 cm × 6.4 cm (7.5 in × 2.5 in × 2.5 in)
Weight (incl. battery)	498 g (1 lb 2 oz)
Tripod mounting	UNC ¼"-20
Image storage	
Media gallery	Scout Pro App (iOS only)
Storage media	Embedded flash
Image storage capacity	>1000
Image storage mode	IR
File formats	Standard JPEG
Video recording	Yes
Non-radiometric IR video recording	MPEG4 AVC (ITU-T H.264)
Storage capacity	16 GB
Video streaming	Yes
Non-radiometric IR video streaming	Wi-Fi/RTSP (MPEG4 AVC (ITU-T H.264))
USB streaming	UVC (YUV422 no overlay)
Wireless connectivity	
Bluetooth	BLE
Streaming	Wi-Fi
Warranty and service	
Warranty	<a href="http://support.flir.com/scout-pro">support.flir.com/scout-pro</a>
Ordering	
Part No.	15001-0101

Specifications are subject to change without notice.  
For the most up-to-date specs, go to [www.flir.com](http://www.flir.com)

For more information contact: [Sales@TeledyneFLIR.com](mailto:Sales@TeledyneFLIR.com)  
or to find your local support number, visit: [flir.com/contactsupport](http://flir.com/contactsupport)

This product is subject to United States export regulations and may require US authorization prior to export, reexport, or transfer to non-US persons or parties. Diversion contrary to US law is prohibited.

©2024 Teledyne FLIR, LLC. All rights reserved.

Revised 11/05/24  
Scout Pro\_Datasheet-LTR\_RH24-0476-INS\_version2

## AN/PEQ-15 – ATPIAL

### Advanced Target Pointer Illuminator Aiming Laser (ATPIAL)—Standard Power

#### CHARACTERISTICS

<b>Dimensions</b>	4.6 in. L x 2.8 in. W x 1.6 in. H	
<b>Weight</b>	7.5 oz. with battery	
<b>Battery Type</b>	(1) 3 Volt Lithium	
<b>Battery Life</b>	> 6 hrs. in Dual High at 25 °C (77 °F)	
<b>Visible Aim Laser</b>	<b>Specifications at 25 °C (77 °F)</b>	<b>Safety Class</b>
Output Power	5.0 mW (max)	3B
Beam Divergence	0.5 (± 0.3/- 0.39) mrad	
Wavelength	635 (± 15) nm	
<b>IR Aim Laser</b>	<b>Specifications at 25 °C (77 °F)</b>	<b>Safety Class</b>
Output Power Low	700 uW	3R
Output Power High	27.5 mW (max)	3B
Beam Divergence	0.5 (± 0.3/- 0.39) mrad	
Wavelength	835 (± 15) nm	
<b>IR Illuminator</b>	<b>Specifications at 25 °C (77 °F)</b>	<b>Safety Class</b>
Output Power Low	3.5 mW (max)	3B
Output Power High	45 mW (max)	3B
Beam Divergence	Adjustable from approximately 1 mrad to > 105 mrad	
Wavelength	835 (± 15) nm	



The L3Harris ATPIAL AN/PEQ-15 is a small, lightweight, easy-to-use aiming system with integrated infrared and visible aiming lasers and an infrared illuminator. ATPIAL features a Rail-Grabber™ interface and is ruggedized to military environmental standards for use on small arms and crew-served weapons.

## FEATURES

- > Co-aligned visible and infrared lasers
- > Hardened for use on small arms and crew-served weapons
- > Integral Rail-Grabber™ interface
- > Retains zero within 0.5 mrad
- > Meets military environmental specifications



Integrated infrared and visible aiming lasers

### AN/PEQ-15 ATPIAL Advanced Target Pointer Illuminator Aiming Laser (ATPIAL)—Standard Power

© 2021 L3Harris Technologies, Inc. | 01/2021 | IVS SP196 | r19a-1

Use of U.S. Department of Defense (DoD) visual information does not imply or constitute DoD endorsement.

This document consists of basic marketing information that is not defined as technical data under ITAR Part 120.10. Export of this product is regulated by the U.S. Department of State in accordance with guidelines of "International Traffic Arms Regulations (ITAR)". Specifications are approximate and subject to change without notice.

L3Harris Technologies is an agile global aerospace and defense technology innovator, delivering end-to-end solutions that meet customers' mission-critical needs. The company provides advanced defense and commercial technologies across air, land, sea, space and cyber domains.



**L3HARRIS™**  
FAST. FORWARD.

1025 W. NASA Boulevard  
Melbourne, FL 32919  
t 866 509 2040  
Quotes.Insight@L3Harris.com



**PROTAC® RAIL MOUNT HL-X // PROTAC® RAIL MOUNT HL-X USB**

<b>DESCRIPTION:</b>	High candela, extreme beam reach, high lumen, gun-mounted tactical light. Both the ProTac Rail Mount HL-X and HL-X USB models offer two switch configurations — a push-button tactical switch or the remote pressure option allow for momentary or constant on operation. The rail clamp is designed to securely attach to rifles, carbines, and submachine guns with a MIL-STD-1913 rail or with the included M-LOK® mount allowing for alternative mounting options to M-LOK® and M-LOK® compatible rail systems. The light is powered by CR123A lithium batteries or Streamlight's rechargeable SL-B26® battery pack.		
<b>CASE MATERIAL:</b>	6000 Series machined aircraft aluminum with black anodized finish		
<b>DIMENSIONS:</b>	Length: 5.43 in (13.8 cm)	Width: 1.45 in (3.68 cm)	Height: 1.72 in (4.37 cm)
<b>WEIGHT:</b>	6.4 oz (181.4 g) with CR123A batteries 6.9 oz (195.6 g) with SL-B26 rechargeable battery pack		
<b>LENS:</b>	High-temperature, shock-mounted, AR coated, impact-resistant BOROFLOAT® glass		
<b>LIGHT SOURCE:</b>	White LED impervious to shock with a 50,000-hour lifetime		
<b>LIGHT OUTPUT:</b>	High: 1,000 lumens; 50,000 candela peak beam intensity; 447m beam distance Low: 60 lumens; 3,100 candela peak beam intensity; 111m beam distance  Solid state current regulation for consistent illumination level and the reflector produces a concentrated beam with optimum peripheral illumination.		
<b>ON/OFF:</b>	Multi-function, push-button tactical tail switch or dual remote pressure switch with latching push-button. One-handed operation of momentary, variable intensity, or strobe mode. TEN-TAP® programmable switch to allow for user selection of one of three different programs: high/strobe (factory default), high only, or low/high.		
<b>RUN TIME:</b>	SL-B26: High: 1.75 hours Low: 24 hours Strobe: 3.5 hours  CR123A: High: 1.25 hours Low: 21 hours Strobe: 2.5 hours		
<b>BATTERY:</b>	Two (2) 3-volt CR123A lithium batteries with a storage life of 10 years. Also accepts one (1) Streamlight SL-B26® lithium-ion rechargeable battery pack.		
<b>FEATURES:</b>	Push-button tail switch features momentary/constant on operation One-handed snap-on and tighten interface keeps hands away from muzzle when attaching/detaching from the firearm Mounts directly to guns with MIL-STD-1913 (Picatinny) rails or M-LOK® and M-LOK® compatible rail systems Extensively live fire tested, impact-resistant construction IP67-rated with standard push-button switch installed; waterproof to 1 meter for 30 minutes IP54-rated with remote pressure switch installed for water-resistant operation		
<b>APPROVALS:</b>	CE UK Meets applicable United Kingdom and European Community Directives BC CEC Compliant		
<b>WARRANTY:</b>	Streamlight's Limited Lifetime Warranty		
<b>OPTIONAL ACCESSORIES:</b>	Battery charge cradles, replacement batteries		

# (TECS) TACTICAL ENFORCEMENT COMMUNICATIONS SYSTEM



## (TECS) TACTICAL ENFORCEMENT COMMUNICATIONS SYSTEM

The Tactical Enforcement Communications System (TECS) was designed to give law enforcement operators a low visibility high-quality tactical earpiece with a modular option. The quick disconnect between the Push-to-Talk and earpiece gives officers and first responders the capability to “hot swap” from a low-visibility earpiece to other headset options without major duty gear reconfiguration.

TECS offers exceptional audio performance in an adaptable, multi-mission configuration. Since TECS was designed with modularity in mind, any TECS kit can be adapted in a cost-effective manner to include other types of mission-specific TCI headsets. Simply connect the headset to an existing TECS Push-to-Talk. There are a wide array of tactical headsets available for use with the Push-to-Talk (PTT) from the TECS kit.

TECS can be concealed without degradation of audio performance for low-profile missions, or work with a tactical vest or ballistic carrier for tactical missions. You can also select either a TACT-LITE™ Earmold (various sizes) or the sound-attenuating ear-insert. The TECS is compatible with an array of conventional and specialized helmets, as well as many combinations of public safety and military communication radios.

*LOW-PROFILE,  
LIGHTWEIGHT OPTION*

### FEATURES

- Crystal clear audio delivered to inner-ear using Soundwaves/FC R4 Earcoil and choice of ear-insert types
- Includes noise-canceling/waterproof microphone with adjustable clothing clip
- Black Soundwaves/FC R4 Earcoil upgrade option
- TCI Push-to-Talk (PTT) assembly included
- Supports military or law enforcement/first responder radio systems
- Durable, yet provided with flexible cables

**\*\*\*ALL TNV NIGHT VISION SYSTEMS ARE SEMI-CUSTOM UNITS BUILT TO ORDER-CURRENT LEAD TIME ON TNV/PVS-14 L3H TF GP IS APPROXIMATELY 4-6 WEEKS\*\*\***

**\*\*\*NOTE: THE USGI J-ARM SUPPLIED WITH THE TNV/PVS-14 IS \*NOT\* COMPATIBLE WITH THE WILCOX L4 G24 OR OTHER DOVETAIL MOUNTS WITHOUT A SEPARATELY AVAILABLE DOVETAIL ADAPTER SUCH AS THE WILCOX PVS-14 ARM.**

**<https://tnvc.com/shop/wilcox-anpvs-14-arm-w-nvg-interface-shoe/>**

The PVS-14 is the standard-issue night vision optic serving US forces on the front lines of the Global War on Terror. Its phenomenal versatility makes it the premier choice for Law Enforcement Professionals as well. PVS-14's can be mounted on helmets for hands-free use, behind weapon optics, or simply as a handheld device. As a monocular, the PVS-14 provides Gen3 night vision aid to one of the operator's eyes, leaving the other to retain its natural night-adapted vision. This is important when changing light conditions in the field cause the user to go back and forth between aided and un-aided vision. Military and Law Enforcement operators need the ability to instantly switch between night vision and white light as the situation develops.

The TNV/PVS-14 is a U.S.-made Generation 3 night vision monocular based on the standard issue AN/PVS-14. Our professionally-trained and experienced technicians assemble the TNV/PVS-14 according to U.S. Military guide lines, using factory-new parts and hand-selected image intensifier tubes. We offer all TNV/PVS-14's in several kit configurations to make sure end users get everything they want, while not paying for accessories they do not need.

This version of the TNV/PVS-14 is built with a new-production L3Harris Gen3 image intensifier tube. These tubes provide some of the cleanest images available. L3Harris is one of two factory manufacturers of Gen3 image intensifier tubes in the United States. They provide the majority of goggle systems used by U.S. Special Operations Forces. These tubes are weapons rated for 5.56x45mm NATO. Please note that the entire TNV/PVS-14 system cannot be classified as MIL-SPEC because it is assembled by TNVC at our facility. Only fully factory-assembled L3 and Elbit Systems PVS-14s, built for a U.S. Military contract can be called MIL-SPEC. However, the TNV/PVS-14 provides the same performance.

The TNV/PVS-14 is available in several colors/finishes. Customers can choose standard black, Flat Dark Earth (FDE), or officially-licensed Crye Multicam™. All of the housings start off as black. But, pure black sticks out like a sore thumb in the real world. This is why most Warfighters paint their black gear if given the opportunity. So, we have decided to offer the option of having a professional factory finish camouflage available on the TNV/PVS-14 and J-Arm. FDE is the standard base color used to camouflage into most environments. Our FDE coating is an eight-step process. Several coats of base and color are applied to provide a rich, matte surface. The final coats of matte clear are the same used in the automotive and marine industries. They provide a durable protective finish that will hold up to almost anything you can throw at it.

Multicam™ is a patented camouflage pattern developed by Crye Precision and is currently in use by U.S. SOF personnel across the globe and U.S. Warfighters in Afghanistan. It was adopted early on by U.S. Military and Law Enforcement Special Operations units and is the most popular pattern on the battlefield. Like our FDE coating, our Multicam™ TNV/PVS-14's, are professionally coated by a company that specializes in durable finishes. This officially licensed pattern is applied as a hydro-dip/water-transfer printing process. This is the same process used to produce durable pattern finishes on items such as Ops Core FAST Helmets. So, it is incredibly durable. Several coats of base and color are applied before the hydro-dip film. The unit is finished off with the same automotive/marine matte clear coat as the FDE units. While hydro-dipping will create some minor imperfections, they do not affect the performance or durability of the finish.

Because TNV/PVS-14's are built to such a high standard, they require very little maintenance. At TNVC, we use the U.S. Army and U.S. Marine corps standards for both Maintenance and Repair of our PVS-14 monocular systems. These Preventative Maintenance Checks and Services are outlined in: ARMY TM 11-5855-306-10, MARINE CORPS 10271A-10/ 1A. These U.S. Military maintenance standards state that upkeep maintenance is not required unless something is visibly broken or the unit is malfunctioning. A copy of these standards is included with each system. But, if you feel the need to send your TNV/PVS-14 in for us to check over, you can do so once a year at no charge. However, un-needed disassembly can lead to premature parts wear and fatigue of your system. Preventative maintenance is not recommended.

### **TNVC & Night Goggles, Inc. Limited Lifetime Warranty**

*TNVC, Inc. and Night Goggles, Inc. warrants this product for the lifetime of the product and guarantees this product to be free from manufacturing defects in material and workmanship under normal use, and transferable by the owner assuming that the product otherwise still falls within the scope of this warranty. In the event that a defect covered by this warranty occurs TNVC, Inc. or Night Goggles, Inc., at its discretion, will either repair or replace the product. Such action on the part of TNVC, Inc. or Night Goggles, Inc. shall be the full extent of the company's liability, and the customer's sole and exclusive remedy. This warranty applies to all TNV and NGI-branded Night Vision Device housing systems, and furthermore warrants that all Image Intensifier Tubes will be free from manufacturing defects in material and workmanship under normal use for a period of 10 years after the original date of purchase. This warranty does not cover:*

- *Products that were used in other than normal and customary manner.*
- *Products that were misused.*
- *Products that were altered, modified, or repaired by the customer or a party other than TNVC, Inc.*
- *Products that were discontinued by the manufacturer and either parts or replacement units are not available due to reasons beyond the control of TNVC, Inc.*
- *Damage, defects, or failures resulting from use that would be construed by any reasonable person as normal and expected "wear and tear."*



*TNVC, Inc. shall not be responsible for any defects or damage that in the company's opinion, resulted from the mishandling, abuse, misuse, improper storage, or improper operation, including use in conjunction with equipment which is electrically or mechanically incompatible with or of inferior quality to the product, as well as failure to maintain the environmental conditions specified by the manufacturer. This includes using rechargeable batteries, storing the product with batteries installed, or battery compartment corrosion due to faulty battery. Warranty claims falling outside of the scope of these written warranty terms may incur repair, labor, and shipping fees charged to the customer.*

*Customer is hereby notified that operation of the equipment during daylight or under excessive light conditions may permanently damage the image intensifier tube. While all TNV and NGI systems are auto-gated, they are not able to withstand exposure to constant light including, but not limited to, light sources, weapon sights, laser radiation. Auto-gated Image Intensifier Tubes are designed to stand up to nighttime battlefield light conditions, but prolonged exposure to any light source will still cause damage.*

*No other warranties except for this one apply to this product, including, but not limited to written, oral, statutory, expressed or implied, including any implied warranty or merchantability or fitness for particular purpose, shall apply to this product.*

Export of Night Vision Equipment or related accessories (such as manuals) is strictly regulated by the US Department of State in accordance with the guidelines of the International Traffic in Arms Regulations (ITAR). It is a major crime to ship or carry US manufactured night vision devices outside the borders of the United States, punishable by fines and prison sentences. Ignorance of these regulations will not hold up in court. By purchasing night vision equipment from TNVC, you attest that you will not attempt to export or carry this night vision equipment outside the borders of the United States. Also, it is illegal to allow a non-US Citizen to look through US Gen3 Night Vision Devices, even on US soil. Again, this is a crime punishable by fines and prison sentences.

## REVIEWS

There are no reviews yet.

Leave a customer review

Your email address will not be published. Required fields are marked \*

YOUR RATING \*

1 2 3 4 5

Rate... Perfect Good Average Not that bad Very poor

YOUR REVIEW \*

NAME \*

EMAIL \*



## SPECS

<b>DIMENSIONS</b>	4.5"(L) x 2.0"(W) x 2.25"(H)
<b>WEIGHT</b>	12.4oz.
<b>FINISH</b>	Corrosion Resistant- Matte Black, FDE, or Crye Multicam™
<b>POWER</b>	One (1) Standard AA Battery
<b>BATTERY LIFE</b>	Approx. 50 Hours at Room Temp.
<b>WATERPROOF</b>	60' for 2 Hours
<b>WARRANTY</b>	Lifetime System Warranty & 10 Year Warranty on image intensifiers
-----	
<b>OPTICAL</b>	-----
<b>GENERATION</b>	U.S. Gen3 L3Harris MIL-SPEC
<b>RESOLUTION</b>	64-72 lp/mm Typical
<b>SNR</b>	24:1 (Minimum)
<b>HALO</b>	1.0 (Maximum)
<b>FILM</b>	Thin-Film
<b>GATE</b>	Auto
<b>GAIN</b>	Adjustable/ Variable
<b>MAGNIFICATION</b>	1X +0.03
<b>FOV (FIELD OF VIEW)</b>	40° + 2°
<b>OBJECTIVE LENS</b>	F/1.2
<b>OCULAR LENS</b>	EFL 26mm
<b>DIOPTER</b>	+4 to -6
<b>FOCUS</b>	10" to Infinity
-----	
<b>KIT CONTENTS</b>	-----
<b>BASIC KIT</b>	TNV/PVS-14, PVS-14 Adapter (J-Arm)- Color-Matched to Goggle, Rubber Eye Cup, Daylight Filter, Sacrificial Window, Demist Shield, Neck Cord, Soft Carry Case, Two (2x) AA Batteries, Lens Cleaning Tissue, Military Maintenance Standards, Warranty Registration

# Labels Needed:



# Estimate

Primary Arms, LLC  
3219 South Sam Houston Parkway East  
Houston TX 77047  
United States

Estimate #
<b>ES-15073</b>



Date
2/4/2025

Cancel By Date

Click here for Monthly Giveaway  
<https://www.primaryarms.com/government/giveaway>

<b>Bill To</b>	<b>Accepted</b>	<b>Declined</b>
Brian Cornelius Brian Cornelius 3801 Canyon Pass Trail Burleson TX 76028 United States		

<b>Expires</b>	<b>Exp. Close</b>	<b>Special Instructi...</b>	<b>Web Order #</b>	<b>Customer PO</b>	<b>Shipping Method</b>
4/5/2025	2/4/2025				USPS Priority Mail®
		<b>Shipping Tax ...</b>	<b>Handling Tax ...</b>	<b>Handling Tax ...</b>	<b>Shipping Co...</b>

Item	UPC Code	Description	Quantity	Rate	Amount	Tax ...
MT20H682 FB-47N-GN S	7100274472	3M Peltor MT20H682FB-47N GNS ComTac VI NIB Headset - Single DL - Green - Headband	1	1,264.95	1,264.95	8.25%

Subtotal	1,264.95
Shipping Cost (USPS Priority Mail®)	0.00
Total Tax	104.36
Total	\$1,369.31

<b>Notes</b>

<b>Approved by</b>



# Estimate

#ES-16153  
5/5/2025

Primary Arms, LLC  
3219 S Sam Houston Pkwy E, Ste 100,  
Houston, TX, 77047  
United States

**Estimate Expiration Date: 6/4/2025**

**Bill To**

Johnson County Sheriff's Office  
1102 E Kilpatrick  
Cleburne TX 76031  
United States

**Ship To**

Johnson County Sheriff's Office  
1102 E Kilpatrick  
Cleburne TX 76031  
United States

**TOTAL**

**\$12,801.63**

**Memo**

**Sales Rep**

1025 Alexander Forney

**Shipping Method**

FedEx Ground (Gov  
Sale Order)

Item	Quantity	Rate	Amount
<b>88059</b> Streamlight ProTac Rail Mount 2 Weapon Light with Tapeswitch - 625 Lumens	1	\$109.99	\$109.99
<b>19030A</b> Steiner DBAL-I2 with IR Laser (<50mW), Adjustable IR Laser Illuminator (<50mW). Black (LE/Mil only)	1	\$1,327.69	\$1,327.69
<b>245620-037</b> L3Harris AN/PVS-14 Un-Filmed White Phosphor Night Vision Monocular	1	\$4,999.99	\$4,999.99
<b>NAMPVS1401G9DA1</b> Armasight PVS-14 Night Vision Monocular	1	\$3,826.11	\$3,826.11
<b>MT20H682FB-47N-GN</b> 3M Peltor MT20H682FB-47N GN ComTac VI NIB headset - Foldable Headband - Single Lead - NATO Wiring - Green	1	\$1,194.68	\$1,194.68
<b>PELMT20H682FB-47NCY</b> 3M Peltor ComTac VI Omni Directional Microphones Electronic Foldable Earmuffs - Coyote Brown	1	\$963.90	\$963.90
<b>FL5078</b> 3M Peltor FL5078 MT Series Push-To-Talk (PTT) Adapter - Kenwood	1	\$365.98	\$365.98
<b>Subtotal</b>			\$12,788.34
<b>Discount</b>			
<b>Shipping Cost</b>			\$13.29
<b>Total Tax (%)</b>			\$0.00
<b>Total</b>			\$12,801.63

**Estimate Disclaimer**

This estimate may exclude any applicable taxes. The final invoice may include sales tax, VAT, or



ES-16153



other applicable taxes based on the shipping destination and tax regulations. If tax exemption status applies to this order, provide a valid exemption documentation before placing the order. Failure to verify tax exemption before the order is finalized will result in the order being processed with all applicable taxes included, and adjustments may not be possible after the fact. This estimate is for informational purposes only and does not constitute a binding invoice. Pricing and availability are subject to change.



QUOTE #: Q-001526  
DATE: 05/05/2025

1050 Nevada Street, Suite 405  
Redlands, CA 92374  
909-796-7000 sales@tnvc.com www.tnvc.com

BILL Johnson County Sheriff's Office  
TO: Johnson County Sheriff's Office  
1102 E. Kilpatrick St  
Cleburne, TX 76031

SHIP Johnson County Sheriff's Office  
TO: Johnson County Sheriff's Office  
1102 E. Kilpatrick St  
Cleburne, TX 76031

REFERENCE #	SHIPPING METHOD	PAYMENT TERMS	EXPIRES
		Net 30	06/04/2025

ITEM #	QTY	DESCRIPTION	UNIT PRICE	AMOUNT
TNVC-PVS14-ESA-HP-BLK	1	TNVC PVS-14, Gen3 Elbit Systems of America, Hand Select, Filmed White Phosphor, Black. Basic kit includes: Tube data record, TNV/PVS-14, TNVC Cleaning Kit, USGI bayonet j-arm, pinhole lens cap, sacrificial lens, demist shield. TNVC Lifetime Limited Warranty	\$3,299.00	\$3,299.00
WLCX-L4G11-ARMY-B	1	Wilcox L4 G11 Mount w/ Horn Interface for AN/PVS-7B(D) and AN/PVS-14 USGI J-Arm (NON-BREAKAWAY) - Black 28300G11-B	\$450.00	\$450.00
L3H-ATPIAL-BLK	1	L3Harris ATPIAL (AN/PEQ-15) Advanced Target Pointer/ Illuminator Aiming Laser, Standard Power ***restricted** - Black..P/N: ATP-000-A22	\$1,990.00	\$1,990.00
SEO-DBALA3-A9-BLK-G	1	Steiner DBAL-A3 **RESTRICTED** Dual Beam Aiming Laser w/ Visible Green Pointer (532nm) (<50mW), Infrared Pointer (835nm) (<50mW) and Infrared Pointer/Illuminator (835nm) (<50mW). - Black..P/N: 10010	\$2,200.00	\$2,200.00
FLIR-SCOUT-PRO-19	1	FLIR Scout Pro thermal monocular. 640x480, 17um, 30Hz, 19mm, 32 degree FOV, internal rechargeable battery, padded black molle carrying case P/N: 15001-0101	\$2,095.00	\$2,095.00
PELTOR-COMTAC-VI-SL-BLK	1	3M PELTOR ComTac VI NIB Headset MT20H682FB-47N SVS, Single DL, Black, Headband & ARC, 915 MHz....P/N: 7100274473, MT20H682FB-47N SVS	\$1,375.00	\$1,375.00
			Subtotal	\$11,409.00

Sales Tax	\$0.00
Total	\$11,409.00



# (TECS) TACTICAL ENFORCEMENT COMMUNICATIONS SYSTEM



## (TECS) TACTICAL ENFORCEMENT COMMUNICATIONS SYSTEM

The Tactical Enforcement Communications System (TECS) was designed to give law enforcement operators a low visibility high-quality tactical earpiece with a modular option. The quick disconnect between the Push-to-Talk and earpiece gives officers and first responders the capability to "hot swap" from a low-visibility earpiece to other headset options without major duty gear reconfiguration.

TECS offers exceptional audio performance in an adaptable, multi-mission configuration. Since TECS was designed with modularity in mind, any TECS kit can be adapted in a cost-effective manner to include other types of mission-specific TCI headsets. Simply connect the headset to an existing TECS Push-to-Talk. There are a wide array of tactical headsets available for use with the Push-to-Talk (PTT) from the TECS kit.

TECS can be concealed without degradation of audio performance for low-profile missions, or work with a tactical vest or ballistic carrier for tactical missions. You can also select either a TACT-LITE™ Earmold (various sizes) or the sound-attenuating ear-insert. The TECS is compatible with an array of conventional and specialized helmets, as well as many combinations of public safety and military communication radios.

*LOW-PROFILE,  
LIGHTWEIGHT OPTION*

### FEATURES

- Crystal clear audio delivered to inner-ear using Soundwaves/FC R4 Earcoil and choice of ear-insert types
- Includes noise-canceling/waterproof microphone with adjustable clothing clip
- Black Soundwaves/FC R4 Earcoil upgrade option
- TCI Push-to-Talk (PTT) assembly included
- Supports military or law enforcement/first responder radio systems
- Durable, yet provided with flexible cables





PELTOR™

3M™ PELTOR™ ComTac™ VI NIB  
and SWAT-TAC™ VI NIB  
Tactical Communication  
and Hearing Protection Headsets







## Hear. Believe.

The next generation of tactical headsets from 3M™ PELTOR™ is here.


## Contents

Hear the Difference	03
.....	
Environmental Listening	04
.....	
Mission Audio Profiles (MAP)	07
.....	
Natural Interaction Behavior (NIB)	12
.....	
Science of Fit	14
.....	
Configuration Options	16
.....	
Push-to-Talk Adapters	18
.....	
Communications Interface	19
.....	
Performance Specification	20
.....	
Earplug Mode	21
.....	
Know Your Protection	22
.....	
Ordering Information	23
.....	



## Hear the difference

3M™ PELTOR™ ComTac™ VI has new omni-directional microphones, high fidelity speakers, and a new digital signal processor that improves the overall sound quality of the headset.



## Clear, natural

These improvements result in a more natural sounding headset with sound and voice clarity designed for combat and combat support operations in complex acoustical environments.

## Hear and be heard

The transmit microphone has been redesigned and embedded with patented 3M closed cell foam and delivers improved noise cancelling transmission in high noise and wind while also improving dust and water ingress protection.

