

AGENDA PLACEMENT FORM

(Submission Deadline – Monday, 5:00 PM before Regular Court Meetings)

Date: 06/11/2025

Meeting Date: 06/23/2025

Submitted By: Rick Bailey

Department: Precinct 1 Road & Bridge

Signature of Elected Official/Department Head:

Court Decision: This section to be completed by County Judge's Office
 6-23-25

Description:

Consideration to Accept Precinct 1 Commissioner's Annual Road Report for 2025.

(May attach additional sheets if necessary)

Person to Present: Rick Bailey

(Presenter must be present for the item unless the item is on the Consent Agenda)

Supporting Documentation: (check one) ☒ PUBLIC ☐ CONFIDENTIAL

(PUBLIC documentation may be made available to the public prior to the Meeting)

Estimated Length of Presentation: _____ minutes

Session Requested: (check one)

☐ Action Item ☒ Consent ☐ Workshop ☐ Executive ☐ Other _____

Check All Departments That Have Been Notified:

☒ County Attorney ☐ IT ☐ Purchasing ☐ Auditor

☐ Personnel ☐ Public Works ☐ Facilities Management

Other Department/Official (list) _____

**Please List All External Persons Who Need a Copy of Signed Documents
In Your Submission Email**

Approved in CC on 9/11/2023



**RICK BAILEY
JOHNSON COUNTY COMMISSIONER
PRECINCT 1**

June 1, 2025

251.004 COMMISSIONERS AS ROAD SUPERVISORS

- A. County Commissioners in Johnson County are the Road Supervisors.

251.005 COMMISSIONER'S ANNUAL ROAD REPORT.

- 1) For print out of roadway conditions including bridges and culverts, see "Attachment A".
- 2) \$850,000 is the amount of money reasonably necessary to provide paving, seal coating, patching, oiling and adding of base material and maintenance of Precinct 1 roadways.
- 3) During this fiscal year, Precinct 1 replaced approximately 374 traffic control devices. At this date we are not aware of, nor have any report of any defaced or torn down traffic control devices.
- 4) New subdivisions accepted for County maintenance in Precinct 1: Canyon Ridge Subdivision. Adding a total of approximately 2.195 miles of roadways.
- 5) Precinct 1 has budgeted \$410,000 for the maintenance and improvements necessary to keep bridges and culverts in good condition.

251.007 CLASSIFICATION OF COUNTY ROADS.

- A. All public roadways in Precinct 1 will be classified as third-class roadways having less than 40 feet of roadway.


251.009 CATTLE GUARDS ON COUNTY ROADS.

- A. There are currently 17 cattle guards in Precinct 1, which the Precinct is required to maintain.

STATE OF TEXAS §


COUNTY OF JOHNSON §

BEFORE ME, Keli Pack the undersigned
authority, on this day personally appeared Rick Bailey
known to me to be the person whose name is subscribed hereto, and having been duly
sworn by me on oath declared and stated that the attached copy of a Road Report, for
Precinct # 1 dated June 12, 2025 is true and correct.



Commissioner, Precinct No. 1

SUBSCRIBED AND SWORN TO BEFORE ME this 12th day
of June, 2025, to certify which witness my hand and official seal.





Notary for the State of Texas

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
2	AA2155	310		1205	SH 171	1.600	51	3	SH 171-1205: (1) 18" X 25' CULV (2) 4' X 23' CULV (1) 24" X 30' CULV (1) 42" X 40' CULV (15)	3 3 3 5				
3	AA0310	902		1010	MARTIN CREEK DR	0.450	51	3		4	AA0156-001	MARTIN BRANCH	7/6	
4	AA1628	903		1022	CLEBURNE CITY LIMITS	1.286	51	2	(1) 30" x 30' CULV (1) 36" x 20' CULV (2) 36" X 24' CULVS					
5	AA0902	904		JORDAN CT	1010	1.880	51	3	1010-1022: (2) 36"X35'- Ext/bands (08) (1) 48"X26" CULV (4/20)	3- 5				
6	AA0903	905		1010	1017	1.669	51	3	0					
7	AA0904	906		1006	1009	0.671	51	5	1009-1006: (4) 48" X 35' ARCH (6/21) (1) 24" X 30' CULV	5 3				
8	AA0905 (2)	907		GODLEY CITY LIMIT	1006	1.000	51	4	(3) 24" X 20' CULVS (1) 24" X 24' CULV	4 4				
9	AA0906	911		FM917	CR912	2.353	51	3	(1) 20" CULV (1) 20" CULV (1) 48" CULV					
10	AA0907	912		CR1008	CR913	3.030	51	3	FROM 913: (2) 36" CULV (2) 36" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV (1) 24" CULV					
11	AA0911	913		913A	CR916	7.700	51	3+	(1) 36" CULV (1) 24" CULV 1008-1006: (1) 5"x30' CULV (2) 18"x30' CULVS ('20) FM2331-1002: (1) 42"x36' CULV 1002-1001: (2) 36"X40' CULV (1) 18"X30' CULV	3 5 3 2 3 3				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
12	AA0912	1000		SH171	CR916	0.660	51	4	FROM 916 TO SH171: (1) 30" CULV (1) 60" CULV					
13	AA0913	1000		SH171	CRESSON CITY LIMIT	0.480	32	4	(1) 24" CULV (2) 48" W/HEADWALL					
14	AA1102	1001		913	SH 171/GODLEY CITY LIMIT	0.774	51	5	0					
15	AA1000	1002		CR913	CR916	1.700	51	3	(1) 24" CULV (1) 24" CULV (1) 24" CULV					
16	AA1000	1005		CR913	CR915	1.200	51	4	(1) 20" CULV (1) 18" CULV					
17	AA1001	1006		913	SH 171	3.798	51	4	(1) 24" X 24' CULV (1) 24" X 24' CULV, EXT (08)	3				
18	AA1002	1008		FM 917	913	1.728	51	4	(3) 30"X40"X36' ARCH (2) 24"X36' CULV (1) 24"X24' CULV	3 3 3				
19	AA1675	1009		FM 917	1011	1.150	51	3+	1010-SH 171: (1) 24" X 30' CULV (1) 18" X 30' CULV(19)	3 5				
20	AA1005	1010		SH 171	FM 917	3.431	51	2	904-SH 171: (1) 36" X 24' CULV	3	AA0157-001	MARTIN BRANCH	7/7	

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
21	AA1006	1011		1010	CLEBURNE CITY LIMIT	0.450	51	3	(1) 5' X 20' CONCRETE BOX					
22	AA1008	1012		FM917	CR912	0.480			(1) 24" CULV (1) 24" CULV					
23	AA1009	1017		FM 917	902	3.167	51	3	(1) 24" X 30' ARCH (5/21) (1) 36" x 30' CULV (1) 36"X32' CULV (08) (2) 30" x 25' CULV	5 3 3 3				
24	AA1010 AA9062	1022		904	(901/VAUGHN) CLEBURNE CITY LIMITS	1.400	51	3	(1) 36" x 30' CULV (5/23) (1) 36"X32' CULV (08)	5 4				
25	AA1533	1100		SH 171	1200	1.451	51	4	(2) 36" X 22' CULV (1) 15" X 20' CONCRETE	4 4				
26	AA1011	1101		SH 171	DEAD END	0.249	51	2	(1) 18" X 20' CONCRETE (1) 36X35' ARCH (11)	4 3-				
27	AA1012	1102		KENNARD AVE	HILL COUNTY LINE	5.526	51	4	(3) 8' X 12' X 32' BOX (1) 18" X 46' CULV	3- 3	001	TRIB OF MUSTAN	7/7	
28	AA1013 AA1017 AA1535	1103		SH 171	DEAD END	0.781	51	3	SH 171-END: (1) 15" X 26' CULV (2) 18" X 24' CONCRETE	3- 4				
29	AA1539	1104		1205	1204	0.730	51	3	1204-1205: (1) 18" X 46' CULV (2) 36" X 36' CULV (10)	3 3				
30	AA2512	1105		1206	SH 174	2.293	51	5	SH 174-1206: (2) 24" X 29' CONCRETE (3) 24" X 42' CULVS	4 4 4				
31	AA1100	1106		1224A	RIO VISTA CITY LIMIT	4.283	51	3	(1) 5' X 21' CULV (1) 36" X 25' CULV 1223-1222: (1) 18" X 30' CULV (14) (1) 18" X 24' CONCRETE (1) 18" X 24' CULV (14) (4) 48"X40' -(4) 42"X38' LINERS-	3 5 4 5 5	AA11-06- 001	NOLAN RIVER	6+	

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
32	AA1616	1107		1205	RIO VISTA CITY LIMIT (E. SIDE OF ADDR 969)	0.550	51	3	(4) 36"X8" CULV - EXT (08) (2) 24"x25' CULV, Band (16)	4 5				
33	AA1258	1108		FM 1434	FM 916	4.567	51	4	FM 1434-1242: (1) 24" X 30' CULV (1) 24" X 32' CULV	3 3				
34	AA1613 AA1614	1109		1209	DEAD END	1.883	32	3	1220-1109: (1) 24" X 24' CULV (3) 36"X47' CULVS LWC ('00) (1) 18X24' CULV (1) 36X24' CULV @ 1109 (11)	3 3 3 5				
35	AA1103	1110		1224A	1219	2.731	51	4	(1) 20"X20' LWC (1) 20"X20' LWC (1) 18"x20', (1) 18"x30' (17)	2 3 3				
36	AA2154	1112		1218	FM 1434	1.430	51	3	(1) 18" X 24' CULV 1219-1218:	5				
37	AA2153	1115		1224	1225	1.003	51	3	1225-1224: (1) 18" X 32' CULV (1) 18" X 26' CULV	3				
38	AA1256	1116		CLEBURNE CITY LIMIT SOUTH OF US 67	1225	1.165	51	4	US67-1225: (3) 24"X30' LWC SUPERDIP (00)	@ROBINS ON CRK, US67				
39	AA2144	1117		FM 1434	1108	6.722	51	4	FM 1434-1241: (1) 18" X 32' CULV					
40	AA1617	1118		FM 200	BOSQUE COUNTY LINE	0.963	51	4	FM 200-BRAZOS POINT BRIDGE: (1) 6' X 35' CULV (2) 6' X 35' CULVS (04)	3 4	AA0334-001	BRAZOS RIVER	7/7	
41	AA1257	1119		US 67	SOMERVELL COUNTY LINE	1.482	51	4	US 67-1234: (1) 36" X 32' CULV 1234-407/SMRV C.L.:	4				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
42	AA1105	1121		1227	1226	4.257	51	3	(1) 4' X 18' BOX LWC (1) 4' X 8' X 26' BOX CULV (1) 4' X 4' X 26' BOX (1) 5' X 5' X 26' BOX	3 3 3 3	AA329-001 AA329-002	ROBINSON	6 7/6	
43	AA1106	1122		1121	1126	1.215	32	3	1121-1126: (1) 18" X 17' CULV (1) 15" X 24' CULV (1) 36" X 24' CULV (1) 18" X 24' CULV	3 3 3 3				
44	AA1624	1123		CLEBURNE CITY LIMIT NORTH OF US 67	FM 2331	4.937	51	4	FM 2331-WOODARD: (1) 36" X 27' CONCRETE (2) 36" X 25'--(1) CONCR, (1) STL	3 3	AA1123-001	TOWN CREEK	7/6	
45	AA1620	1124		FM 2331	CLEBURNE CITY LIMIT SW OF FM 4	3.105	51	4	FM2331-FM 4: (1) 24X36 CONCRT LWC ('02) (1) 36" X 58' CULV (1) 24" X 28' CULV (1) 24" X 22' CULV (1) 18" X 30' CULV (12) (1) 18" X 24' CULV (13) (1) 24"X40' CULV (17) (1) 18"X40' CULV (17)	4 5 5 5 5 5 5 5	AA1124-001	WEST FORK OF NOLAN RIVER	7	
46	AA1621	1125		CLEBURNE CITY LIMIT AT CR1216	CLEBURNE CITY LIMIT NW OF FM 4	2.093	51	3	FM 4-1217: (1) 18" X 20' CULV (1) 18" X 20' CULV (1) 18" X 30' CULV (1) 36" X 24' CULV FROM 1217-SH 171: (2) 60" X 36' CULVS (1) 36" X 20' CULV	3 3 3 3 5 3				
47	AA1618	1126		SH 171	SOUTH OF SH 171 (WEST	3.018	51	5	SH 171-1226: (1) 18"X30' CULV (12)	5	AA0319-001	NOLAN RIVER	7/6	

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
48	AA1108	1127		1230	1232	2.277	51	5	1232-FM 2331: (1) 18" X 24' CULV (3) 3' X 6' CONCRETE BX (18) FM 2331-1230: (1) 86" X 24' CULV (1) 24" X 20' CULV (1) 18" X 30' CULV	4 5 3 3 3				
49	AA1109	1128		GODLEY C. LIMITS NEAR SH171	CR1233	1.220	51	3	(1) 36" CULV (1) 36" CULV (1) 24" CULV (4) 54" W/HEADWALL (1) 18" CULV					
50	AA1594	1129		SH171	CR1233	1.157	51	2	(2) 60" CULV					
51	AA1595	1131		FM 4	HOOD COUNTY LINE	2.362	51	5	(1) 36" X 30' CULV (2) 36" x 30' CULVS (1) 36" X 30' CULV (1) 36" X 30' CULV	3 3 3 3				
52	AA2141	1200		SH 171	1100A	4.678	51	3	SH 171-1100A: (1) 4' X 30' CULV	3	AA10-15- 001	MUSTAN G CREEK	6	
53	AA2140	1202		SH 171	1102	4.391	51	3	FM 916-1104C: (1) 36" X 21' CULV (2) 4' X 20' CULVS (1) 36" X 20' CULV (1) 36" X 30' CULV (1) 18"X25' CULV (08) FM 916-1107A: (1) 36" X 24' CULV 1107A-SH 171: (1) 24" X 26' CULV (1) 36" X 30' CULV (03)	3 3 3 3 5 3 3 4	AA0488-001	MUSTAN G CREEK	8/6	
54	AA2142	1203		1102	1100A	0.896	51	3	(1) 18" X 24' CULV (1) 18" X 30' CULV	3 3				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
55	AA1110	1204		FM 916	HILL COUNTY LINE	2.318	51	3	1100A-1102: (1) 48" X 30' CULV (1) 30" X 30' CULV (1) 30" X 30' CULV 1102-FM 916: (1) 15" X 24' CONCRETE (1) 24" X 30' CULV (16)	3 3 3 3 5				
56	AA1625	1205		SH 174	HILL COUNTY LINE	6.860	51	3	1102-FM 916: (1) 6' X 32' CULV (1) 36" X 32' CULV FM 916-1107:	3 3	AA0481-002	BRANCH OF MUSTAN G CREEK	8/6	
57	AA1112	1206		CAPPS ST. RIO VISTA	1102	0.930	51	3	1105-1102: (1) 5' X 30' CULV (1) 60" X 30' ARCH CULV (18) (1) 24" X 28' CULV	5 5 3	AA0483-001	MUSTAN G CREEK	6/6	
58	AA1115	1208		FM 916	HILL COUNTY LINE	2.334	51	1106- C.L.=3 916- 1106=4	(1) 5' X 20' CULV (4) 54" X 40' CULVS (12) (2) 4' X 24' CULVS (1) 24" X 32' CULV (1) 36" X 54' CULV (1) 4' X 34' CULV	3 5 3 3 3 3	AA0363-001- TO BE REPLACED	PILOT BRANCH	6/6	
59	AA1116 AA2139 ("y" -1116)	1209		FM 916	1109A	1.653	51	3	(1) 24" X 43' CULV (1) 18" X 40' CULV (3) 36" X 40' CULV 1109-1109A:	3 3 3	AA1209-001	HALEY BRANCH	7/6	

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
60	AA1117 (2)	1210		1111	DEAD END/LAKE	0.802	51	3	1111-END: (1) 24" X 34' CULV (1) 8' X 30' CULV	3 3				
61	AA1561	1217		CLEBURNE CITY LIMIT, SOUTH OF SH 171	CLEBURNE CITY LIMIT, NORTH OF US 67	2.912	51	4	SH 171-1125: (1) 24" X 24' CULV (2) 36" X 24' CULVS (1) 36" X 24' CULV 1125-1125B:	4 4 4				
62	AA1560	1218		1112	HAGLER	0.787	51	3	(1) 24" X 46' CULV (1) 36" X 19' CULV (2) 5' X 25' CULVS	3 3 3				
63	AA1118	1219		1112	1109A	2.743	51	4	ASCOT-S. NOLAN RIVER RD: (1) 24" X 30' CULV	3 3				
64	AA1119	1220		FM 916	1109	0.670	32	3	FM 916-1109: (1) 5' X 24' CULV 1109-END: (1) 24" X 20' CULV (1) 36" X 17' CULV (1) 18" X 20' CONCRETE (1) 18" X 20' CONCRETE	3 3 3 3 3				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
65	AA1120	1221		FM 916	1106	0.610	51	5	FM 916-1106: (1) 18" X 28' CULV (1) 32" X 40' CULV	3 3				FROM US 67 TO 1120A-(1) CATTLE GUARD 7' X 24', (1) CATTLE GUARD 7' X 16', (1) CATTLE GUARD 8' X 20', (1) CATTLE GUARD 7' X 20', (1) CATTLE GUARD 7' X 14', (1) CATTLE
66	AA1579	1222		1106	HILL COUNTY LINE	1.111	51	3	(1) 4' X 32' CULV	3	AA0358-001	PILOT BRANCH	7/6	FR HOOD COUNTY TO 1120-(1) CATTLE GUARD 7' X 20' // FR 1120 TO DEAD END-(1) CATTLE GUARD 7' X 14'
67	AA1121	1223		FM 916	1106	0.769	51	5	FM 916-1106: (2) 4' X 30' CULVS (1) 36" X 24' W/20' EXT ('19) (2) 36" X 24' CULV (2) 24" X 30' CULV	3 5 3 3				
68	AA1122	1224		US 67	1110	6.375	51	1434- P21=5 1110- 1434=2	(1) 36" X 28' CULV (3) 36" X 28' CULVS (1) 24" X 28' CULVS (2) 24" X 28' CULVS PARK RD 21-1115:	3 4 3 3				
69	AA1123	1225		FM 1434	PARK ROAD 21	2.015	51	4	FM 1434-1115: (1) 2' X 6' X 26' CONCR BOX (1) 18" X 32' CULV (1) 18" X 30' CULV (1) 24" X 30' CULV (1) 30" X 28' CULV 1115-1116: (1) 24" X 26' CULV (2) 60"X30' CULV LWC (17)	3 3 3 3 3 3 5				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
70	AA1124	1226		FM 2331	PARK ROAD 21	5.587	51	5	PARK RD 21-US 67: (1) 24" X 30' CULV (1) 24" X 30' CULV (1) 24" X 30' CULV (1)24" X 30' CULV (4) 5' X 28' CULVS (3) 4' X 28' CULVS US 67-FM 2331: (2) 4'X26' & (2) 36"X26' DOUBLES (1) 36" X 28' CULV	3 3 3 3 3 3 3				
71	AA1125	1227		CLEBURNE CITY LIMIT S OF FM4	CLEBURNE CITY LIMIT N OF 1121	2.462	51	3	FM4 -1121: (1) 5' X 30' CULV (1) 4' X 30' CULV (1) 36" X 30' CULV (1) 15'X88' W/(1) 4'X11' BOX & (1) 16"X20' CULV LWC (1) 24" X 30' CULV	4 4 4 4 4	AA12-27- 001	WEST FORK OF NOLAN RIVER	7/6	
72	AA1126	1228		CLEBURNE CITY LIMIT, NORTH OF FM 4	1126	3.045	51	3	1126-1126A: (1) 60" X 30' CULV (1) 24" X 24' CULV 1126A-FM 4: (1) 18" X 20' CULV (1) 18" X 24' CULV (1) 18" X 24' CULV (1) 24' X 24' CULV (1) 30" X 25' CULV	4 3 3 3 3 3 3				
73	AA1573	1229		CLEBURNE CITY LIMIT, NORTH OF FM 4	1230	4.236	51	3+	FM 2331-11230: (2) 36" X 24' CULVS (1) 24" X 24' CULV (1) 30" X 25' CULV	3 3 3				
74	AA1574	1230		FM 2331	FM 4	3.756	51	5	(1) 60" X 24' CULV (1) 24" X 24' CULV (1) 24" X 24' CULV (1) 24" X 24' CULV 1127-FM 4: (1) 24" X 24' CULV	3 3 3 3 4				
75	AA1127 AA1252	1231		FM 2331	FM 2331	0.809	51	4	(1) 36" X 30' CULV (16)	5				
76	AA1128	1232		1128	FM 4	3.148	51	5	(1) 18" X 30' CULV (2) 48" X 26' CULVS (1) 24" X 24' CULV (1) 48" X 24' CULV (1) 72" X 28' CULV 1127-FM 4: (1) 24" X 30' CULV	3 3 3 3 3 3				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
77	AA1129	1233		SH171	HOOD CO. LINE	5.119	51	4	(2) 24" CULVS (1) 24" CULV (1) 20" CULV		AA1233-001		7/8	
78	AA1131	1234		1119 AT US 67	SOMERVELL COUNTY LINE	3.477	51 = 2.009 32 = 1.469	4	1234 & 406/SOMERVL C.L.-1119: (1) 24" X 32' CULV (1) 24" X 30' CULV (2) 36" X 40' CULVS (1) 18" X 26' CULV (2) 36" X 32' CULVS (1) 20'X30' LWC (1) 24' X 36' CULV (1) 24' X 30' CULV	3 3 3 3 3 3 3 3				
79	AA1200 AA1619	1235		FM 200	1236	1.027	51	5	FM 200-1236: (1) 24" X 42' CULV (1) 24' X 30' CULV (1) 18' X 48' CULV (00)	3 3 3				
80	AA1202	1236		FM 200	FM 1434	2.319	51	3-	FM 200-1235A: (1) 18" X 30' CULV (2) 18" X 36' CULVS (1) 18" X 24' CULV (1) 18'X30' LWC 1235A & 1236-1235: (2) 36" X 30' CULVS 1235 & 1236-FM 1434: (1) 18" X 36' CULV	3 3 3 3 3 3 3				
81	AA1203	1237		FM 1434	1118	2.654	51	3	(3) 5' X 30' CULV (1) 36" X 38' CULV (2) 10' X 30' CULV (1) 24" X 36' CULV	3 3 3 3				
82	AA1204	1237		FM 200	SOMERVELL COUNTY LINE	0.657	51 = 0.047 32 = 0.61	4	(1) 18" X 15' CULV (1) 15'X30' LWC	3 3-				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
83	AA1205	1238		FM 1434	DEAD END	1.711	51 = 1.118 32 = 0.593	3-	(4) 4' X 25' CULVS	3				
84	AA1206	1239		FM 1434	DEAD END	0.884	51	3-	(1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 30' CULV (1) 15" X 26' CULV	4 4 4 4				
85	AA1208	1240		1117 NORTH END	1117 SOUTH END	1.860	51	4	1117 & 1240-1240A: (1)24" X 24' CULV (1) 24" X 28' CULV (1)36" X 28' CULV 1117B & 1240- 1117: (1) 36" X 29' CULV (1) 24" X 30' CULV (1) 24" X 32' CULV	4 4 4 4 4 4 4				
86	AA1209	1241		1117	DEAD END	0.584	51	3	(1) 18" X 30' CULV	3				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
87	AA1210	1242		1108	1117	1.061	51	4	1242 & 1108-1117A: (1) 24" X 36' CULV (4) 4' X 20' CULVS LWC 1117A & 1242-1117:	4 4				
88	AA1217	1243		FM 1434	1117	0.586	51	4	1243 & 1117-FM 1434: (2) 24" X 30' CULVS (1) 24" X 30' CULV	4 4				
89	AA1218	1250		FM 1434	DEAD END	0.800	51	5	(2) 24" X 22' CULVS (1) 24" X 30' CULV (15) (1) 18" X 22' CULV (1) 18" X 22' CULV	2 5 2 3				
90	AA1306	KENNARD AVE	PARKER COMMUNITY	SH 171	CR1102	0.260	51	4						
91	AA1219	1003A		GODLEY CITY LIMIT N OF FM 917	DEAD END	0.486	51	5	0					
92	AA1220	1010A		1010	CLEBURNE CITY LIMIT	0.890	51	4	(1) 18" X 24' CULV (1) 18" X 30' CULV	2 2				1109-(2) CATTLE GUARDS 6' X 15', (1) CATTLE GUARD 6' X 15' Reset 5/18 @ 1109
93	AA1221	1024Z		CLEBURNE CITY LIMIT	END (NORTH FROM DON LEE RD)	0.056	51	4	0					
94	AA1222 (2)	1100A		1204	HILL COUNTY LINE	1.257	51	4	HILL CO.-1203: (1) 36" X 30' CULV 1203-1204: (1) 18" X 21' CONCRETE (1) 24" X 24' CONCRETE	3 3 3				
95	AA1223	1103A		FM 916	DEAD END	0.383	51	3	FM 916-END: (1) 24" X 18' CULV	3				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
96	AA1224 AA1255	1103B		1103	1102	0.370	51	3	1102-1103: (1) 18" X 26' CULV (1) 24" X 28' CULV	3 3				
97	AA1581	1104A		E 3rd St	DEAD END	0.236	51	3	0					
98	AA1225	1104B		1200 SOUTH OF FM 916	DEAD END	0.347	51	2	AT 1200 INTERSECTION: (1) 18" X 26 & 18" X 10' W/BAND CULV (8/21)	4+				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
99	AA1226	1104C		1202	DEAD END	0.472	51	2+	(3) 36" X 28' CULVS, 1) 24" X 30' CULV	3 3				
100	AA1580	1107A		1205	SH 171	2.737	51	3	(2) 24" X 20' W/BAND (15)	5				
101	AA1227	1107B		1205	1107A	1.281	51	3-	(1) 24" X 24' CULV (1) 18" X 30' CULV (1) 30' X 18' LWC (1) 5' X 24' CULV (1) 36" X 19' CULV (1) 24" X 21' CONCRETE (2) 36" X 28' CULV	3 3 3 3 3 3 3				
102	AA1228	1107C		1107A	1200	0.122	51	3	0					
103	AA1229	1109A		SH 174 RIO VISTA CITY LIMIT	1219	2.641	51	3-	SH 174-1209: (1) 36" X 44' CULV (1) 18" X 32' CULV (1) 24" X 44' CULV (2) 24" X 36' CULVS (1) 4' X 10' BOX (1) 60' X 45' TANKER CULV (14/15)	3 3 3 3 5 5	AA11-09- 001 (2011)	NOLAN RIVER	7/6	
104	AA1575	1109B		SOUTH OF CR1109-A	FM 916	1.552	51	3	FM 916-1109A: (1) 18" X 26' CULV	3				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
105	AA1230 (2)	1109C		1109B	SH 174	0.178	51	4	(1) 18" X 24' CONCRETE	4				
106	AA1231	1109D		1109A	SH 174	0.125	51	3	(1) 18" X 28' CONCRETE	4				
107	AA1251	1109E		1109C	DEAD END	0.173	51	4	(1) 12" X 25' CONCRETE	4				
108	AA1232	1110A		SH 174	1205	0.719	51	5	174-1205: (1) 24" x 32' CULV (3) 4'x28' LWC	4 3+				
109	AA1233	1117A		1242	1117	0.454	51	4	1242 & 1117A-1117: (1) 24" X 28' CULV (1) 18" X 28' CULV (1) 36" X 38' CULV	4 4 4				
110	AA1570	1117B		1240	1117	0.315	51	3	1117 & 1117B-1240: (1) 36" X 28' CULV (1) 24" X 36' CULV	3 3				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
111	AA1234 (2)	1120 (GCR)		US 67	HOOD COUNTY LINE	3.606	51	3	US 67-1120A: (1) 42" X 30' CULV (1) 4' X 30' CULV (3) 48"x35' CULV LWC (16) (2) 36" X 32' CULVS (2) 36" X 32' CULVS (2) 36" X 32' CULVS (2) 24" X 32' CULVS (1) 24" X 32' CULV (1) 18" X 32' CULV	4 4 5 4 4 4 4 4 4				(1) CATTLE GUARD, (1) CATTLE GUARD 8' X 14', (1) CATTLE GUARD 8' X 15', (1) CATTLE GUARD 8' X 13', (1) CATTLE GUARD 6' X 16'
112	AA0111	1120A (GCR)		1120	DEAD END	1.568	32	3	HOOD C.L.-1120: (1) 18" X 32' CULV	3				
113	AA1235	1126A		1229	1228	0.481	51	4+	1229-1228: (1) 30" X 40' CULV (1) 18" X 40' CULV	3 3				
114	AA1585	1126B		1126	1229	1.781	51	4	(1) 30" X 25' CULV (1) 24" X 24' CULV (1) 36" X 24' CULV	4 4 4				
115	AA1589	1218A		FM 1434	HAGLER	0.277	51	3	(2) 60' X 42' CULVS (13)	0				
116	AA1236	1224A		FM 1434	HILL COUNTY LINE	5.885	51	NORTH = 3+ SOUTH = 3+	1106-FM 916: (1) 6' X 32' CULV (1) 18" X 26' CONCRETE (1) 36" X 30' CULV (1) 18" X 28' CONCRETE FM 916-1110: (1) 24" X 30' CULV ('19) (1) 24" X 26' CULV	4 4 4 4 5 3				
117	AA1237	1226A		US 67	DEAD END	0.506	51	5	(1) 18"X36' CULV (08)	3				
118	AA1586 (2)	1229A		1229	FM 2331	0.171	51	5	(1) 24" x 30' CULV					
119	AA1238 (2)	1231A		FM 2331	1127	0.246	51	3-	(1) 15"x36' CULV (19)	5				(1) CATTLE GUARD
120	AA1239	1233A		1233	FM 4	1.200	51	5	1233-FM 4: (1) 24" X 30' CULV (1) 18" X 30' CULV (1) 20"x40' LWC (1) 36" X 30' CULV	4 4 4 4				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
121	AA1240	1234A		1234	DEAD END	0.267	32	3	0					
122	AA1591	1235A		1236	FM 1434	0.376	51	3	1236-FM 1434: (1) 18" X 26' CULV (00) (1) 18" X 67' CULV (00)	3 3				
123	AA1241	1235B		FM 1434	DEAD END	0.232	51	3	(1) 18" X 26' CULV	3				
124	AA1242	1240A		1240	DEAD END	0.333	32	3	1240A & 1240: (1)24" X 40' CONCRETE (1) 18" X 24' CONCRETE	3 3				
125	AA1243	305A		SH 171	CEMETERY (FAULKENBERRY)	0.350	51	3	0					
126	AA1250	310A		1205	SH 171	2.200	51	3	(1) 24"X36' CULV ('19) (1) 24" X 36' CULV (1) 18" X 21' CULV (1) 24" X 30' CULV (1) 15" X 24' CULV	5 3 3 3 3				
127	AA6058	913B		CR913	CR913A	0.510	51	3	(1) 14' CULV (1) 14" CULV					
128	AA2130	ALSTON CT	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.207	51	4	(1) 15" x 50' CULV					
129	AA2131	AMOS NORTH	ABS ESTATES	902	ANDY NORTH	0.326	51	3	(1) 18" x 40' CULV					
130	RD ADDED 11/14/22	ANDY NORTH	ABS ESTATES	902	AMOS NORTH	0.429	51	3	(2) 18" x 40' CULVS					
131	AA1608	ANISTON WAY	CHISHOLM TRAIL ESTATES	TUCKER DR	BROGAN CT	0.14	51	4						
132	AA2158	APACHE TRL	FISHERMAN'S PARADISE	INDIAN TRAIL	DEAD END	0.171	51	3	0					
133	AA6063	APPLE CT	GORDON'S EDEN	310A	DEAD END	0.403	51	3-	(3) 30" x 40' CULVS					
134	AA1583	ARCHIE CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.108	51	4	0					

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
135	AA5950	ASCOT DR	NOLAN RIVER ESTATES	1219	NOLAN RIVER ROAD S.	0.754	51	3	(1) 18" X 34' CULV (1) 24" X 55' CULV (1) 18" X 48' & (1) 24" X 48' DOUBLE (1) 18" X 60' & (1) 24" X 60'	3 3 3 3				
136	AA1321	BAKER ST	PARKER COMMUNITY	1101	OLA	0.251	51	2+	1101-OLA: (1) 18" X 28' CONCRETE (1) 18" X 28' CONCRETE (1) 18" X 22' CONCRETE (1) 18" X 20' CULV	3 3 3 3				
137	AA6060	BENJAMIN BLVD	PARADISE PARK	1017	WILD OAKS BLVD.	0.268	51	3	AT MOUNTAIN VIEW: (2) 36" X 35' CULV [12/22]	5				
138	AA6056	BERRY PATCH LN	STRAWBERRY RIDGE	SHORTCAKE LN	STRAWBERRY RIDGE LN	0.320	51	3	(1) 24" x 40'	2				
139	AA2129	BERRY RIDGE LN	BLACKBERRY SPRINGS	CHINABERRY LN	COBBLER LN	0.320	51	1	0					
140	AA1577	BERRY SPRINGS CT	BLACKBERRY SPRINGS	BLACK SPRINGS LN	END	0.140	51	3	(1) 24" x 40'	4				
141	AA0008	BIRD SONG CT	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.248	51	4	0					
142	RD ADDED 11/14/22	BLACK FOREST TRL	CHERRY RIDGE	1010	DEAD END	0.516	51	3	(2) 28" X 50' CULVS (4) 28" X 50' CULVS	1 REPAIR LWC				
143	RD ADDED 11/14/22	BLACK SPRINGS LN	BLACKBERRY SPRINGS	WILD BERRY TRL	W FM 917	1.010	51	3	(2) 48" x 50' (1) 18" x 40' (2) 36" x 40'	4 4 4				
144	AA1722	BLACKBURN DR	ABS ESTATES	902	SUNSET MOBILE HOME	0.276	51	3-	0					
145	AA1541	BLUEBERRY CT	BLACKBERRY SPRINGS	BLACK SPRINGS LN	END	0.080	51	3	(1) 24" x 42'	4				
146	AA0007	BONO RD	BONO COMMUNITY	1122	FM 2331	0.493	51	2	(1) 18" X 30' CULV (14)	5				
147	AA1715	BREEZEWAY DR	CANYON RIDGE ADDITION	WINDRIDGE DR	CANYON RIDGE DR	0.118	51	4	(1) 24"X34'					
148	AA1259	BRICELYN CT	CHISHOLM TRAIL ESTATES	ANISTON WAY	END	0.110	51	4						
149	AA0058	BROGAN CT	CHISHOLM TRAIL ESTATES	ANISTON WAY	END	0.030	51	4						
150	AA0021	BROOKCREST ST.	RUSTIC MEADOWS	CR 1005	CREEKSIDE LN	0.630	51	4	(1) 26" X 46' @ CREEKSIDE (1) 18" X 42' @ CR 1005 (1) 24" x 34'	4 4 4				
151	AA1722	BRUSHY NOB LN	BRUSHY NOB ADDITION	TIMBER TOP TRAIL	S. OF SOUTHERN OAKS	0.252	51	3	0					
152	AA1541	BRYANT PLACE	BRUSHY NOB ADDITION	CR 1022	THOUSAND OAKS DRIVE	0.212	51	3	0					
153	AA6057	CANYON RIDGE DR	CANYON RIDGE ADDITION	CR915	GRASSLAND RD	0.178	51	4	AT CR915: (3) 20"X34' CONCRETE					
154	AA1604	CARDINAL DR	X-CELL ESTATES	RAVEN RD	END	0.173	51	3	ON WEST END: (1) 24" CULV					
155	AA1576	CHEROKEE CT	FISHERMAN'S PARADISE	CHEROKEE TRAIL	DEAD END	0.056	51	3	0					

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
156	AA1534	CHEROKEE TRL	FISHERMAN'S PARADISE	INDIAN TRAIL	INDIAN TRAIL	0.425	51	3	(1) 5" x 25' CULV (1) 24"x25' CULV	5				
157	AA1677	CHERRY CT E	GORDON'S EDEN	PEACH LANE	DEAD END	0.126	51	4	(1) 36"x36' ARCH (16)	5				
158	AA2235	CHERRY CT W	GORDON'S EDEN	PEACH LANE	DEAD END	0.096	51	3	(1) 36" X 30' CULV					
159	AA1024	CHERRY RIDGE CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.230	51	4	(1) 12" X 30' CULV					
160	AA1314 (2)	CHERRY RIDGE LN	CHERRY RIDGE	1010	DEAD END	0.499	51	4	FROM 1010: (2) 28" X 40' CULVS					
161	AA1312	CHINABERRY LN	BLACKBERRY SPRINGS	COBBLER LN	BERRY RIDGE LN	0.510	51	2	(6) 36" x 62' (6) 18" x 40'	4 4				
162	AA1713	CIMMARON TRL	FISHERMAN'S PARADISE	OLD WAGON TRAIL	INDIAN TRAIL	0.157	51	3	0					
163	AA2234	COBBLER LN	BLACKBERRY SPRINGS	CR 911	CR 912	0.950	51	2	(5) 36" x 62' (4) 36" x 48' @ CR 911 (1) 60' CULV COLLAPSED	4 4 1				
164	AA0532	COKE RD	BONO COMMUNITY	BONO ROAD	WOODARD	0.133	51	3	(1) 18" X 24' CULV	3				
165	AA2233	COMANCHE DR	COMANCHE HILLS	CR1008	DEAD END	0.883	51	5	(1) 16"x40'	3				
166	AA2150	CORRAL RD	HILLTOP RANCH ESTATES	FM 917	HORSE SHOE ROAD	0.245	51	2	0					
167	AA0017	CREEKSIDE LN	RUSTIC MEADOWS	BROOKCREST ST	RUSTIC EDGE ST	0.180	51	4	0					
168	AA2152	DAVIS CT	NOT SUBDIVISION	CR 1206	DEAD END	0.819	51	3	1206-END: (3) 15" X 32' CULVS (1) 18" X 35' CULV (1) 18"x30' CULV (18) (1) 30" X 36' CULV	3- 3- 5 3-				
169	AA2143	DEWBERRY LN	BLACKBERRY SPRINGS	CHINABERRY LN	COBBLER LN	0.310	51	2	(6) 36" x 62'	4				
170	AA1587	DON LEE RD	NOT SUBDIVISION	CR1022 TO CLEBURNE CITY LIMIT, EAST OF CTP	CLEBURNE CITY LIMIT, WEST OF CTP TO END	0.400	51	5	1022-1024Z: (1) 15"x70' CULV (15)	5				
171	AA1605	DUSTY TRL	FISHERMAN'S PARADISE	SHINING STAR TR.	DEAD END	0.425	51 = 0.355 32 = 0.070	4	SHINING STAR TRL-END: (1) 12"x12' (1) 12"x20' CULVS W/BAND (11)	3 5				
172	AA0010	EAGLES NEST CT	FISHERMAN'S PARADISE	SHINING STAR TR.	DEAD END	0.061	32	4	0					
173	AA1678	ELDERBERRY CT	BLACKBERRY SPRINGS	ELDERBERRY LN	END	0.140	51	3	0					

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
174	AA1603	ELDERBERRY LN	BLACKBERRY SPRINGS	BLACK SPRINGS LN	WILD BERRY TRL	0.380	51	2	(2) 24" x 40' (1) 24" x 40' (1) 24" x 40' @ BLACK SPRINGS LN	4 2 2				
175	AA1706	FALCON DR	X-CELL ESTATES	RAVEN RD	END	0.508	51	3	AT RAVEN: (2) 54" CULV ('15) TO END:					
176	AA1710	FOX CT	FOX RUN ADDITION	FOX RUN ROAD	DEAD END	0.334	51	3	0					
177	AA1705	FOX RUN RD	FOX RUN ADDITION	SH 174	DEAD END	0.641	51	3	0					
178	AA1709	FOX ST	NOT SUBDIVISION	FOX RUN ROAD	DEAD END	0.293	51	3	0					
179	AA1538	GOLD CUP DR	NOLAN RIVER ESTATES	NOLAN RIVER ROAD S.	ST LEGER DRIVE	0.370	51	2	(1) 18" X 48' CULV (3) 36" X 40' CULVS	3 3				
180	AA0015	GRAIN CT	CANYON RIDGE ADDITION	SAGEBRUSH LN	END	0.050	51	4	(1) 30"x34' CONCRETE					
181	AA0011	GRASSLAND RD	CANYON RIDGE ADDITION	WINDING WAY	HILLVIEW DR	0.440	51	4	(1) 20"x45' CONCRETE @CANYON RIDGE (2)30"x36'- CONCRETE @ 7942 GRASSLAND DR (1) 18"x45' @ HILLVIEW					
182	PART OF AA1614	HIGHLAND RD	HIGHLAND ESTATES	SH 174	DEAD END	0.564	51	3-	0					
183	AA1592	HILL CT	NOT SUBDIVISION	OFF 1107	DEAD END	0.497	51	3	0					
184	AA1601	HILLTOP DR - HOH	HILLS OF HOMES	PARK ROAD 21	DEAD END	3.005	51	4+	(1) 16" X 26' CULV (1) 18" X 30' CULV (1) 16" X 30' CULV (1) 36" X 40' CULV LAKEVIEW & HILLTOP-END: (1) 18" X 54' CULV (1) 18" X 30' CULV (1) 18" X 34' CULV (1) 36" X 40' CULV (1) 24" X 30' CULV (1) 5' X 40' CULV (1) 18" X 30' CULV (1) 18" X 26' CULV (1) 18" X 26' CULV (1) 18" X 26' CULV (1) 18" X 26' CULV (1) 66" X 10' CULV (12)	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 5				
185	AA1588	HILLTOP ST - FISH P	FISHERMAN'S PARADISE	VILLAGE DR	VALLEY VIEW DRIVE	0.102	51	3	VILLAGE DR-VALLEY VIEW DR: (2) 15"x20' W/BAND (12)	5				
186	AA2136	HILLVIEW DR	CANYON RIDGE ADDITION	WINDRIDGE	SAGEBRUSH LN	0.250	51	4	(1) 24"x33'					
187	AA1680	HORSE SHOE RD	HILL TOP RANCH ESTATES	LARIAT LANE	DEAD END	0.238	51	3	LARIAT LN-END: (1) 18" X 30' CULV (1) 18" X 24' CULV	4 4				
188	AA1606	HUCKLEBERRY LN	BLACKBERRY SPRINGS	CHINABERRY LN	COBBLER LN	0.320	32	2	(2) 24" x 33' CULV	5				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
189	AA0013	INDIAN TRL	FISHERMAN'S PARADISE	CHEROKEE TRAIL	DEAD END	0.501	51	3	0					
190	AA6054	JAMES ST	WALDEN ESTATES	WALDEN DR	END	0.130	51	3	(1) 14" CULV					
191	AA2126	JAN LANE	WALDEN ESTATES	JAMES ST	SUZANNE LN	0.213	51	3	(1) 18" CULV					
192	AA6059	JOHN CT	WALDEN ESTATES	JOHN ST	END	0.043	51	3	(1) 16" CULV					
193	AA2133	JOHN ST	WALDEN ESTATES	WALDEN DR	END	0.090	51	3	0					
194	AA1609	JORDAN CT	NOT SUBDIVISION	904	DEAD END	0.210	51	3	(1) 30" X 50' CULV (1) 24" X 45' CULV					
195	AA1311	KAREN LN	WALDEN ESTATES	SUZANNE LN	JAMES/WALDEN	0.244	51	3	0					
196	AA6061	KYLE-BULLARD CEM RD	NOT SUBDIVISION	FM 916	DEAD END	0.964	51	3-	FM 916-END: (1) 24" X 16' RED TILE CULV (2) 24" X 17' CONCRETE (1) 36" X 16' CULV (1) 9' X 20' BOX	2 2 2 2				
197	AA1111	LAKESIDE DR	FISHERMAN'S PARADISE	OLD WAGON TRAIL	DEAD END	0.042	51	3	0					
198	AA5952	LAKEVIEW CT - HOH	HILLS OF HOMES	HILLTOP DRIVE	DEAD END	1.037	51	4	FROM LAKEVIEW & HILLTOP- LAKEVIEW/END:					
199	AA2145	LAKEVIEW DR	LAKEVIEW ESTATES	RIVERSIDE DRIVE	RIVERVIEW DRIVE	0.181	51	3	0					
200	AA1600	LARIAT LN	HILLTOP RANCH ESTATES	HORSE SHOE DRIVE	DEAD END	0.086	51	4	0					
201	AA1578	LIVE OAK DR	FISHERMAN'S PARADISE	INDIAN TRAIL	VILLAGE DRIVE	0.160	51	3	0					
202	AA2157	LONE STAR WAY	LONE STAR ADDITION	FM 917	END	0.350	51	4						
203	AA2156	LONGHORN TRL	K-BAR-D RANCH	FM917	END	0.467	51		0					
204	AA2138	MARTIN CREEK DR	MARTIN CREEK ADDITION	902	DEAD END	0.338	51	4	902-END: (1) 18" X 30' CULV (1) 24" X 30' CULV (1) 24" X 40' CULV	4 4 4				
205	AA1300	MCKINNEY LN	CHERRY RIDGE	BLACK FORREST TR.	DEAD END	0.325	51	4	0	1 REPAIR LWC				
206	AA2159	MESA DR	RIVERVIEW ESTATES	OVERHILL	END	0.041	32	4						
207	AA2151	MOUNTAIN VIEW	FISHERMAN'S PARADISE	DUSTY TRAIL	VALLEY VIEW	0.202	51	3	(1) 24" X 26' CULV					
208	AA1502	MOUNTAIN VIEW	PARADISE PARK	BENJAMIN BLVD	RUSTIC TRL	0.178	51	3	(1) 18" X 42' CULV [1/23]	5				
209	AA1719	MOYER CT	CHERRY RIDGE	CHERRY RIDGE LN.	DEAD END	0.205	51	4	FROM CHERRY RIDGE LN: (1) 20" X 42' CULV					

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
210	AA2134	NOLAN RIVER RD S (1111)	NOT SUBDIVISION	1219	CITY LIMITS	2.442	51	3	1219-C.L.: (1) 18" X 32' CULV (1) 36" X 28' CULV 18" X 32' CULV (1) 36" X 26' CULV (1) 24" X 34' CULV (1) 24" X 42' CULV	3 3 3 3 3 3	(1) 25' X 100' BRIDGE- 1966 (LEVEL III)	AA0377- 001	6	
211	AA1714	OLA AVE	PARKER COMMUNITY	SH 171	BAKER STREET	0.149	51	3	0					
212	AA1310 AA1320	OLD FOAMY (1112 E)	NOT SUBDIVISION	CLEBURNE CITY LIMIT WEST OF SH 174	CLEBURNE CITY LIMIT EAST OF NOLAN RIVER RD SOUTH (1111)	1.080	51	4	SH 174-1111: (2) 4' X 21' CULVS (1) 18"X60' BOX (03) (1) 36" X 32' CULV (2) 36" X 18' CULVS	3- 3 3 3				
213	NEW ROAD	OLD WAGON TRL	FISHERMAN'S PARADISE	FM 916	INDIAN TRAIL	0.416	51	4	(1) 36"X35' ARCH CULV (14) (1) 12" x 38' CONCRETE CULV	5				
214	9/14/20	OVERHILL DR	LAKEVIEW ESTATES	1121	RIVERVIEW DRIVE	0.458	51	3	(1) 18" X 36' CONCRETE (1) 4' X 30' CONCRETE	3 3				
215	AA1315	PEACH LN	GORDON'S EDEN	310A	CHERRY COURT	0.187	51	3	0					
216	AA1611	PEAR CT	GORDON'S EDEN	310A	DEAD END	0.188	51	3	0					
217	AA1593	PENNINGTON CROSSING	NOT SUBDIVISION	FM 1434	WESTSHORE	0.520	51	5	0					
218	AA1503	PLUM COURT E	GORDON'S EDEN	PEACH LANE	DEAD END	0.126	51	3	(1) 12" X 30' CULV					
219	AA1712	PLUM COURT W	GORDON'S EDEN	PEACH LANE	DEAD END	0.095	51	3	(1) 12" X 30' CULV					
220	AA1679	PREAKNESS CT	NOLAN RIVER ESTATES	NOLAN RIVER ROAD S.	DEAD END	0.421	51	3	(1) 24" X 42' CULV	3				
221	AA2149	RASPBERRY LN	BLACKBERRY SPRINGS	CHINABERRY LN	COBBLER LN	0.320	51	1	(1) 32' COLLAPSED	1				
222	AA1501	RAVEN RD	SPACE ACRES	CR913	END	0.506	51	3	(1) 22" CULV AT SKYLARK:					
223	AA1508	RESERVOIR RD	PARADISE PARK	MOUNTAIN VIEW	DEAD END	0.266	51	3	0					
224	AA1717	RHODEN AVE	RUSTIC MEADOWS	TRENTON WAY	CREEKSIDE LN	0.540	51	4	(2) 24" x 32' @ CREEKSIDE LN (2) 30" x 32'	4 4				
225	AA1716	RIVERVIEW DR	LAKEVIEW ESTATES	OVERHILL	OVERHILL	1.042	51	4	OVERHILL-: (1) 15" X 42" CONCRETE OVERHILL-VALLEYVIEW:	3 5				
226	AA1505	ROBIN RD	SPACE ACRES	RAVEN RD	END	0.171	51	3	(1) 24" CULV					
227	AA1505	RUSTIC EDGE ST	RUSTIC MEADOWS	CR 1005	CREEKSIDE LN	0.630	51	3	(1) 18" X 36" @ CR 1005 (2) 36" X 44'	4 4				

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
228	AA1707	RUSTIC TRL	PARADISE PARK	WILD OAKS AVE	DEAD END	0.154	51	3-	0					
229	AA5951	SABINO CT.	SAGE CREEK ADDITION	SAGE CREEK DR.	END/CUL-DE-SAC	0.170	51	5	(2) 24" x 60' CONCRETE CULVS					
230	AA0014	SAGEBRUSH LN	CANYON RIDGE ADDITION	GRASSLAND DR	WINDING WAY	0.340	51	4	(2)30"X34' CONCRETE (2) 30"X38' CONCRETE @ 7813 SAGEBRUSH					
231	AA1720	SAGE CREEK DR.	SAGE CREEK ADDITION	CR1126	END/CUL-DE-SAC	0.360	51	5	(2) 24" x 60' CONCRETE CULVS					
232	AA1721	SCENIC VIEW CT	FISHERMAN'S PARADISE	DUSTY TRAIL	DEAD END	0.088	51	3	0					
233	RD ADDED 11/14/22	SHINING STAR TRL	FISHERMAN'S PARADISE	MOUNTAIN VIEW	DEAD END	0.193	51	3	(1) 15" X 30' CULV (1) 24" X 26' CULV	3 3				
234	AA1607 (2)	SHOREVIEW DR	SHORE VIEW ADDITION	1218	DEAD END/LAKE	0.495	51	3-	1218-END: (1) 18" X 30' CULV (1) 18" X 21' CONCRETE	3 3				
235	AA2135	SHORTCAKE LN	STRAWBERRY RIDGE	CR 911	BERRY PATCH LN	0.410	51	3	(3) 44" x 40'					
236	AA1234 (E) of	SKYLARK CT	SPACE ACRES	CR913	END	0.253	51	3	(1) 24" CULV (1) 18" CULV					
237	AA0112 (W) of	SKYLARK DR	X-CELL ESTATES	RAVEN RD	END	0.510	51	3	AT RAVEN: (2) 54" W/HEADWALL AT STARLING DR:					
238	AA1602	SPUR CT	HILLTOP RANCH ESTATES	HORSESHOE ROAD	DEAD END	0.084	51	4	0					
239	AA1511	ST LEGER DR	NOLAN RIVER ESTATES	ASCOT DRIVE	GOLD CUP DRIVE	1.419	51	3-	(2) 36" X 40' CULVS (2) 36" X 40' CULVS (1) 36" X 40' CULV	3 3 3				
240	AA2137	STARLING DR	X-CELL ESTATES	CR913	FALCON DR	0.436	51	3	0					
241	NEW RD ADDED 11/8/21	STRAWBERRY RIDGE LN	STRAWBERRY RIDGE	BERRY PATCH LN	CR 911	0.220	51	3						
242	AA0155	SUNDANCE CIR E	SPACE ACRES	SUNDANCE CIR W	SUNDANCE DR S	0.743	51	3						
243	AA1309	SUNDANCE CIR W	SPACE ACRES	SUNDANCE CIR E	SUNDANCE DR S	0.655	51	3						
244	AA0012	SUNDANCE CT	SPACE ACRES	SUNDANCE DR N	END	0.293	51	3	FROM SUNDANCE DR N: (1) 48" CULV (1) 20" CULV					

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
245	AA0009	SUNDANCE DR N	SPACE ACRES	CR913	SUNDANCE CIR	0.703	51	3	FROM 913: (1) 40" CULV (1) 84" W/HEADWALL					
246	AA1505	SUNDANCE DR S	SPACE ACRES	SUNDANCE CIR	CR911	0.232	51	3						
247	AA1707	SUZANNE LN	WALDEN ESTATES	JAN LN	KAREN LN	0.197	51	3	(2) 18" CULVS (1) 18" CULV					
248	AA5951	THOMPSON AVE	PARKER COMMUNITY	SH 171	DEAD END	0.139	51	3	0					
249	AA1720	THOUSAND OAKS DR	BRUSHY NOB ADDITION	FM 917	TIMBER TOP TRAIL	0.578	51	3	FROM FM917-TIMBER TOP: (1) 24"X 37' CULV (2) 36"X 40' CULVS					
250	AA1721	TIMBER TOP TRL	BRUSHY NOB ADDITION	THOUSAND OAKS DR.	DEAD END	0.550	51	3	FROM THOUSAND OAKS- END: (1) 24"X 38' CULV					
251	AA0018	TRENTON WAY	RUSTIC MEADOWS	BROOKCREST ST	RUSTIC EDGE ST	0.180	51	4	(1) 24" x 32' @ RHODEN AVE (1) 30" x 32' @ RUSTIC EDGE ST	4				
252	AA0060	TUCKER DR	CHISHOLM TRAIL ESTATES	CR1126B	ANISTON WAY	0.330	51	4						
253	AA1607	VALLEY VIEW TRL	FISHERMAN'S PARADISE	INDIAN TRIAL	DEAD END	0.455	51 = 0.343 32 = 0.112	3	(1) 15" X 38' CULV 12"X10", 15"X10' ('18)					
254	AA2135	VALLEY VIEW LN	LAKEVIEW ESTATES	RIVERVIEW DRIVE	RIVERVIEW	0.189	51	2	(1) 12" X 44' CONCRETE CULV					
255	AA1254	VALLEY VIEW LN CUL-D- SAC E	LAKEVIEW ESTATES	VALLEY VIEW LANE	DEAD END	0.037	51	2						
256	AA0112	VALLEY VIEW LN CUL-D- SAC W	LAKEVIEW ESTATES	VALLEY VIEW LANE	DEAD END	0.037	32	2						
257	AA1602	VILLAGE DR	FISHERMAN'S PARADISE	INDIAN TRAIL	CIMMARON TRAIL	0.320	51	3	(1) 12" X 38' CONCRETE CULV					
258	AA1511	WALDEN DR	WALDEN ESTATES	CR913	END(SUZANNE LN)	0.559	51	3	(1) 24" culv (2) 14" culvs (1) 30" culv					
259	AA2137	WEST LAKE RD	EASDON ADDITION	CLEBURNE CITY LIMIT SE OF US 67	END	0.330	51	4+	US 67-END: (1) 24" X 40' CULV (2) 24" X 40' CULVS	3				
260	AA0026	WEST TRAIL LN	WEST LAKE ESTATES	CR1224	END	0.320	51	5	(1) 15" X 20' CULV (11/21)	5				
261	AA0155	WESTOVER HILLS DR	WESTOVER HILLS	FM 916 (WEST)	END	0.508	51	4	(3) 36" X 60' CULVS					
262		WHEATLAND CT	CANYON RIDGE ADDITION	WINDING WAY	END	0.110	51	4	(1) 24"X40' - CONCRETE					
263		WILD BERRY CT	STRAWBERRY RIDGE	WILD BERRY LN	END	0.130	51	2						
264		WILD BERRY LN	STRAWBERRY RIDGE	STRAWBERRY RIDGE LN	SHORTCAKE LN	0.320	51	3						

Attachment A
6/01/2025

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	TXDOT Route ID127:	ROAD #	SUBDIVISION	FROM	TO	MILEAGE	PAVED 32- GRAVEL	COND/1= POOR, 5=EXCEL	CULVERTS	CULV CONDITIO N	BRIDGE TXDOT ID#	FEATURE CROSSED	BRIDGE CONDITION	CATTLE GUARDS
265		WILD BERRY TRL	BLACKBERRY SPRINGS	CR 911	W FM 917	0.780	51	2	(4) 40" x 50' @ CR 911	4				
266		WILD OAKS AVE	PARADISE PARK	BENJAMIN BLVD	MOUNTAIN VIEW	0.152	51	3	(1) 32" X 34' CONCRETE (3) 24" X 35' CONCRETE					
267	AA0012	WINDING WAY	CANYON RIDGE ADDITION	WINDRIDGE	WINDRIDGE DR	0.640	51	4	(3) 30"X60' @ 8964 WINDING WAY (3) 30"X60' W/ TRIPLE 30" DROP INLETS, (1) 30' & (2) 40' @ 8936 WINDING WAY					
268	AA0009	WINDRIDGE DR	CANYON RIDGE ADDITION	BREEZEWAY	CR1005	0.365	51	4	(1) 18"X45' (1) 24"X33' (2) 30"X38' CONCRETE @ 7912 WINDRIDGE					
269						282.534								